



SHIPPING TERMS AND GLOSSARY

A

Abandonment: The decision of a carrier to give up or to discontinue service over a route. Railroads must seek ICC permission to abandon routes.

ABC Classification: Classification of a group of items in decreasing order of annual dollar volume or other criteria. This array is then split into three classes called A, B, and C. The A group represents 10 to 20% by number of items, and 50 to 70% by projected dollar volume. The next grouping, B, represents about 20% of the items and about 20% of the dollar volume. The C-class contains 60 to 70% of the items, and represents about 10 to 30% of the dollar volume.

ABC Inventory Control: An inventory control approach based on the ABC volume or sales revenue classification of products (A items are highest volume or revenue, C—or perhaps D—are lowest volume SKUs).

ABC Model: In cost management, a representation of resource costs during a time period that are consumed through activities and traced to products, services, and customers or to any other object that creates a demand for the activity to be performed.

ABC System: In cost management, a system that maintains financial and operating data on an organization's resources, activities, drivers, objects and measures. ABC models are created and maintained within this system.

Abnormal Demand: Demand in any period that is outside the limits established by management policy. This demand may come from a new customer or from existing customers whose own demand is increasing or decreasing. Care must be taken in evaluating the nature of the demand: is it a volume change is it a change in product mix, or is it related to the timing of the order?

Absorption Costing: In cost management, an approach to inventory valuation in which variable costs and a portion of fixed costs are assigned to each unit of production. The fixed costs are usually allocated to units of output on the basis of direct labor hours, machine hours, or material costs.

Acceptable Quality Level (AQL): In quality management, when a continuing series of lots is considered, AQL represents a quality level that, for the purposes of sampling inspection, is the limit of a satisfactory process average.

Acceptable Sampling Plan: In quality management, a specific plan that indicates the sampling sizes and the associated acceptance or non-acceptance criteria to be used.



Acceptance Number: In quality management, 1) A number used in acceptance sampling as a cut off at which the lot will be accepted or rejected. For example, if x or more units are bad within the sample, the lot will be rejected. 2) The value of the test statistic that divides all possible values into acceptance and rejection regions.

Acceptance Sampling: 1) The process of sampling a portion of goods for inspection rather than examining the entire lot. The entire lot may be accepted or rejected based on the sample even though the specific units in the lot are better or worse than the sample. There are two types: attributes sampling and variables sampling. In attributes sampling, the presence or absence of a characteristic is noted in each of the units inspected. In variables sampling, the numerical magnitude of a characteristic is measured and recorded for each inspected unit; this type of sampling involves reference to a continuous scale of some kind. 2) A method of measuring random samples of lots or batches of products against predetermined standards.

Accessibility: The ability of a carrier to provide service between an origin and a destination.

Accessory: A choice or feature added to the good or service offered to the customer for customizing the end product. An accessory enhances the capabilities of the product but is not necessary for the basic function of the product. In many companies, an accessory means that the choice does not have to be specified before shipment but can be added at a later date. In other companies, this choice must be made before shipment.

Accessorial charges: A charge for services over and above transportation charges such as: inside delivery, heading, sort and segregate, heating, storage, etc.

Accountability: Being answerable for, but not necessarily personally charged with, doing specific work. Accountability cannot be delegated, but it can be shared. For example, managers and executives are accountable for business performance even though they may not actually perform the work.

Accounts Payable (A/P): The value of goods and services acquired for which payment has not yet been made.

Accounts receivable (A/R): The value of goods shipped or services rendered to a customer on whom payment has not yet been received. Usually includes an allowance for bad debts.

Accreditation: Certification by a recognized body of the facilities, capability, objectivity, competence, and integrity of an agency, service, operational group, or individual to provide the specific service or operation needed. For example, the Registrar Accreditation Board accredits those organizations that register companies to the ISO 9000 Series Standards.

Accredited Standards Committee (ASC): A committee of the ANSI chartered in 1979 to develop uniform standards for the electronic interchange of business documents. The committee develops and maintains U.S. generic standards (X12) for Electronic Data Interchange.



Accumulation bin: A place, usually a physical location, used to accumulate all components that go into an assembly before the assembly is sent out to the assembly floor.

Accuracy: In quality management, the degree of freedom from error or the degree of conformity to a standard. Accuracy is different from precision. For example, four-significant-digit numbers are less precise than six-significant-digit numbers; however, a properly computed four-significant-digit number might be more accurate than an improperly computed six-significant-digit number.

Acknowledgment: A communication by a supplier to advise a purchaser that a purchase order has been received. It usually implies acceptance of the order by the supplier.

Acquisition Cost: In cost accounting, the cost required to obtain one or more units of an item. It is order quantity times unit cost.

Act of God: An act occasioned by violence of nature which no reasonable human foresight, care, or diligence can anticipate or prevent.

Action Message: An output of a system that identifies the need for and the type of action to be taken to correct a current or potential problem. Examples of action messages in an MRP system include release order, reschedule in, reschedule out, and cancel. Synonym: exception message, action report.

Action Plan: A specific method or process to achieve the results called for by one or more objectives. An action plan may be a simpler version of a project plan.

Activation: In constraint management, the use of non-constraint resources to make parts or products above the level needed to support the system constraint(s). The result is excessive work-in-process inventories or finished goods inventories, or both. In contrast, the term utilization is used to describe the situation in which non-constraint resource(s) usage is synchronized to support the needs of the constraint.

Active Inventory: The raw materials, work in process, and finished goods that will be used or sold within a given period.

Active Stock: Goods in active pick locations and ready for order filling.

Activity: Work performed by people, equipment, technologies or facilities. Activities are usually described by the "action-verb-adjective-noun" grammar convention. Activities may occur in a linked sequence and activity-to-activity assignments may exist. 1) In activity-based cost accounting, a task or activity, performed by or at a resource, required in producing the organization's output of goods and services. A resource may be a person, machine, or facility. Activities are grouped into pools by type of activity and allocated to products. 2) In project



management, an element of work on a project. It usually has an anticipated duration, anticipated cost, and expected resource requirements. Sometimes "major activity" is used for larger bodies of work.

Activity Analysis: The process of identifying and cataloging activities for detailed understanding and documentation of their characteristics. An activity analysis is accomplished by means of interviews, group sessions, questionnaires, observations, and reviews of physical records of work.

Activity Based Budgeting (ABB): An approach to budgeting where a company uses an understanding of its activities and driver relationships to quantitatively estimate workload and resource requirements as part of an ongoing business plan. Budgets show the types, number of and cost of resources that activities are expected to consume based on forecasted workloads. The budget is part of an organization's activity-based planning process and can be used in evaluating its success in setting and pursuing strategic goals.

Activity Based Costing (ABC): A methodology that measures the cost and performance of cost objects, activities and resources. Cost objects consume activities and activities consume resources. Resource costs are assigned to activities based on their use of those resources, and activity costs are reassigned to cost objects (outputs) based on the cost objects proportional use of those activities. Activity-based costing incorporates causal relationships between cost objects and activities and between activities and resources.

Activity Based Costing Model: In activity-based cost accounting, a model, by time period, of resource costs created because of activities related to products or services or other items causing the activity to be carried out.

Activity Based Costing System: A set of activity-based cost accounting models that collectively define data on an organization's resources, activities, drivers, objects, and measurements.

Activity-Based Management (ABM): A discipline focusing on the management of activities within business processes as the route to continuously improve both the value received by customers and the profit earned in providing that value. ABM uses activity-based cost information and performance measurements to influence management action.

Activity Based Planning (ABP): Activity-based planning (ABP) is an ongoing process to determine activity and resource requirements (both financial and operational) based on the ongoing demand of products or services by specific customer needs. Resource requirements are compared to resources available and capacity issues are identified and managed. Activity-based budgeting (ABB) is based on the outputs of activity-based planning.

Activity Dictionary: A listing and description of activities that provides a common/standard definition of activities across the organization. An activity dictionary can include information about an activity and/or its relationships, such as activity description, business process, function



source, whether value-added, inputs, outputs, supplier, customer, output measures, cost drivers, attributes, tasks, and other information as desired to describe the activity.

Activity Driver: The best single quantitative measure of the frequency and intensity of the demands placed on an activity by cost objects or other activities. It is used to assign activity costs to cost objects or to other activities.

Activity Level: A description of types of activities dependent on the functional area. Product-related activity levels may include unit, batch, and product levels. Customer-related activity levels may include customer, market, channel, and project levels.

Activity Network Diagram: An arrow diagram used in planning and managing processes and projects.

Actual Cost System: A cost system that collects costs historically as they are applied to production and allocates indirect costs to products based on the specific costs and achieved volume of the products.

Actual Costs: The labor, material, and associated overhead costs that are charged against a job as it moves through the production process.

Actual Demand: Actual demand is composed of customer orders (and often allocations of items, ingredients, or raw materials to production or distribution). Actual demand nets against or "consumes" the forecast, depending upon the rules chosen over a time horizon. For example, actual demand will totally replace forecast inside the sold-out customer order backlog horizon (often called the demand time fence), but will net against the forecast outside this horizon based on the chosen forecast consumption rule.

Actual to Theoretical Cycle Time: The ratio of the measured time required to produce a given output divided by the sum of the time required to produce a given output based on the rated efficiency of the machinery and labor operations.

Ad Valorem: An additional charge when a shipper desires to be covered for a valuation in excess of that allowed by the carrier's regular bill of lading.

Add-Ons: Additional charges.

Adaptive Control: 1) The ability of a control system to change its own parameters in response to a measured change in operating conditions. 2) Machine control units in which feeds and/or speeds are not fixed. The control unit, working from feedback sensors, is able to optimize favorable situations by automatically increasing or decreasing the machining parameters. This process ensures optimum tool life or surface finish and/or machining costs or production rates.



Adaptive Smoothing: In forecasting, a form of exponential smoothing in which the smoothing constant is automatically adjusted as a function of one or many items, for example, forecast error measurement, calendar characteristics (launch, replenishment, end of life), or demand volume.

Advance Material Request: Ordering materials before the release of the formal product design. This early release is required because of long lead times.

Advanced Planning and Scheduling (APS): Techniques that deal with analysis and planning of logistics and manufacturing over the short, intermediate, and long-term time periods. APS describes any computer program that uses advanced mathematical algorithms or logic to perform optimization or simulation on finite capacity scheduling, sourcing, capital planning, resource planning, forecasting, demand management, and others. These techniques simultaneously consider a range of constraints and business rules to provide real-time planning and scheduling, decision support, available-to-promise, and capable-to-promise capabilities. APS often generates and evaluates multiple scenarios. Management then selects one scenario to use as the "official plan." The five main components of APS systems are demand planning, production planning, production scheduling, distribution planning, and transportation planning.

Advanced Shipping Notice (ASN): Detailed shipment information transmitted to a customer or consignee in advance of delivery, designating the contents (individual products and quantities of each) and nature of the shipment. May also include carrier and shipment specifics including time of shipment and expected time of arrival.

After-Sale Service: Services provided to the customer after products have been delivered. This can include repairs, maintenance and/or telephone support. *Synonym: Field Service*

Agency: An organization working on behalf of a principal. Company who represents/acts on behalf of another entity.

Agency Tariff: A publication of a rate bureau that contains rates for many carriers.

Agent: An enterprise authorized to transact business for, or in the name of, another enterprise.

Agile Manufacturing: Tools, techniques, and initiatives that enable a plant or company to thrive under conditions of unpredictable change. Agile manufacturing not only enables a plant to achieve rapid response to customer needs, but also includes the ability to quickly reconfigure operations—and strategic alliances—to respond rapidly to unforeseen shifts in the marketplace. In some instances, it also incorporates "mass customization" concepts to satisfy unique customer requirements. In broad terms, it includes the ability to react quickly to technical or environmental surprises.

Agglomeration: A net advantage gained by a common location with other companies.



Aggregate Forecast: An estimate of sales, often time phased, for a grouping of products or product families produced by a facility or firm. Stated in terms of units, dollars, or both, the aggregate forecast is used for sales and production planning (or for sales and operations planning) purposes.

Aggregate Inventory: The inventory for any grouping of items or products involving multiple stock keeping units.

Aggregate Inventory Management: Establishing the overall level (dollar value) of inventory desired and implementing controls to achieve this goal.

Aggregate Plan: A plan that includes budgeted levels of finished goods, inventory, production backlogs, and changes in the workforce to support the production strategy. Aggregated information (e.g., product line, family) rather than product information is used, hence the name aggregate plan.

Aggregate Planning: A process to develop tactical plans to support the organization's business plan. Aggregate planning usually includes the development, analysis, and maintenance of plans for total sales, total production, targeted inventory, and targeted customer backlog for families of products. The production plan is the result of the aggregate planning process. Two approaches to aggregate planning exist—production planning and sales and operations planning.

Aggregate Tender Rate: A reduced rate offered to a shipper who tenders two or more class-rated shipments at one time and one place.

Agility: The ability to successfully manufacture and market a broad range of low-cost, high-quality products and services with short lead times and varying volumes that provides enhanced value to customers through customization. Agility merges the four distinctive competencies of cost, quality, dependability, and flexibility.

AI: All Inclusive.

Air Cargo Containers: Containers designed to conform to the inside of an aircraft. There are many shapes and sizes of containers. Air cargo containers fall into three categories: 1) air cargo pallets 2) lower deck containers 3) box type containers.

Airport and Airway Trust Fund: A federal fund that collects passenger ticket taxes and disburses those funds for airport facilities.

Air Taxi: An exempt for-hire air carrier that will fly anywhere on demand: air taxis are restricted to a maximum payload and passenger capacity per plane.

Air Transport Association of America: A U.S. airline industry association.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Air Waybill (AWB): A bill of lading for air transport that serves as a receipt for the shipper, indicates that the carrier has accepted the goods listed, obligates the carrier to carry the consignment to the airport of destination according to specified conditions.

All-Water: Service rendered by carriers on a port to port basis; cargo moving via ocean carrier only.

Alaskan carrier: A for-hire air carrier that operates within the state of Alaska.

Algorithm: A clearly specified mathematical process for computation; a set of rules, which, if followed, give a prescribed result.

All-cargo Carrier: An air carrier that transports cargo only.

Allocated Item: In an MRP system, an item for which a picking order has been released to the stockroom but not yet sent from the stockroom.

Allocation: 1) In cost accounting, a distribution of costs using calculations that may be unrelated to physical observations or direct or repeatable cause-and-effect relationships. Because of the arbitrary nature of allocations, costs based on cost causal assignment are viewed as more relevant for management decision-making. 2) In order management, allocation of available inventory to customer and production orders.

Alpha Release: A very early release of a product to get preliminary feedback about the feature set and usability.

Alternate Routing: A routing, usually less preferred than the primary routing, but resulting in an identical item. Alternate routings may be maintained in the computer or off-line via manual methods, but the computer software must be able to accept alternate routings for specific jobs.

AMS: Automated Manifest Systems.

American Customer Satisfaction Index (ACSI): Released for the first time in October 1994, an economic indicator and cross industry measure of the satisfaction of U.S. household customers with the quality of the goods and services available to them—both those goods and services produced within the United States and those provided as imports from foreign firms that have substantial market shares or dollar sales. The ACSI is co-sponsored by the University of Michigan Business School, ASQ and the CFI Group.

American National Standards Institute (ANSI): A non-profit organization chartered to develop, maintain, and promulgate voluntary U.S. national standards in a number of areas, especially with regards to setting EDI standards. ANSI is the U.S. representative to the International Standards Organization (ISO).



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

American Society for Quality (ASQ): Founded in 1946, a not-for-profit educational organization consisting of 144,000 members who are interested in quality improvement.

American Society for Testing and Materials (ASTM): Not-for-profit organization that provides a forum for the development and publication of voluntary consensus standards for materials, products, systems and services.

American Society for Training and Development (ASTD): A membership organization providing materials, education and support related to workplace learning and performance.

American Society of Transportation & Logistics: A professional organization in the field of logistics.

American Standard Code for Information Interchange (ASCII): ASCII format - simple text based data with no formatting. The standard code for information exchange among data processing systems. Uses a coded character set consisting of 7-bit coded characters (8 bits including parity check).

American Trucking Association, Inc.: A motor carrier industry association that is made up of sub conferences representing various sectors of the motor carrier industry.

American Waterway Operators: A domestic water carrier industry association representing barge operators on the inland waterways.

Amtrak: The National Railroad Passenger Corporation, a federally created corporation that operates most of the United States' intercity passenger rail service.

Animated GIF: A file containing a series of GIF (Graphics Interchange Format) images that are displayed in rapid sequence by some Web browsers, giving an animated effect.

ANSI ASC X12: American National Standards Institute Accredited Standards Committee X12. The committee of ANSI that is charged with setting EDI standards.

ANSI Standard: A published transaction set approved by ANSI. The standards are reviewed every six months.

Anti-Rebating: Document signed by shipping companies and filed with Federal Maritime Certification Commission and in ocean tariffs attesting that rebates are not allowed and will not be paid by a company.

Anticipated Delay Report: A report, normally issued by both manufacturing and purchasing to the material planning function, regarding jobs or purchase orders that will not be completed on time and explaining why the jobs or purchases are delayed and when they will be completed.



This report is an essential ingredient of the closed-loop MRP system. It is normally a handwritten report. *Synonym: delay report*

Anticipation Inventories: Additional inventory above basic pipeline stock to cover projected trends of increasing sales planned sales promotion programs, seasonal fluctuations, plant shutdowns, and vacations.

Anti-Dumping Duty: An additional import duty imposed in instances where imported goods are priced at less than the normal price charged in the exporter's domestic market and cause material injury to domestic industry in the importing country.

Any-Quantity Rate (AQ): The same rate applies to any size shipment tendered to a carrier; no discount rate is available for large shipments.

Applicability Statement 2 (AS2): A specification for Electronic Data Interchange between businesses using the Internet's Web page protocol, the Hypertext Transfer Protocol (HTTP). The specification is an extension of the earlier version, Applicability Statement 1 (AS1). Both specifications were created by EDI over the Internet (EDIINT), a working group of the Internet Engineering Task Force (IETF) that develops secure and reliable business communications standards.

Application Service Provider (ASP): A company that offers access over the Internet to application (examples of applications include word processors, database programs, Web browsers, development tools, communication programs) and related services that would otherwise have to be located in their own computers. Sometimes referred to as "apps-on-tap", ASP services are expected to become an important alternative, especially for smaller companies with low budgets for information technology. The purpose is to try to reduce a company's burden by installing, managing, and maintaining software.

Application-to-Application: The direct interchange of data between computers, without re-keying.

Appraisal Costs: Those costs associated with the formal evaluation and audit of quality in the firm. Typical costs include inspection, quality audits, testing, calibration, and checking time.

Approved Vendor List (AVL): List of the suppliers approved for doing business. The AVL is usually created by procurement or sourcing and engineering personnel using a variety of criteria such as technology, functional fit of the product, financial stability, and past performance of the supplier.

AQ: Any quantities.

AQI: Agriculture Quarantine Inspection



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Army Corps of Engineers: A federal agency responsible for the construction and maintenance of waterways.

Arrival Notice: A notice from the delivering carrier to the Notify Party indicating the shipment's arrival date at a specific location (normally the destination).

Arrow diagram: A planning tool to diagram a sequence of events or activities (nodes) and the interconnectivity of such nodes. It is used for scheduling and especially for determining the critical path through nodes.

Artificial Intelligence: Understanding and computerizing the human thought process.

ASC X12: Accredited Standards Committee X12. A committee of ANSI chartered in 1979 to develop uniform standards for the electronic interchange of business documents.

As Freight: All cargoes freighted on same unit; Weight or Measure.

Assignment: An act which involves transfer of rights, title, and interest for the purpose of assigning goods by endorsement of the bill of lading.

Association of American Railroads: A railroad industry association that represents the larger U.S. railroads.

Assemble-to-order: A production environment where a good or service can be assembled after receipt of a customer's order. The key components (bulk, semi-finished, intermediate, subassembly, fabricated, purchased, packing, and so on) used in the assembly or finishing process are planned and usually stocked in anticipation of a customer order. Receipt of an order initiates assembly of the customized product. This strategy is useful where a large number of end products (based on the selection of options and accessories) can be assembled from common components. *Synonym: Finish to Order.*

Assembly: A group of subassemblies and/or parts that are put together and that constitute a major subdivision for the final product. An assembly may be an end item or a component of a higher level assembly.

Assembly Line: An assembly process in which equipment and work centers are laid out to follow the sequence in which raw materials and parts are assembled.

Assignment: A distribution of costs using causal relationships. Because cost causal relationships are viewed as more relevant for management decision-making, assignment of costs is generally preferable to allocation techniques. *Synonym: Tracing. Contrast with Allocation*



Assumed Receipt: The principle of assuming that the contents of a shipment are the same as those presented on a shipping or delivery note. Shipping and receiving personnel do not check the delivery quantity. This practice is used in conjunction with bar codes and an EDI-delivered ASN to eliminate invoices and facilitate rapid receiving.

Attachment: An accessory that has to be physically attached to the product.

Attributes: A label used to provide additional classification or information about a resource, activity, or cost object. Used for focusing attention and may be subjective. Examples are a characteristic, a score or grade of product or activity, or groupings of these items, and performance measures.

Audit: The inspection and examination of a process or quality system to ensure compliance to requirements. An audit can apply to an entire organization or may be specific to a function, process or production step.

Audit Trail: Manual or computerized tracing of the transactions affecting the contents or origin of a record.

Auditing: Determining the correct transportation charges due the carrier: auditing involves checking the accuracy of the freight bill for errors, correct rate, and weight.

Auditability: A characteristic of modern information systems, gauged by the ease with which data can be substantiated by tracing it to source documents and the extent to which auditors can rely on pre-verified and monitored control processes.

Authentication: 1) The process of verifying the eligibility of a device, originator, or individual to access specific categories of information or to enter specific areas of a facility. This process involves matching machine-readable code with a predetermined list of authorized end users. 2) A practice of establishing the validity of a transmission, message, device, or originator, which was designed to provide protection against fraudulent transmissions.

Authentication Key: A short string of characters used to authenticate transactions between trading partners.

Auto-discrimination: The functionality of a bar code reader to recognize the bar code symbology being scanned thus allowing a reader to read several different symbologies consecutively.

AutoID: Referring to an automated identification system. This includes technology such as bar coding and radio frequency tagging (RFID).

Automated Broker Interface (ABI): The U.S. Customs program to automate the flow of customs related information among customs brokers, importers, and carriers.



Automated Call Distribution (ACD): A feature of large call center or "Customer Interaction Center" telephone switches that routes calls by rules such as next available employee, skill-set etc.

Automated Clearinghouse (ACH): A nationwide electronic payments system, which more than 15,000 financial institutions use, on behalf of 100,000 corporations and millions of consumer in the U.S. The funds transfer system of choice among businesses that make electronic payments to vendors, it is economical and can carry remittance information in standardized, computer process able data formats.

Automated Commercial Environment (ACE): Update of outmoded Automated Commercial System (ACS). It is intended to provide automated information system to enable the collection, processing and analysis of commercial import and export data, allowing for moving goods through the ports faster and at lower cost, as well as detection of terrorist threats.

Automated Guided Vehicle System (AGVS): A transportation network that automatically routes one or more material handling devices, such as carts or pallet trucks, and positions them at predetermined destinations without operator intervention.

Automated Manifest System (AMS): A multi-modular cargo inventory control and release notification system through which carriers submit their electronic cargo declaration 24 hours before loading. *See 24-hour Rule*

Automated Storage/Retrieval System (AS/RS): A high-density rack inventory storage system with un-manned vehicles automatically loading and unloading products to/from the racks.

Automatic Relief: A set of inventory bookkeeping methods that automatically adjusts computerized inventory records based on a production transaction. Examples of automatic relief methods are back flushing, direct-deduct, pre-deduct, and post-deduct processing.

Automatic Rescheduling: Rescheduling done by the computer to automatically change due dates on scheduled receipts when it detects that due dates and need dates are out of phase. *Ant: manual rescheduling*

Available Inventory: The on-hand inventory balance minus allocations, reservations, backorders, and (usually) quantities held for quality problems. Often called "beginning available balance".

Synonyms: Beginning Available Balance, Net Inventory

Available to Promise (ATP): The uncommitted portion of a company's inventory and planned production maintained in the master schedule to support customer-order promising. The ATP quantity is the uncommitted inventory balance in the first period and is normally calculated for each period in which an MPS receipt is scheduled. In the first period, ATP includes on-hand



inventory less customer orders that are due and overdue. Three methods of calculation are used: discrete ATP, cumulative ATP with look ahead, and cumulative ATP without look ahead.

Available to Sell (ATS): Total quantity of goods committed to the pipeline for a ship to or selling location. This includes the current inventory at a location and any open purchase orders.

Average Annual Production Materials Related A/P (Accounts Payable): The value of direct materials acquired in that year for which payment has not yet been made. Production-related materials are those items classified as material purchases and included in the Cost of Goods Sold (COGS) as raw material purchases. Calculate using the 5-Point Annual Average.

Average Cost per Unit: The estimated total cost, including allocated overhead, to produce a batch of goods divided by the total number of units produced.

Average Inventory: The average inventory level over a period of time. Implicit in this definition is a "sampling period" which is the amount of time between inventory measurements. For example, daily inventory levels over a two-week period of time, hourly inventory levels over one day, etc. The average inventory for the same total period of time can fluctuate widely, depending upon the sampling period used.

Average Payment Period (for materials): The average time from receipt of production-related materials and payment for those materials. Production-related materials are those items classified as material purchases and included in the Cost of Goods Sold (COGS) as raw material purchases.

Calculation:

[Five point annual average production-related material accounts payable] / [Annual production-related material receipts/365]

Avoidable Cost: A cost associated with an activity that would not be incurred if the activity was not performed (e.g., telephone cost associated with vendor support).



B

Back Haul: The return leg of a round trip.

Back Order: Product ordered but out of stock and promised to ship when the product becomes available.

Back Scheduling: A technique for calculating operation start dates and due dates. The schedule is computed starting with the due date for the order and working backward to determine the required start date and/or due dates for each operation.

Backflush: A method of inventory bookkeeping where the book (computer) inventory of components is automatically reduced by the computer after completion of activity on the component's upper-level parent item based on what should have been used as specified on the bill of material and allocation records. This approach has the disadvantage of a built-in differential between the book record and what is physically in stock.

Backhaul: The process of a transportation vehicle returning from the original destination point to the point of origin. The 1980 Motor Carrier Act deregulated interstate commercial trucking and thereby allowed carriers to contract for the return trip. The backhaul can be with a full, partial, or empty load. An empty backhaul is called deadheading.

Backlog Customer: Customer orders received but not yet shipped; also includes backorders and future orders.

Backorder: 1) The act of retaining a quantity to ship against an order when other order lines have already been shipped. Backorders are usually caused by stock shortages. 2) The quantity remaining to be shipped if an initial shipment(s) has been processed. Note: In some cases backorders are not allowed, this results in a lost sale when sufficient quantities are not available to completely ship and order or order line.

Backsourcing: The process of recapturing and taking responsibility internally for processes that were previously outsourced to a contract manufacturer, fulfillment or other service provider. Back sourcing typically involves the cancellation or expiration of an outsourcing contract and can be nearly as complex as the original outsourcing process.

Back Order: Product ordered but out of stock and promised to ship when the product becomes available.



Balance-of-Stores Record: A double-entry record system that shows the balance of inventory items on hand and the balances of items on order and available for future orders. Where a reserve system of materials control is used, the balance of material on reserve is also shown.

Banding: Securing of cargo on a pallet generally by a steel/metal stripping.

Bank Draft: A bank instrument wherein payment of funds is guaranteed.

Bank Guarantee: Accepted in lieu of original bill of lading to release cargo.

Bar code scanner: A device to read bar codes and communicate data to computer systems.

Barges: Conveyance used to carry loose cargo or containers in smaller volumes than mother vessels.

Barrier to Entry: Factors that prevent companies from entering into a particular market, such as high initial investment in equipment.

Base Demand: The percentage of a company's demand that is derived from continuing contracts and/or existing customers. Because this demand is well known and recurring, it becomes the basis of management's plans. *Synonym: Base load Demand*

Base Inventory Level: The inventory level made up of aggregate lot-size inventory plus the aggregate safety stock inventory. It does not take into account the anticipation inventory that will result from the production plan. The base inventory level should be known before the production plan is made.

Base Port: Port from which standard tariff rate applies normally serviced directly by members.

Base Series: A standard succession of values of demand-over-time data used in forecasting seasonal items. This series of factors is usually based on the relative level of demand during the corresponding period of previous years. The average value of the base series over a seasonal cycle will be 1.0. A figure higher than 1.0 indicates that the demand for that period is more than the average; a figure less than 1.0 indicates less than the average. For forecasting purposes, the base series is superimposed upon the average demand and trend in demand for the item in question. *Also see: Seasonality*

Base Stock System: A method of inventory control that includes as special cases most of the systems in practice. In this system, when an order is received for any item, it is used as a picking ticket, and duplicate copies, called replenishment orders, are sent back to all stages of production to initiate replenishment of stocks. Positive or negative orders (called base stock orders) are also used from time to time to adjust the level of the base stock of each item. In actual practice,



replenishment orders are usually accumulated when they are issued and are released at regular intervals.

Basic Producer: A manufacturer that uses natural resources to produce materials for other manufacturing. A typical example is a steel company that processes iron ore and produces steel ingots; others are those making wood pulp, glass, and rubber.

Basing-Point Pricing: A pricing system that includes transportation cost from a particular city or town in a zone or region even though the shipment does not originate at the basing point.

Batch Number: A sequence number associated with a specific batch or production run of products and used for tracking purposes. *Synonym: Lot Number*

Batch Picking: A method of picking orders in which order requirements are aggregated by product across orders to reduce movement to and from product locations. The aggregated quantities of each product are then transported to a common area where the individual orders are constructed. *Also See: Discrete Order Picking, Order Picking, Zone Picking*

Batch Processing: A computer term which refers to the processing of computer information after it has been accumulated in one group, or batch. This is the opposite of "real-time" processing where transactions are processed in their entirety as they occur.

Baud: A computer term describing the rate of transmission over a channel or circuit. The baud rate is equal to the number of pulses that can be transmitted in one second, often the same as the number of bits per second. Common rates are now 1200, 2400, 4800, 9600 bits and 19.2 and 56 kilobytes (Kbs) for "dial-up" circuits, and may be much higher for broadband circuits.

Bay: Section of a vessel where containers or cargo is stored.

Bay Plan: Section by section breakdown of a vessel to indicate where cargo is stowed.

Benchmarking: The process of comparing performance against the practices of other leading companies for the purpose of improving performance. Companies also benchmark internally by tracking and comparing current performance with past performance. Benchmarking seeks to improve any given business process by exploiting "best practices" rather than merely measuring the best performance. Best practices are the cause of best performance. Studying best practices provides the greatest opportunity for gaining a strategic, operational, and financial advantage.

Benefit-cost ratio: An analytical tool used in public planning; a ratio of total measurable benefits divided by the initial capital cost.

Berth: Where the vessel docks.

Berth Terms: Carrier provides stevedoring.



Bespoke: An individual or custom-made product or service. Traditionally applied to custom-tailored clothing, the term has been extended to information technology, especially for custom-designed software as an alternative to commercial (COTS) software.

Best-in-Class: An organization, usually within a specific industry, recognized for excellence in a specific process area.

Best Practice: A specific process or group of processes which have been recognized as the best method for conducting an action. Best Practices may vary by industry or geography depending on the environment being used. Best practices methodology may be applied with respect to resources, activities, cost object, or processes.

Beta Release: A pre-released version of a product that is sent to customers for evaluation and feedback.

Bill of Activities: A listing of activities required by a product, service, process output or other cost object. Bill of activity attributes could include volume and or cost of each activity in the listing.

Bill of Lading (BOL): A transportation document that is the contract of carriage containing the terms and conditions between the shipper and carrier.

Bill of Lading, Through: A bill of lading to cover goods from point of origin to final destination when interchange or transfer from one carrier to another is necessary to complete the journey.

Bill of Material (BOM): A structured list of all the materials or parts and quantities needed to produce a particular finished product, assembly, subassembly, or manufactured part, whether purchased or not.

Bill of Material Accuracy: Conformity of a list of specified items to administrative specifications, with all quantities correct.

Bill of Resources: A listing of resources required by an activity. Resource attributes could include cost and volumes.

Bill of Exchange: See [Draft](#).

Bill of Lading (B/L): Official legal document representing ownership of cargo; negotiable document to receive cargo; contract for cargo between shipper and carrier.

Bill of Lading Number: Carrier's reference number assigned to bill of lading.

Bill of Lading Terms: All details relevant to shipment.



Bin: 1) A storage device designed to hold small discrete parts. 2) A shelving unit with physical dividers separating the storage locations.

Binary: A computer term referring to a system of numerical notation that assumes only two possible states or values, zero (0) and one (1). Computer systems use a binary technique where an individual bit or "Binary Digit" of data can be "on" or "off" (1 or 0). Multiple bits are combined into a "Byte" which represents a character or number.

Bisynchronous: A computer term referring to a communication protocol whereby messages are sent as blocks of characters. The blocks of data are checked for completeness and accuracy by the receiving computer.

Bitmap Image (BMP): The standard image format on Windows-compatible computers. Bitmap images can be saved for Windows or OS/2 systems and support 24-bit color.

Blanket Order: *See Blanket Purchase Order*

Blanket Purchase Order: A long-term commitment to a supplier for material against which short term releases will be generated to satisfy requirements. Often blanket orders cover only one item with predetermined delivery dates. *Synonym: Blanket Order, Standing Order*

Blanket Release: The authorization to ship and/or produce against a blanket agreement or contract.

Blanket Rate: A rate that does not increase according to the distance the commodity is shipped.

Bleeding Edge: An unproven process or technology so far ahead of its time that it may create a competitive disadvantage.

Block Diagram: A diagram that shows the operation, interrelationships and interdependencies of components in a system. Boxes, or blocks (hence the name), represent the components; connecting lines between the blocks represent interfaces. There are two types of block diagrams: a functional block diagram, which shows a system's subsystems and lower level products and their interrelationships and which interfaces with other systems; and a reliability block diagram, which is similar to the functional block diagram except that it is modified to emphasize those aspects influencing reliability.

Blocking Bug: A defect that prevents further or more detailed analysis or verification of a functional area or feature, or any issue that would prevent the product from shipping.

Bottleneck: A constraint, obstacle or planned control that limits throughput or the utilization of capacity.



Bottom-up Replanning: In MRP, the process of using pegging data to solve material availability or other problems. This process is accomplished by the planner (not the computer system), who evaluates the effects of possible solutions. Potential solutions include compressing lead time, cutting order quantity, substituting material, and changing the master schedule.

Blow Through: An MRP process which uses a "phantom bill of material" and permits MRP logic to drive requirements straight through the phantom item to its components. The MRP system usually retains its ability to net against any occasional inventories of the item. *Also see: Phantom Bill of Material*

Body of Knowledge (BOK): The prescribed aggregation of knowledge in a particular area an individual is expected to have mastered to be considered or certified as a practitioner.

Bolster: Bracing of a commodity in a container.

Bonded Warehouse: A secured Customs approved facility where cargo and containers are stored under close surveillance.

Booking: Cargo commitment made to carrier (i.e. a reservation).

Book Inventory: An accounting definition of inventory units or value obtained from perpetual inventory records rather than by actual count.

Boxcar: An enclosed rail car typically 40 to 50 feet long; used for packaged freight and some bulk commodities.

Box-Jenkins Model: A forecasting method based on regression and moving average models. The model is based not on regression of independent variables, but on past observations of the item to be forecast at varying time lags and on previous error values from forecasting. *See also: Forecast*

Box Rate: A lump sum charge to move cargo in various size containers from origin to destination.

Boycott Certificates: Required by certain countries restricting carriage to certain flag vessels.

Bracketed Recall: Recall from customers of suspect lot numbers plus a specified number of lots produced before and after the suspect ones.

Branding: The use of a name, term, symbol, or design, or a combination of these, to identify a product.

Breadman: A specific application of Kanban, used in coordinating vendor replenishment activities. In making bread or other route type deliveries, the deliveryman typically arrives at the



customer's location and fills a designated container or storage location with product. The size of the order is not specified on an ongoing basis, nor does the customer even specify requirements for each individual delivery. Instead, the supplier assumes the responsibility for quantifying the need against a prearranged set of rules and delivers the requisite quantity.

Breakbulk: Loose cargo containers and non-containerized cargo; vessel whose hatch is built to accommodate various bulk commodities.

Breakbulk Vessel: Carries containers and non-containerized cargo; vessel whose hatch is Vessel built to accommodate various bulk commodities.

Break-Even Chart: A graphical tool showing the total variable cost and fixed cost curve along with the total revenue curve. The point of intersection is defined as the break-even point, i.e., the point at which total revenues exactly equal total costs. *Also see: Total Cost Curve*

Break-Even Point: The level of production or the volume of sales at which operations are neither profitable nor unprofitable. The break-even point is the intersection of the total revenue and total cost curves. *Also see: Total Cost Curve*

Bricks and Mortar: The act of selling through a physical location. The flip side of clicks and mortar, where selling is conducted via the Internet. An informal term for representing the old economy versus new economy or the Industrial economy versus information economy.

Broadband: A high-speed, high-capacity transmission channel. Broadband channels are carried on radio wave, coaxial or fiber-optic cables that have a wider bandwidth than conventional telephone lines, giving them the ability to carry video, voice, and data simultaneously.

Broken Case: An open case. The term is often used interchangeably with "repack" or "less-than-fullcase" to name the area in which materials are picked in that form.

Broker: An intermediary between the shipper and the carrier. The broker arranges transportation for shippers and represents carriers.

Brokered Systems: Independent computer systems, owned by independent organizations or entities, linked in a manner to allow one system to retrieve information from another. For example, a customer's computer system is able to retrieve order status from a supplier's computer.

Browser: A utility that allows an internet user to look through collections of things. For example, Netscape Navigator and Microsoft Explorer allow you to view contents on the World Wide Web.



Bucketed System: An MRP, DRP, or other time-phased system in which all time-phased data are accumulated into time periods, or buckets. If the period of accumulation is one week, then the system is said to have weekly buckets.

Bucketless System: An MRP, DRP, or other time-phased system in which all time-phased data are processed, stored, and usually displayed using dated records rather than defined time periods, or buckets.

Buffer: 1) A quantity of materials awaiting further processing. It can refer to raw materials, semifinished stores or hold points, or a work backlog that is purposely maintained behind a work center. 2) In the theory of constraints, buffers can be time or material and support throughput and/or due date performance. Buffers can be maintained at the constraint, convergent points (with a constraint part), divergent points, and shipping points.

Buffer Management: In the theory of constraints, a process in which all expediting in a shop is driven by what is scheduled to be in the buffers (constraint, shipping, and assembly buffers). By expediting this material into the buffers, the system helps avoid idleness at the constraint and missed customer due dates. In addition, the causes of items missing from the buffer are identified, and the frequency of occurrence is used to prioritize improvement activities.

Bulletin Board: An electronic forum that hosts posted messages and articles related to a common subject.

Bundle: A group of products that are shipped together as an unassembled unit.

Bulk Area: A storage area for large items which at a minimum are most efficiently handled by the pallet load.

Bulk Carrier - Vessel specifically built to carry raw materials.

Bulk Containers: Containers used specifically for raw materials.

Bulk packing: The process or act of placing numbers of small cartons or boxes into a larger single box to aid in the movement of product and to prevent damage or pilferage to the smaller cartons or boxes.

Bull Rings: Rings for lashing the cargo in containers.

Bullwhip Effect: An extreme change in the supply position upstream in a supply chain generated by a small change in demand downstream in the supply chain. Inventory can quickly move from being back ordered to being excess. This is caused by the serial nature of communicating orders up the chain with the inherent transportation delays of moving product down the chain. The bullwhip effect can be eliminated by synchronizing the supply chain.



Bulk storage: The process of housing or storing materials and packages in larger quantities, generally using the original packaging or shipping containers or boxes.

Bundle: A group of products that are shipped together as an unassembled unit.

Bundling: An occurrence where two or more products are combined into one transaction for a single price.

Bunker Adjustment Factor - Surcharge assessed by carrier applied to freight rates to supplement fuel Factor (BAF) costs.

Bunkers - Fuel used by vessel.

Business Activity Monitoring (BAM): A term which refers to capturing operational data in real-time or close to it, making it possible for an enterprise to react more quickly to events. This is typically done through software and includes features to provide alerts / notifications when specific events occur. *See also: Supply Chain Event Management*

Business Application: Any computer program, set of programs, or package of programs created to solve a particular business problem or function.

Business Continuity Plan (BCP): A contingency plan for sustained operations during periods of high risk, such as during labor unrest or natural disaster. CSCMP provides suggestions for helping companies do continuity planning in their Securing the Supply Chain Research. A copy of the research is available on the CSCMP website.

Business Logistics: The systematic and coordinated set of activities required to provide the physical movement and storage of goods (raw materials, parts, finished goods) from vendor/supply services through company facilities to the customer (market) and the associated activities—packaging, order processing, etc.—in an efficient manner necessary to enable the organization to contribute to the explicit goals of the company.

Business Plan: 1) A statement of long-range strategy and revenue, cost, and profit objectives usually accompanied by budgets, a projected balance sheet, and a cash flow (source and application of funds) statement. A business plan is usually stated in terms of dollars and grouped by product family. The business plan is then translated into synchronized tactical functional plans through the production planning process (or the sales and operations planning process). Although frequently stated in different terms (dollars versus units), these tactical plans should agree with each other and with the business plan. See: long-term planning, strategic plan. 2) A document consisting of the business details (organization, strategy, and financing tactics) prepared by an entrepreneur to plan for a new business.

Business Performance Measurement (BPM): A technique which uses a system of goals and metrics to monitor performance. Analysis of these measurements can help businesses in



periodically setting business goals, and then providing feedback to managers on progress towards those goals. A specific measure can be compared to itself over time, compared with a preset target or evaluated along with other measures.

Business Process Outsourcing (BPO): The practice of outsourcing non-core internal functions to third parties. Functions typically outsourced include logistics, accounts payable, accounts receivable, payroll and human resources. Other areas can include IT development or complete management of the IT functions of the enterprise.

Business Process Reengineering (BPR): The fundamental rethinking and oftentimes, radical redesign of business processes to achieve dramatic organizational improvements.

Business-to-Business (B2B): As opposed to business-to-consumer (B2C). Many companies are now focusing on this strategy, and their sites are aimed at businesses (think wholesale) and only other businesses can access or buy products on the site. Internet analysts predict this will be the biggest sector on the Web.

Business-to-Consumer (B2C): The hundreds of e-commerce Web sites that sell goods directly to consumers are considered B2C. This distinction is important when comparing Websites that are B2B as the entire business model, strategy, execution, and fulfillment is different.

Business Unit: A division or segment of an organization generally treated as a separate profit-and loss center.

Buyer Behavior: The way individuals or organizations behave in a purchasing situation. The customer-oriented concept finds out the wants, needs, and desires of customers and adapts resources of the organization to deliver need-satisfying goods and services.

Byte: A computer term used to define a string of 7 or 8 bits, or binary digits. The length of the string determines the amount of data that can be represented. The 8-bit byte can represent numerous special characters, 26 uppercase and lowercase alphabetic characters, and 10 numeric digits, totaling 256 possible combinations.



C & F: Cost and Freight. Terms of sale. Seller quotes price including the cost of goods and all transportation charges to the named point of destination.

Cabotage: Shipments between ports of the same nation. Many countries, like the U.S., have laws requiring domestic-owned vessels to perform domestic interport water transportation services.

Cage: (1) A secure enclosed area for storing highly valuable items, (2) a pallet-sized platform with sides that can be secured to the tines of a forklift and in which a person may ride to inventory items stored will above the warehouse floor.

Caged: Referring to the practice of placing high-value or sensitive products in a fenced off area within a warehouse.

Calendar Days: The conversion of working days to calendar days is based on the number of regularly scheduled workdays per week in your manufacturing calendar.

Calculation:

To convert from working days to calendar days: if work week

= 4 days, multiply by 1.75

= 5 days, multiply by 1.4

= 6 days, multiply by 1.17

Call Center: A facility housing personnel who respond to customer phone queries. These personnel may provide customer service or technical support. Call centers may be in-house or outsourced.

Can-order Point: An ordering system used when multiple items are ordered from one vendor. The can-order point is a point higher than the original order point. When any one of the items triggers an order by reaching the must-order point, all items below their can-order point are also ordered. The can-order point is set by considering the additional holding cost that would be incurred should the item be ordered early.

Cantilever rack: Racking system that allows for storage of very long items.



Capable to Promise (CTP): A technique used to determine if product can be assembled and shipped by a specific date. Component availability throughout the supply chain, as well as available materials, is checked to determine if delivery of a particular product can be made. This process may involve multiple manufacturing or distribution sites. Capable-to-promise is used to determine when a new or unscheduled customer order can be delivered. Capable-to-promise employs a finite-scheduling model of the manufacturing system to determine when an item can be delivered. It includes any constraints that might restrict the production, such as availability of resources, lead times for raw materials or purchased parts, and requirements for lower-level components or subassemblies. The resulting delivery date takes into consideration production capacity, the current manufacturing environment, and future order commitments. The objective is to reduce the time spent by production planners in expediting orders and adjusting plans because of inaccurate delivery-date promises.

Capability Maturity Model (CMM): A framework that describes the key elements of an effective software process. It's an evolutionary improvement path from an immature process to a mature, disciplined process. The CMM covers practices for planning, engineering and managing software development and maintenance. When followed, these key practices improve the ability of organizations to meet goals for cost, schedule, functionality and product quality.

Capacity: The physical facilities, personnel and process available to meet the product or service needs of customers. Capacity generally refers to the maximum output or producing ability of a machine, a person, a process, a factory, a product, or a service. *Also see: Capacity Management*

Capacity Management: The concept that capacity should be understood, defined, and measured for each level in the organization to include market segments, products, processes, activities, and resources. In each of these applications, capacity is defined in a hierarchy of idle, non-productive, and productive views.

Capacity Planning: Assuring that needed resources (e.g., manufacturing capacity, distribution center capacity, transportation vehicles, etc.) will be available at the right time and place to meet logistics and supply chain needs.

CAPEX: A term used to describe the monetary requirements (CAPital EXPenditure) of an initial investment in new machines or equipment.

Capital: The resources, or money, available for investing in assets that produce output.

Car Supply Charge: A railroad charge for a shipper's exclusive use of special equipment.

Cargo: A product shipped in an aircraft, railroad car, ship, barge, or truck.

Cargo Bays: Doors at cargo warehouse where vehicles back in to load/unload cargo.



Carload Lot: A shipment that qualifies for a reduced freight rate because it is greater than a specified minimum weight. Since carload rates usually include minimum rates per unit of volume, the higher LCL (less than carload) rate may be less expensive for a heavy but relatively small shipment.

Carmack Amendment: An Interstate Commerce Act amendment that delineates the liability of common carriers and the bill of lading provision.

Carousel: Carousel: Automated equipment generally used for picking of small, high-volume parts.

Carrier: One who owns, operates or charters vehicles of transportation for movement of cargo.

Carrier's Certificate: U.S. Customs form used in lieu of bill of lading.

Cartel: A group of companies that agree to cooperate, rather than compete, in producing a product or service, thus limiting or regulating competition.

Case Code: The UPC number for a case of product. The UPC case code is different from the UPC item code. This is sometimes referred to as the "Shipping Container Symbol" or ITF-14 code.

Cash-to-Cash Cycle Time: The time it takes for cash to flow back into a company after it has been spent for raw materials. *Synonym: Cash Conversion Cycle*

Calculation:

Total Inventory Days of Supply + Days of Sales Outstanding - Average Payment Period for Material in days

Cash Conversion Cycle: 1) In retailing, the length of time between the sale of products and the cash payments for a company's resources. 2) In manufacturing, the length of time from the purchase of raw materials to the collection of accounts receivable from customers for the sale of products or services. *Also see: Cash-to-Cash Cycle Time*

Catalog Channel: A call center or order processing facility that receives orders directly from the customer based on defined catalog offerings and ships directly to the customer.

Categorical Plan: A method of selecting and evaluating suppliers that considers input from many departments and functions within the buyer's organization and systematically categorizes that input. Engineering, production, quality assurance, and other functional areas evaluate all suppliers for critical factors within their scope of responsibility. For example, engineering would develop a category evaluating suppliers' design flexibility. Rankings are developed across categories, and performance ratings are obtained and supplier selections are made. *Also see: Weighted-Point Plan*



Category Management: The management of product categories as strategic business units. The practice empowers a category manager with full responsibility for the assortment decisions, inventory levels, shelf-space allocation, promotions and buying. With this authority and responsibility, the category manager is able to judge more accurately the consumer buying patterns, product sales and market trends of that category.

Cause and Effect Diagram: In quality management, a structured process used to organize ideas into logical groupings. Used in brainstorming and problem solving exercises. *Also known as Ishikawa or fish bone diagram.*

Causal Forecast: In forecasting, a type of forecasting that uses cause-and-effect associations to predict and explain relationships between the independent and dependent variables. An example of a causal model is an econometric model used to explain the demand for housing starts based on consumer base, interest rates, personal incomes, and land availability.

CBM: 1 Cubic Meter = 35.314 cubic feet.

Cell: Container slot where container fits into place on vessel.

Cell Guides: A guide for each container slot.

Cellular Manufacturing: A manufacturing approach in which equipment and workstations are arranged to facilitate small-lot, continuous-flow production. In a manufacturing "cell," all operations necessary to produce a component or subassembly are performed in close proximity, thus allowing for quick feedback between operators when quality problems and other issues arise. Workers in a manufacturing cell typically are cross-trained and, therefore, able to perform multiple tasks as needed.

Center-of-Gravity Approach: A supply chain planning methodology for locating distribution centers at approximately the location representing the minimum transportation costs between the plants, the distribution centers, and the markets.

Centralized Authority: Management authority to make decisions is restricted to few managers.

Centralized Dispatching: The organization of the dispatching function into one central location. This structure often involves the use of data collection devices for communication between the centralized dispatching function, which usually reports to the production control department, and the shop manufacturing departments.

Centralized Inventory Control: Inventory decision making (for all SKUs) exercised from one office or department for an entire company.

Centralized Dispatching: The organization of the dispatching function into one central location. This structure often involves the use of data collection devices for communication between the



centralized dispatching function, which usually reports to the production control department, and the shop manufacturing departments.

Centralized Inventory Control: Inventory decision making (for all SKUs) exercised from one office or department for an entire company.

Certificate of Origin: Formal document (required at destinations) stating origin of cargo and relevant cargo details.

Certificate of Public Convenience and Necessity: The grant of operating authority that is given to common carriers. A carrier must prove that a public need exists and that the carrier is fit, willing, and able to provide the needed service. The certificate may specify the commodities to be hauled, the area to be served, and the routes to be used.

Certified Supplier: A status awarded to a supplier who consistently meets predetermined quality, cost, delivery, financial, and count objectives. Incoming inspection may not be required.

Certificated Carrier: A for-hire air carrier that is subject to economic regulation and requires an operating certification to provide service.

CFS: Container Freight Station. Storage/warehouse facilities for loading/unloading less than full container orders.

CFS Cargo: Loose containerizable cargo handled in a container freight station (warehouse).

CFS/CFS: Cargo received and stuffed by carrier at origin and devanned by carrier at destination.

CFS/CY: Cargo received and stuffed by carrier at origin then delivered intact at destination.

Chain of Customers: The sequence of customers who in turn consume the output of each other, forming a chain. For example, individuals are customers of a department store, which in turn is the customer of a producer, who is the customer of a material supplier.

Chains and Binders: Used to secure (brace & chock) oversize cargo to equipment.

Chain Reaction: A chain of events described by W. Edwards Deming: improve quality, decrease costs, improve productivity, increase market with better quality and lower price, stay in business, provide jobs and provide more jobs.

Challenge and Response: A method of user authentication. The user enters an ID and password and, in return, is issued a challenge by the system. The system compares the user's response to the challenge to a computed response. If the responses match, the user is allowed access to the system. The system issues a different challenge each time. In effect, it requires a new password for each logon.



Champion: A business leader or senior manager who ensures that resources are available for training and projects, and who is involved in project tollgate reviews; also an executive who supports and addresses Six Sigma organizational issues.

Change agent: An individual from within or outside an organization who facilitates change within the organization. May or may not be the initiator of the change effort.

Change Management: The business process that coordinates and monitors all changes to the business processes and applications operated by the business as well as to their internal equipment, resources, operating systems, and procedures. The change management discipline is carried out in a way that minimizes the risk of problems that will affect the operating environment and service delivery to the users.

Change Order: A formal notification that a purchase order or shop order must be modified in some way. This change can result from a revised quantity, date, or specification by the customer; an engineering change; a change in inventory requirement date; etc.

Changeover: Process of making necessary adjustments to change or switchover the type of products produced on a manufacturing line. Changeovers usually lead to downtime and for the most part companies try to minimize changeover time to help reduce costs.

Channel: 1) A method whereby a business dispenses its product, such as a retail or distribution channel, call center or web based electronic storefront. 2) A push technology that allows users to subscribe to a website to browse offline, automatically display updated pages on their screen savers, and download or receive notifications when pages in the website are modified. Channels are available only in browsers that support channel definitions, such as Microsoft Internet Explorer version 4.0 and above.

Channel Conflict: This occurs when various sales channels within a company's supply chain compete with each other for the same business. An example is where a retail channel is in competition with a web based channel set up by the company.

Channel Partners: Members of a supply chain (i.e. suppliers, manufacturers, distributors, retailers, etc.) who work in conjunction with one another to manufacture, distribute, and sell a specific product.

Channels of Distribution: Any series of firms or individuals that participates in the flow of goods and services from the raw material supplier and producer to the final user or consumer.

Charging Area: A warehouse area where a company maintains battery chargers and extra batteries to support a fleet of electrically powered materials handling equipment. The company must maintain this area in accordance with government safety regulations.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Charter VSC: Vessel whose owner makes vessels available on bid basis.

Charterer: An organization/company who enters an agreement with a principal to use their vessels for a specified time.

Chassis: Trailer or wheeled unit on which a container is placed in order to move container over the road.

Chock: A wedge, usually made of hard rubber or steel, that is firmly placed under the wheel of a trailer, truck, or boxcar to stop it from rolling.

City driver: A motor carrier driver who drives a local route as opposed to a long-distance, intercity route.

Civil Aeronautics Board: A federal regulatory agency that implemented economic regulatory controls over air carriers.

CL: Carload rail service requiring shipper to meet minimum weight.

Claim: A request for payment by a customer due to a shortage or damage to cargo.

Class I Carrier: A classification of regulated carriers based upon annual operating revenues—motor carriers of property: $>$ or $=$ \$5 million; railroads: $>$ or $=$ \$50 million; motor carriers of passengers: $>$ or $=$ \$3 million.

Class II Carrier: A classification of regulated carriers based upon annual operating revenues—motor carriers of property: \$1-\$5 million; railroads: \$10-\$50 million; motor carriers of passengers: $<$ or $=$ \$3 million.

Class III Carrier: A classification of regulated carriers based upon annual operating revenues—motor carriers of property: $<$ or $=$ \$1 million; railroads: $<$ or $=$ \$10 million.

Classification: An alphabetical listing of commodities, the class or rating into which the commodity is placed, and the minimum weight necessary for the rate discount; used in the class rate structure.

Classification yard: A railroad terminal area where rail cars are grouped together to form train units.

Class Rate: A rate constructed from a classification and a uniform distance system. A class rate is available for any product between any two points.

Clear (Clean) on Board: Bill of lading issued without exceptions.



Clearinghouse: A conventional or limited purpose entity generally restricted to providing specialized services, such as clearing funds or settling accounts.

Click-and-Mortar: With reference to a traditional brick-and-mortar company that has expanded its presence online. Many brick-and-mortar stores are now trying to establish an online presence but often have a difficult time doing so for many reasons. Click-and-mortar is "the successful combination of online and real world experience."

Clip Art: A collection of icons, buttons, and other useful image files, along with sound and video files that can be inserted into documents/web pages.

Clipboard: A temporary storage area on a computer for cut or copied items.

Closed-Loop Corrective Action (CLCA): A sophisticated engineering system designed to document, verify and diagnose failures, recommend and initiate corrective action, provide follow-up and maintain comprehensive statistical records.

Closed-Loop MRP: A system built around material requirements planning that includes the additional planning processes of production planning (sales and operations planning), master production scheduling, and capacity requirements planning. Once this planning phase is complete and the plans have been accepted as realistic and attainable, the execution processes come into play. These processes include the manufacturing control processes of input-output (capacity) measurement, detailed scheduling and dispatching, as well as anticipated delay reports from both the plant and suppliers, supplier scheduling, and so on. The term closed loop implies not only that each of these processes is included in the overall system, but also that feedback is provided by the execution processes so that the planning can be kept valid at all times.

Coastal carriers: Water carriers that provide service along coasts serving ports on the Atlantic or Pacific oceans or on the Gulf of Mexico

Co-destiny: The evolution of a supply chain from intra-organizational management to interorganizational management.

Co-Packer: A contract co-packer produces goods and/or services for other companies, usually under the other company's label or name. Co-Packers are more frequently seen in CPG and Foods.

Co-Managed Inventory (CMI): A form of continuous replenishment in which the manufacturer is responsible for replenishment of standard merchandise, while the retailer manages the replenishment of promotional merchandise.

Code: A numeric, or alphanumeric, representation of text for exchanging commonly used information. For example: commodity codes, carrier codes,



Codifying: The process of detailing a new standard.

COFC: Container on a Flat Car. Containers moving on articulated flat rail cars without chassis.

Collaborative Planning, Forecasting and Replenishment (CPFR): 1) A collaboration process whereby supply chain trading partners can jointly plan key supply chain activities from production and delivery of raw materials to production and delivery of final products to end customers. Collaboration encompasses business planning, sales forecasting, and all operations required to replenish raw materials and finished goods. 2) A process philosophy for facilitating collaborative communications. CPFR is considered a standard, endorsed by the Voluntary Inter-industry Commerce Standards.

Collect Freight: Freight payable to the carrier at the port of discharge or ultimate destination. The consignee does not pay the freight charge if the cargo does not arrive at the destination.

Collect: Money to be paid at destination prior to release of bills of lading.

Combined Transport Bill of Lading: Provides a combined transport by at least two different modes of transportation from a place at which the goods are taken to a place designated for delivery.

Commercial Invoice: A document on shipper's letterhead that contains an accurate description of the merchandise and show country or origin. All items must be itemized.

Commercial Off-the-Shelf (COTS): A computer software industry term which describes software which is offered for sale by commercial developers. This includes products from vendors such as SAP, Oracle, Microsoft, etc. and all of the smaller vendors.

Commercial Zone: The area surrounding a city or town to which rates quoted for the city or town also apply; the area is defined by the ICC.

Committee of American Steamship Lines: An industry association representing subsidized U.S. Flag steamship firms.

Committed Capability: The portion of the production capability that is currently in use, or is scheduled for use.

Commodities clause: A clause that prohibits railroads from hauling commodities that they produced, mined, owned, or had an interest in.

Commodity: An item that is traded in commerce. The term usually implies an undifferentiated product competing primarily on price and availability.



Commodity Buying: Grouping like parts or materials under one buyer's control for the procurement of all requirements to support production.

Commodity Code: A code describing a commodity or a group of commodities pertaining to goods classification. This code can be carrier tariff or regulating in nature.

Commodity Description: Description of goods being shipped.

Commodity Procurement Strategy: The purchasing plan for a family of items. This would include the plan to manage the supplier base and solve problems.

Commodity rate: A rate for a specific commodity and its origin-destination.

Common Carrier: Transportation available to the public that does not provide special treatment to any one party and is regulated as to the rates charged, the liability assumed, and the service provided. A common carrier must obtain a certificate of public convenience and necessity from the Federal Trade Commission for interstate traffic.

Common Carrier Duties: Common carriers are required to serve, deliver, charge reasonable rates, and not discriminate.

Common Cost: A cost that cannot be directly assignable to particular segments of the business but that is incurred for the business as a whole.

Commuter: An exempt for-hire air carrier that publishes a time schedule on specific routes; a special type of air taxi.

Communication Protocol: The method by which two computers coordinate their communications. BISYNC and MNP are two examples.

Company Culture: A system of values, beliefs, and behaviors inherent in a company. To optimize business performance, top management must define and create the necessary culture.

Company Guarantee: A letter of guarantee from a company identifying the carrier of responsibility associated in the release of goods in lieu of bill of lading. Protection in writing to carrier by private company.

Comparative Advantage: A principle based on the assumption that an area will specialize in the production of goods for which it has the greatest advantage or least comparative disadvantage.

Competitive Advantage: Value created by a company for its customers that clearly distinguishes it from the competition, and provides its customers a reason to remain loyal.



Competitive Benchmarking: Benchmarking a product or service against competitors. *Also see: Benchmarking*

Competitive Bid: A price/service offering by a supplier that must compete with offerings from other suppliers.

Complete & On-Time Delivery (COTD): A measure of customer service. All items on any given order must be delivered on time for the order to be considered as complete and on time.

Complete Manufacture to Ship Time: Average time from when a unit is declared shippable by manufacturing until the unit actually ships to a customer.

Compliance: Meaning that products, services, processes and/or documents comply with requirements.

Compliance Checking: The function of EDI processing software that ensures that all transmissions contain the mandatory information demanded by the EDI standard. Compares information sent by an EDI user against EDI standards and reports exceptions. Does not ensure that documents are complete and fully accurate, but does reject transmissions with missing data elements or syntax errors.

Compliance Monitoring: A check done by the VAN/third party network or the translation software to ensure the data being exchanged is in the correct format for the standard being used.

Compliance Program: A method by which two or more EDI trading partners periodically report conformity to agree upon standards of control and audit. Management produces statements of compliance, which briefly note any exceptions, as well as corrective action planned or taken, in accordance with operating rules. Auditors produce an independent and objective statement of opinion on management statements.

Component: Material that will contribute to a finished product but is not the finished product itself. Examples would include tires for an automobile, power supply for a personal computer, or a zipper for a ski parka. Note that what is a component to the manufacturer may be considered the finished product of their supplier.

Computer-Aided Design (CAD): Computer-based systems for product design that may incorporate analytical and "what if" capabilities to optimize product designs. Many CAD systems capture geometric and other product characteristics for engineering-data-management systems, producibility and cost analysis, and performance analysis. In many cases, CAD-generated data.

Computer Aided Engineering (CAE): The use of computers to model design options to stimulate their performance.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Computer-Aided Manufacturing (CAM): Computerized systems in which manufacturing instructions are downloaded to automated equipment or to operator workstations.

Computer-Aided Process Planning (CAPP): Software-based systems that aid manufacturing engineers in creating a process plan to manufacture a product whose geometric, electronic, and other characteristics have been captured in a CAD database. CAPP systems address such manufacturing criteria as target costs, target lead times, anticipated production volumes, availability of.

Computer-Based Training (CBT): Training that is delivered via computer workstation and includes all training and testing materials.

Computer-Integrated Manufacturing (CIM): A variety of approaches in which computer systems communicate or interoperate over a local-area network. Typically, CIM systems link management functions with engineering, manufacturing, and support operations. In the factory, CIM systems may control the sequencing of production operations, control operation of automated equipment and conveyor systems, transmit manufacturing instructions, capture data at various stages of the manufacturing or assembly process, facilitate tracking and analysis of test results and operating parameters, or a combination of these.

Computerized Maintenance Management Systems (CMMS): Software-based systems that analyze operating conditions of production equipment -- vibration, oil analysis, heat, etc. -- and equipment-failure data, and apply that data to the scheduling of maintenance and repair inventory orders and routine maintenance functions. A CMMS prevents unscheduled machine downtime and optimizes a plant's ability to process product at optimum volumes and quality levels.

Computerized Process Simulation: Use of computer simulation to facilitate sequencing of production operations, analysis of production flows, and layout of manufacturing facilities.

Concurrent Engineering: A cross-functional, team-based approach in which the product and the manufacturing process are designed and configured within the same time frame, rather than sequentially. Ease and cost of manufacturability, as well as customer needs, quality issues, and product-life-cycle costs are taken into account earlier in the development cycle. Fully configured concurrent engineering teams include representation from marketing, design engineering, manufacturing engineering, and purchasing, as well as supplier—and even customer—companies.

Conference: Group of carriers allowed by FMC to determine a level of rates, services and rules of a given trade route bound together by a common tariff or certain geographic area.

Conference: A group of steamship companies offering equitable freight rates, standardized shipping practices and regularly scheduled service between designated ports. These arrangements are given anti-trust immunity as authorized by the Shipping Act of 1984.



Conference Carrier: Carrier that belongs to the conference.

Conference Certificate: Certificate declaring that the carrier is a member of the conference.

Configuration: The arrangement of components as specified to produce an assembly.

Configure/Package-to-Order: A process where the trigger to begin manufacture, final assembly or packaging of a product is an actual customer order or release, rather than a market forecast. In order to be considered a Configure-to-Order environment, less than 20% of the value-added takes place after the receipt of the order or release, and virtually all necessary design and process documentation is available at time of order receipt.

Confirmation: With regards to EDI, a formal notice (by message or code) from a electronic mailbox system or EDI server indicating that a message sent to a trading partner has reached its intended mailbox or been retrieved by the addressee.

Confirming Order: A purchase order issued to a supplier, listing the goods or services and terms of an order placed orally or otherwise before the usual purchase document.

Conformance: An affirmative indication or judgment that a product or service has met the requirements of a relevant specification, contract, or regulation. *Synonym: Compliance*

Conrail: The Consolidated Rail Corporation established by the Regional Reorganization Act of 1973 to operate the bankrupt Penn Central Railroad and other bankrupt railroads in the Northeast; funding was provided by the 4-R Act of 1976.

Consensus: A state in which all the members of a group support an action or decision, even if some of them don't fully agree with it.

Connecting Carrier: An intermediary carrier utilized to connect cargo to/from mother vessel (See [Feeder](#)).

Consignee: The party to whom goods are shipped and delivered. The receiver of a freight shipment.

Consignment: 1) A shipment that is handled by a common carrier. 2) The process of a supplier placing goods at a customer location without receiving payment until after the goods are used or sold. *Also see: Consignment Inventory*

Consignment Inventory: 1) Goods or product that are paid for when they are sold by the reseller, not at the time they are shipped to the reseller. 2) Goods or products which are owned by the vendor until they are sold to the consumer.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Consignor: The party who originates a shipment of goods (shipper). The sender of a freight shipment, usually the seller.

Consignee/Importer: Ultimate receiver of cargo designated on the original bill of lading.

Consignor: Person or firm by whom articles are shipped (i.e. shipper).

Consolidation: Effort extended to put same destination cargo together in same container for ease of delivery.

Consolidator: An enterprise that provides services to group shipments, orders, and/or goods to facilitate movement.

Consortium: Group of carriers pooling resources in a trade lane to maximize their resources efficiently.

Constraint: A bottleneck, obstacle or planned control that limits throughput or the utilization of capacity.

Consul: A government official residing in a foreign country, charged with representing the interests of his or her country and its nationals.

Consular Declaration: A formal statement made to the consul of a country describing merchandise to be shipped to that consul's country. Approval must be obtained prior to shipment.

Consular Documents: Special forms signed by the consul of a country to which cargo is destined.

Consular Invoice: A document, required by some foreign countries, describing a shipment of goods and showing information such as the consignor, consignee, and value of the shipment. Certified by a consular official of the foreign country, it is used by the country's custom.

Consumer-Centric Database: Database with information about a retailer's individual consumers, used primarily for marketing and promotion.

Consumer Packaged Goods (CPG): Consumable goods such as food and beverages, footwear and apparel, tobacco, and cleaning products. In general, CPGs are things that get used up and have to be replaced frequently, in contrast to items that people usually keep for a long time, such as cars and furniture.

Consuming the Forecast: The process of reducing the forecast by customer orders or other types of actual demands as they are received. The adjustments yield the value of the remaining forecast for each period.



Consumption Entry: An official Customs form used for declaration of reported goods, also showing the total duty due on such transaction.

Consulate Copy: Copy of the B/L signed for consulate purpose.

Consulate Legalization: Shipping documents must be presented to the Consul for legalization, either prior to or right after sailing.

Contactless: Refers to the practice of using RFID, Smart Card or other forms of Near Field Communications technology to gather data electronically without the need to actually make contact physically with the item.

Container: A truck trailer body that can be detached from the chassis for loading into a vessel, a rail car or stacked in a container depot. Containers may be ventilated, insulated, refrigerated, flat rack, vehicle rack, open top, bulk liquid or equipped with interior devices. A container may be 20 feet, 40 feet, 45 feet, 48 feet or 53 feet in length, 8'0" or 8'6" in width, and 8'6" or 9'6" in height.

Container Security Initiative (CSI): U.S. Customs program to prevent global containerized cargo from being exploited by terrorists. Designed to enhance security of sea cargo container.

Containerization: A shipment method in which commodities are placed in containers, and after initial loading, the commodities per se are not re-handled in shipment until they are unloaded at the destination.

Container Load Plan (CLP): Describes how the inside of container is stowed with cargo.

Container Number: Identification number assigned to each container.

Container Pool / Depot: Where containers are stored usually inland for container availability to shippers or consignees. Carrier location to hold empty containers, various points for shipper's utilization; an area designated for storage of empty .

Container Ship: Vessel built to accommodate ocean containers.

Container Stuffing List (CSL): List showing how cargo is stowed in each container.

Container Yard: Facility where full and empty containers are stored.

Containerized: All cargo loaded into a container.

Contingency Planning: Preparing to deal with calamities (e.g., floods) and non-calamitous situations (e.g., strikes) before they occur



Continuous Flow Distribution (CFD): The streamlined pull of products in response to customer requirements while minimizing the total costs of distribution.

Continuous-Flow, Fixed-Path Equipment: Materials handling devices that include conveyors and drag lines.

Continuous Improvement (CI): A structured measurement driven process that continually reviews and improves performance.

Continuous Process Improvement (CPI): A never-ending effort to expose and eliminate root causes of problems; small-step improvement as opposed to big-step improvement. *Synonym: Continuous Improvement. Also see: Kaizen*

Continuous Replenishment: Continuous Replenishment is the practice of partnering between distribution channel members that changes the traditional replenishment process from distributor generated purchase orders, based on economic order quantities, to the replenishment of products based on actual and forecasted product demand.

Continuous Replenishment Planning (CRP): A program that triggers the manufacturing and movement of product through the supply chain when the identical product is purchased by an end user.

Contract: An agreement between two or more competent persons or companies to perform or not to perform specific acts or services or to deliver merchandise. A contract may be oral or written. A purchase order, when accepted by a supplier, becomes a contract. Acceptance may be in writing or by performance, unless the purchase order requires acceptance in writing.

Contract Administration: Managing all aspects of a contract to guarantee that the contractor fulfills his obligations.

Contract Carrier: A carrier that does not serve the general public, but provides transportation for hire for one or a limited number of shippers under a specific contract.

Contribution: The difference between sales price and variable costs. Contribution is used to cover fixed costs and profits.

Contribution Margin: An amount equal to the difference between sales revenue and variable costs.

Controlled Access: Referring to an area within a warehouse or yard that is fenced and gated. These areas are typically used to store high-value items and may be monitored by security cameras



Conveyor: A materials handling device that moves freight from one area to another in a warehouse. Roller conveyors make use of gravity, whereas belt conveyors use motors.

Cookie: A computer term. A piece of information from your computer that references what the user has clicked on, or references information that is stored in a text file on the user's hard drive (such as a username). Another way to describe cookies is to say they are tiny files containing information about individual computers that can be used by advertisers to track online interests and tastes. Cookies are also used in the process of purchasing items on the Web. It is because of the cookie that the "shopping cart" technology works. By saving in a text file, the name, and other important information about an item a user "clicks" on as they move through a shopping Website, a user can later go to an order form, and see all the items they selected, ready for quick and easy processing.

Cooperative Associations: Groups of firms or individuals having common interests: agricultural cooperative associations may haul up to 25% of their total interstate tonnage in nonfarm, nonmember goods in movements incidental and necessary to their primary business.

Co-opetition: A combination of cooperation and competition that offers the counter intuitive possibility for rivals to benefit from each other's seemingly competitive activities. In short, there are circumstances where having more players to cut the pie means bigger pieces of pie for everyone. An example would be found in the group buying setting where its use refers to the activity of multiple, normally competitive buying group members leveraging each other's buying power to gain reduced pricing.

Coordinated Transportation: Two or more carriers of different modes transporting a shipment.

Cooper: Warehouse worker assigned to reconstruct or repair cartons, crates, boxes, etc.

Co-product: The term co-product is used to describe multiple items that are produced simultaneously during a production run. Co-products are often used to increase yields in cutting operations such as die cutting or sawing when it is found that scrap can be reduced by combining multiple-sized products in a single production run. Co-products are also used to reduce the frequency of machine setups required in these same types of operations. Co-products, also known as byproducts, are also common in process manufacturing such as in chemical plants. Although the concept of co-products is fairly simple, the programming logic required to provide for planning and processing of co-products is very complicated.

Core Competency: Bundles of skills or knowledge sets that enable a firm to provide the greatest level of value to its customers in a way that is difficult for competitors to emulate and that provides for future growth. Core competencies are embodied in the skills of the workers and in the organization. They are developed through -collective -learning, communication, and commitment to work across levels and functions in the organization and with the customers and suppliers. For example, a core competency could be the capability of a firm to coordinate and harmonize diverse production skills and multiple technologies. To illustrate, advanced casting



processes for making steel require the integration of machine design with sophisticated sensors to track temperature and speed, and the sensors require mathematical modeling of heat transfer. For rapid and effective development of such a process, materials scientists must work closely with machine designers, software engineers, process specialists, and operating personnel. Core competencies are not directly related to the product or market.

Core Process: That unique capability that is central to a company's competitive strategy.

Corner Casting: Devise on each corner (top and bottom) of a container for lifting up or securing down of unit. Synonym: Corner Fitting

Corner Posts: Steel reinforcements at corner of each container.

Cost Accounting: The branch of accounting that is concerned with recording and reporting business operating costs. It includes the reporting of costs by departments, activities, and products.

Cost Allocation: In accounting, the assignment of costs that cannot be directly related to production activities via more measurable means, e.g., assigning corporate expenses to different products via direct labor costs or hours.

Cost Center: In accounting, a sub-unit in an organization that is responsible for costs.

Cost Driver: In accounting, any situation or event that causes a change in the consumption of a resource, or influences quality or cycle time. An activity may have multiple cost drivers. Cost drivers do not necessarily need to be quantified; however, they strongly influence the selection and magnitude of resource drivers and activity drivers.

Cost Driver Analysis: In cost accounting, the examination, quantification, and explanation of the effects of cost drivers. The results are often used for continuous improvement programs to reduce throughput times, improve quality, and reduce cost.

Cost Element: In cost accounting, the lowest level component of a resource, activity, or cost object.

Cost, Insurance, Freight (CIF): A freight term indicating that the seller is responsible for cost, the marine insurance, and the freight charges on an ocean shipment of goods.

Cost Management: The management and control of activities and drivers to calculate accurate product and service costs, improve business processes, eliminate waste, influence cost drivers, and plan operations. The resulting information will have utility in setting and evaluating an organization's strategies.

Cost of Capital: The cost to borrow or invest capital.



Cost of Goods Sold (COGS): The amount of direct materials, direct labor, and allocated overhead associated with products sold during a given period of time, determined in accordance with Generally Accepted Accounting Principles (GAAP)

Cost of lost sales: The forgone profit associated with a stock out.

Cost Trade-off: The interrelationship among system variables indicates that a change in one variable has cost impact upon other variables. A cost reduction in one variable may be at the expense of increased cost for other variables, and vice versa.

Cost Variance: In cost accounting, the difference between what has been budgeted for an activity and what it actually costs.

Courier Service: A fast, door-to-door service for high-valued goods and documents; firms usually limit service to shipments of 50 pounds or less.

Council of Logistics Management (CLM): *See Council of Supply Chain Management Professionals.*

Council of Supply Chain Management Professionals (CSCMP): The CSCMP is a not-for-profit professional business organization consisting of individuals throughout the world who have interests and/or responsibilities in logistics and supply chain management, and the related functions that make up these professions. Its purpose is to enhance the development of the logistics and supply chain management professions by providing these individuals with educational opportunities and relevant information through a variety of programs, services, and activities.

Credit Agreement: Agreement between carrier and shipper for release of cargo with promise to pay ocean freight within specified time. Document signed by the shipper which binds shipper to credit terms of the conference or agreement body.

Credit Level: The amount of purchasing credit a customer has available. Usually defined by the internal credit department and reduced by any existing unpaid bills or open orders.

Critical Differentiators: This is what makes an idea, product, service or business model unique.

Critical value analysis: A modified ABC analysis in which a subjective value of criticalness is assigned to each item in the inventory.

Cross Docking: A distribution system in which merchandise received at the warehouse or distribution center is not put away, but instead is readied for shipment to retail stores. Cross docking requires close synchronization of all inbound and outbound shipment movements. By



eliminating the put-away, storage and selection operations, it can significantly reduce distribution costs.

Cross Functional: A term used to describe a process or an activity that crosses the boundary between functions. A cross functional team consists of individuals from more than one organizational unit or function.

Cross Functional "Process" Metric: A number resulting from an equation, showing the output of a process that spans departments. These types of measures are also known as a process measures because they span across the breadth of a process, regardless for functional/departmental segregation within the process. Example: Perfect Order Index

Cross Sell: The practice of attempting to sell additional products to a customer during a sales call. For example, when the CSR presents a camera case and accessories to a customer that is ordering a camera

Cross-Shipment: Material flow activity where materials are shipped to customers from a secondary shipping point rather than from a preferred shipping point.

Cross-Subsidy: In cost accounting, the inequitable assignment of costs to cost objects, which leads to over costing or under costing them relative to the amount of activities and resources actually consumed. This may result in poor management decisions that are inconsistent with the economic goals of the organization.

Critical Success Factor (CSF): Those activities and/or processes that must be completed and/or controlled to enable a company to reach its goals.

Cube: The volume of the shipment or package (the product of the length x width x depth).

Cubage: Cubic volume of space being used or available for shipping or storage.

Cubic Foot: 1 Cubic Foot = 1728 Cubic Inches.

Cube Utilization: In warehousing, a measurement of the utilization of the total storage capacity of a vehicle or warehouse.

Cubic Space: In warehousing, a measurement of space available or required in transportation and warehousing.

Cumulative Available-to-Promise: A calculation based on the available-to-promise (ATP) figure in the master schedule. Two methods of computing the cumulative available-to-promise are used, with and without look ahead calculation. The cumulative with look ahead ATP equals the ATP from the previous period plus the MPS of the period minus the backlog of the period minus the sum of the differences between the backlogs and MPSs of all future periods until, but not to include, the period where point production exceeds the backlogs. The cumulative without



look ahead procedure equals the ATP in the previous period plus the MPS, minus the backlog in the period being considered.

Cumulative Lead Time: The total time required to source components, build and ship a product.

Cumulative Source/Make Cycle Time: The cumulative internal and external lead time to manufacture shippable product, assuming that there is no inventory on-hand, no materials or parts on order, and no prior forecasts existing with suppliers. (An element of Total Supply Chain Response Time)

Calculation:

The critical path along the following elements: Total Sourcing Lead Time, Manufacturing Order Release to Start Manufacturing, Total Manufacture Cycle Time (Make-to-Order, Engineer-to-Order, Configure/Package-to-Order) or Manufacture Cycle Time (Make-to-Stock), Complete Manufacture to Ship Time

Note: Determined separately for Make-to-Order, Configure/Package-to-Order, Engineer-to-Order, and Make-to-Stock products

Currency Adjustment Factor (CAF): Percentage of money used to equalize a difference in currency values. A percent of the base ocean freight.

Current Good Manufacturing Practices (CGMP): Regulations enforced by the U.S. Food and Drug Administration for food and chemical manufacturers and packagers.

Customer: 1) In distribution, the Trading Partner or reseller, i.e. Wal-Mart, Safeway, or CVS. 2) In Direct-to-Consumer, the end customer or user.

Customer Acquisition or Retention: The rate by which new customers are acquired, or existing customers are retained. A key selling point to potential marquis partners.

Customer Driven: The end user, or customer, motivates what is produced or how it is delivered.

Customer Facing: Those personnel whose jobs entail actual contact with the customer.

Customer Order: An order from a customer for a particular product or a number of products. It is often referred to as an actual demand to distinguish it from a forecasted demand.

Customer/Order Fulfillment Process: A series of customers' interactions with an organization through the order filling process, including product/service design, production and delivery, and order status reporting.

Customer Profitability: The practice of placing a value on the profit generated by business done with a particular customer.



Customer Receipt of Order to Installation Complete: Average lead-time from receipt of goods at the customer to the time when installation (if applicable) is complete, including the following sub-elements: time to get product up and running, and product acceptance by customer. (An element of Order Fulfillment Lead Time)

Note: Determined separately for Make-to-Order, Configure/Package-to-Order, Engineer-to-Order, and Make-to-Stock products.

Customer Relationship Management (CRM): This refers to information systems that help sales and marketing functions, as opposed to the ERP (Enterprise Resource Planning), which is for back-end integration.

Customer Segmentation: Dividing customers into groups based on specific criteria, such as products purchased, customer geographic location, etc.

Customer Service: Activities between the buyer and seller that enhance or facilitate the sale or use of the seller's products or services.

Customer Service Representative (CSR): The individual who provides customer support via telephone in a call center environment.

Customer Signature/Authorization to Order Receipt: Average lead-time from when a customer authorizes an order to the time that that order is received and order entry can commence. (An element of Order Fulfillment Lead Time)

Note: Determined separately for Make-to-Order, Configure/Package-to-Order, Engineer-to-Order, and Make-to-Stock products.

Customer-Supplier Partnership: A long-term relationship between a buyer and a supplier characterized by teamwork and mutual confidence. The supplier is considered an extension of the buyer's organization. The partnership is based on several commitments. The buyer provides long-term contracts and uses fewer suppliers. The supplier implements quality assurance processes so that incoming inspection can be minimized. The supplier also helps the buyer reduce costs and improve product and process designs.

Customization: Creating a product from existing components into an individual order.

Customs: Government agency which inspects cargo, insures proper cargo clearance, proper forms are filed, and correct duties/fees are paid.

Customs and Border Protection, U.S. (CBP): Formed during the creation of the Department of Homeland Security in 2003, CBP consists primarily of the customs inspection function formerly performed by the U.S. Customs Service as part of the Department of Treasury, the immigration inspection function formerly performed by the Immigration and Naturalization Service (INS), and the Border Patrol, formerly part of the Department of Justice.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Customs Clearance: Shipment cleared by Customs for movement.

Customs Duty: Monies paid to U.S. Customs for goods entered into U.S. from foreign countries.

Customs House Broker (CHB): Agent representative licensed by FMC who negotiates customs clearance Broker (CHB) for import cargo on behalf of the consignee through U.S. Customs.

Customs-Trade Partnership against Terrorism (C-TPAT): A joint government/business initiative to build cooperative relationships that strengthen overall supply chain and border security. The voluntary program is designed to share information that will protect against terrorists' compromising the supply chain.

Customs Station: Area where containers are brought for Customs inspection.

Customs Warehouse: Where cargo is temporarily stored awaiting inspection or where cargo is stored when seized by Customs due to lack of permit/entry.

Cut Off: Last possible date cargoes may be delivered to a ship or designated point.

CY: Container Yard. Container yard where full containers are received and picked up. Storage area for container.

CY/CFS: Cargo loaded in a full container by a shipper at origin and delivered to a pier facility at destination where it is devanned for delivery.

CY/CY: Cargo loaded in a full container by a shipper at origin and delivered to carrier's terminal for vessel loading and discharged at destination terminal for pick up intact by consignee.

Cycle Counting: An inventory accuracy audit technique where inventory is counted on a cyclic schedule rather than once a year. A cycle inventory count is usually taken on a regular, defined basis (often more frequently for high-value or fast-moving items and less frequently for low-value or slow moving items). Most effective cycle counting systems require the counting of a certain number of items every workday with each item counted at a prescribed frequency. The key purpose of cycle counting is to identify items in error, thus triggering research, identification, and elimination of the cause of the errors.

Cycle Inventory: An inventory system where counts are performed continuously, often eliminating the need for an annual overall inventory. It is usually set up so that A items are counted regularly (i.e., every month), B items are counted semi-regularly (every quarter or six months), and C items are counted perhaps only once a year.

Cycle Time: The amount of time it takes to complete a business process.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Cycle Time to Process Excess Product Returns for Resale: The total time to process goods returned as Excess by customer or distribution centers, in preparation for resale. This cycle time includes the time a Return Product Authorization (RPA) is created to the time the RPA is approved, from Product Available for Pick-up to Product Received and from Product Receipt to Product Available for use.

Cycle Time to Process Obsolete and End-of-Life Product Returns for Disposal: The total time to process goods returned as Obsolete & End of Life to actual Disposal. This cycle time includes the time a Return Product Authorization (RPA) is created to the time the RPA is approved, from Product Available for Pick-up to Product Received and from Product Receipt to Product Disposal/Recycle.

Cycle Time to Repair or Refurbish Returns for Use: The total time to process goods returned for repair or refurbishing. This cycle time includes the time a Return Product Authorization (RPA) is created to the time the RPA is approved, from Product Available for Pick-up to Product Received, from Product Receipt to Product Repair/Refurbish begin, and from Product Repair/Refurbish begin to Product Available for use.

Cyclical Demand: A situation where demand patterns for a product run in cycles driven by seasonality or other predictable factors.



D

DAD: Delivery Authorized Documents (See [Delivery Order](#)).

Dangerous Cargo: Cargo of a hazardous nature as classified under Coast Guard regulations.

Dangerous Goods: Articles or substances capable of posing significant health, safety, or environmental risk, and that ordinarily require special attention including packaging and labeling when stored or transported. *Also referred to as Hazardous Goods or Hazardous Materials (HazMat).*

Dashboard: A performance measurement tool used to capture a summary of the Key Performance Indicators (KPIs)/metrics of a company. Metrics dashboards/scorecards should be easy to read and usually have “red, yellow, green” indicators to flag when the company is not meeting its metrics targets. Ideally, a dashboard/scorecard should be cross-functional in nature and include both financial and non-financial measures. In addition, scorecards should be reviewed regularly – at least on a monthly basis and weekly in key functions such as manufacturing and distribution where activities are critical to the success of a company. The dashboard/scorecards philosophy can also be applied to external supply chain partners such as suppliers to ensure that supplier’s objectives and practices align. *Synonym: Scorecard*

Data Communications: The electronic transmission of data, usually in computer readable form, using a variety of transmission vehicles and paths.

Data Dictionary: Lists the data elements for which standards exist. The Joint Electronic Document Interchange (JEDI) committee developed a data dictionary that is employed by many EDI users.

Data Interchange Standards Association (DISA): The secretariat, which provides clerical and administrative support to the ASC X12 Committee.

Data Mining: The process of studying data to search for previously unknown relationships. This knowledge is then applied to achieving specific business goals.

Data Warehouse: A repository of data that has been specially prepared to support decision-making applications. *Synonym: Decision-Support Data*

Database: Data stored in computer-readable form, usually indexed or sorted in a logical order by which users can find a particular item of data they need.



Date Code: A label on products with the date of production. In food industries, it is often an integral part of the lot number.

Days of Supply: Measure of quantity of inventory-on-hand, in relation to number of days for which usage which will be covered. For example, if a component is consumed in manufacturing at the rate of 100 per day, and there are 1,585 units available on-hand, this represents 15.85 days supply.

Days Sales Outstanding (DSO): Measurement of the average collection period (time from invoicing to cash receipt).

Calculation:

[5 Point Annual Gross Accounts Receivables] / [Total Annual Sales / 365]

DDC: Destination Delivery Charge. A charge assessed by the carrier for handling positioning of a full container within the container yard.

Dead on Arrival (DOA): A term used to describe products which are not functional when delivered. Synonym: Defective.

Deadhead: The return of an empty transportation container to its point of origin. See: backhauling.

Deadweight: The total lifting capacity of a ship expressed in tons of 2240 lbs. It is the difference between the displacement light (without cargo, passengers, fuel, etc.) and the displacement loaded.

Decentralized Authority: A situation in which management decision-making authority is given to managers at many levels in the organizational hierarchy.

Decision Support System (DSS): Software that speeds access and simplifies data analysis, queries, etc. within a database management system.

Declaration of Dangerous Goods: To comply with the U.S. regulations, exporters are required to provide special notices to inland and ocean transport companies when goods are hazardous.

Declared Value: The value of the goods, declared by the shipper on a bill of lading, for the purpose of determining a freight rate or the limit of the carrier's liability. Also used by customs as the basis for calculation of duties, etc.

Decomposition: A method of forecasting where time series data are separated into up to three components: trend, seasonal, and cyclical; where trend includes the general horizontal upward or downward movement over time; seasonal includes a recurring demand pattern such as day of the week, weekly, monthly, or quarterly; and cyclical includes any repeating, non-seasonal pattern.



A fourth component is random, that is, data with no pattern. The new forecast is made by projecting the patterns individually determined and then combining them.

Deconsolidation: Breakdown for distribution of various importers LTL cargo for movement to ultimate destination.

Dedicated Contract Carriage: A third-party service that dedicates equipment (vehicles) and drivers to a single customer for its exclusive use on a contractual basis.

Defective goods inventory (DGI): Those items that have been returned, have been delivered damaged and have a freight claim outstanding, or have been damaged in some way during warehouse handling.

Delimiters: 1) ASCII, characters which are used to separate data elements within a data stream. 2) EDI, two levels of separators and a terminator that are integrals part of a transferred data stream. Delimiters are specified in the interchange header. From highest to lowest level, the separators and terminator are segment terminator, data element separator, and component element separator (used only in EDIFACT)

Delivery-Duty-Paid: Supplier/manufacturer arrangement in which suppliers are responsible for the transport of the goods they have produced, which is being sent to a manufacturer. This responsibility includes tasks such as ensuring products get through Customs.

Delivery Appointment: The time agreed upon between two enterprises for goods or transportation equipment to arrive at a selected location. Typically used to help plan warehouse and receiving / inspection operations and to manage backup of carriers at loading docks.

Delivery Order (DO): Document authorizing domestic carrier to pick up cargo.

Delivery Performance to Request Date: The percentage of orders that are fulfilled on or before the customer's requested date used as a measure of responsiveness to market demand. Delivery measurements are based on the date a complete order is shipped or the ship-to date of a complete order. A complete order has all items on the order delivered in the quantities requested. An order must be complete to be considered fulfilled. Multiple line items on a single order with different planned delivery dates constitute multiple orders, and multiple planned delivery dates on a single line item also constitute multiple orders.

Calculation:

[Total number of orders delivered in full and on time to the customer's request date] / [Total number of orders delivered]

Delphi Method: A qualitative forecasting technique where the opinions of experts are combined in a series of iterations. The results of each iteration are used to develop the next, so that convergence of the experts' opinions is obtained.



Delta Nu Alpha: A professional association of transportation and traffic practitioners.

Demand Chain: Another name for the supply chain, with emphasis on customer or end-user demand pulling materials and product through the chain.

Demand Chain Management: Same as supply chain management, but with emphasis on consumer pull versus supplier push.

Demand-Driven Supply Network (DDSN): A system of technologies and processes that sense and react to real-time demand across a network of customers, suppliers and employees. In other words, a consumer purchase triggers real-time information movement throughout the supply network, which then initiates movement of product through the network.

Demand Management: The proactive compilation of requirements information regarding demand (i.e., customers, sales, marketing, finance) and the firm's capabilities from the supply side (i.e., supply, operations and logistics management); the development of a consensus regarding the ability to match the requirements and capabilities; and the agreement upon a synthesized plan that can most effectively meet the customer requirements within the constraints imposed by supply chain capabilities.

Demand Planning: The process of identifying, aggregating, and prioritizing, all sources of demand for the integrated supply chain of a product or service at the appropriate level, horizon and interval. The sales forecast is comprised of the following concepts:

1. The *sales forecasting level* is the focal point in the corporate hierarchy where the forecast is needed at the most generic level, i.e. Corporate forecast, Divisional forecast, Product Line forecast, SKU, SKU by Location.
2. The *sales forecasting time horizon* generally coincides with the time frame of the plan for which it was developed, i.e. Annual, 1-5 years, 1- 6 months, Daily, Weekly, Monthly.
3. The *sales forecasting time interval* generally coincides with how often the plan is updated, i.e. Daily, Weekly, Monthly, and Quarterly.

Demand Planning Systems: The systems that assist in the process of identifying, aggregating, and prioritizing, all sources of demand for the integrated supply chain of a product or service at the appropriate level, horizon and interval.

Demand Pull: The triggering of material movement to a work center only when that work center is ready to begin the next job. It in effect eliminates the queue from in front of a work center, but it can cause a queue at the end of a previous work center.

Demand-Side Analysis: Techniques such as market research, surveys, focus groups, and Performance / cost modeling used to identify emerging technologies.



Demand Signal: A signal from a consumer, customer or using operation that triggers the issue of product or raw material. The demand signal is most efficiently an electronic data transmission, but could be a physical document, kanban or telephone call.

Demand Supply Balancing: The process of identifying and measuring the gaps and imbalances between demand and resources in order to determine how to best resolve the variances through marketing, pricing, packaging, warehousing, outsource plans or some other action that will optimize service, flexibility, costs, assets (or other supply chain inconsistencies) in an iterative and collaborative environment.

Demand Time Fence (DTF): 1) That point in time inside of which the forecast is no longer included in total demand and projected available inventory calculations; inside this point, only customer orders are considered. Beyond this point, total demand is a combination of actual orders and forecasts, depending on the forecast consumption technique chosen. 2) In some contexts, the demand time fence may correspond to that point in the future inside which changes to the master schedule must be approved by an authority higher than the master scheduler. Note, however, that customer orders may still be promised inside the demand time fence without higher authority approval if there are quantities available-to-promise (ATP). Beyond the demand time fence, the master scheduler may change the MPS within the limits of established rescheduling rules, without the approval of higher authority. See: planning time fence, time fence.

De-Manufacturing: Refers to the process of going in and taking back assets and harvesting the components and parts. After the components are tested, they may be sold into the secondary market or may be upgraded to "as new" and used in production again.

Deming Circle: The concept of a continuously rotating wheel of plan-do-check-action (PDCA) used to show the need for interaction among market research, design, production, and sales to improve quality. *Also see: Plan-Do-Check-Action*

Demographic Segmentation: In marketing, dividing potential markets by characteristics of potential customers, such as age, sex, income, and education.

Demurrage: Storage charges assessed on cargo left on pier beyond free time.

Denied Party List (DPL): A list of organizations that are unauthorized to submit a bid for an activity or to receive a specific product. For example, some countries have bans for certain products such as weapons or sensitive technology.

Density: A physical characteristic of a commodity measuring its mass per unit volume or pounds per cubic foot; an important factor in rate making, since density affects the utilization of a carrier's vehicle.

Density Rate: A rate based upon the density and shipment weight.



Deregulation: Revisions or complete elimination of economic regulations controlling transportation. The Motor Carrier Act of 1980 and the Staggers Act of 1980 revised the economic controls over motor carriers and railroads, and the Airline Deregulation Act of 1978 eliminated economic controls over air carriers.

Derived Demand: Demand for component products that arises from the demand for final design products. For example, the demand for steel is derived from the demand for automobiles.

Design For Manufacture / Assembly (DFMA): A product design methodology that provides a quantitative evaluation of product designs.

Design of Experiments (DoE): A branch of applied statistics dealing with planning, conducting, analyzing, and interpreting controlled tests to evaluate the factors that control the value of a parameter or group of parameters.

Destination-Enhanced Consolidation: Ganging of smaller shipments to cut cost, often as directed by a system or via pooling with a third party.

Detention: The carrier charges and fees applied when rail freight cars and ships are retained beyond a specified loading or unloading time. *Also see: Demurrage, Express*

Deterministic Models: Models where no uncertainty is included, e.g., inventory models without safety stock considerations.

Dial Up: Access a network by dialing a phone number or initiating a computer to dial the number. The dial-up line connects to the network access point via a node or a PAD.

Differential: A discount offered by a carrier that faces a service time disadvantage over a route.

Digital Signature: Electronically generated, digitized (as opposed to graphically created) authorization that is uniquely linkable and traceable to an empowered officer.

Direct Channel: Your own sales force sells to the customer. Your entity may ship to the customer, or a third party may handle shipment, but in either case your entity owns the sales contract and retains rights to the receivable from the customer. Your end customer may be a retail outlet. The movement to the customer may be direct from the factory, or the product may move through a distribution network owned by your company. Order information in this channel may be transmitted by electronic means.

Direct Cost: A cost that can be directly traced to a cost object since a direct or repeatable cause-and-effect relationship exists. A direct cost uses a direct assignment or cost causal relationship to transfer costs. *Also see: Indirect Cost, Tracing*



Direct Consignment - One company shipping directly to another without a third party.

Direct Debit (DD): A method of ACH collection used where the debtor gives authorization to debit his or her account upon the receipt of an entry issued by a creditor. *See also automated clearinghouse*

Direct Product Profitability (DPP): Calculation of the net profit contribution attributable to a specific product or product line.

Direct Production Material: Material that is used in the manufacturing/content of a product (example: Purchased parts, solder, SMT glues, adhesives, mechanical parts etc. Bill-of-Materials parts, etc.)

Direct Retail Locations: A retail location that purchases products directly from your organization or responding entity.

Direct Store Delivery (DSD): Process of shipping direct from a manufacturer's plant or distribution center to the customer's retail store, thus bypassing the customer's distribution center. Also called Direct-to-Store Delivery

Direct Transmission: A transmission whereby data is exchanged directly between sender and receiver computers, without an intervening third-party service. *Also called a point-to-point transmission*

Direct-to-Store (DTS) Delivery: Same as Direct Store Delivery.

Directed tasks: Tasks that can be completed based upon detailed information provided by the computer system. An order picking task where the computer details the specific item, location, and quantity to pick is an example of a directed task. If the computer could not specify the location and quantity forcing the worker to choose locations or change quantities, it would not be a directed task. Directed tasks set up the opportunity for confirmation transactions.

Disaster Recovery Planning: Contingency planning specifically related to recovering hardware and software (e.g. data centers, application software, operations, personnel, telecommunications) in information system outages.

Discontinuous Demand: A demand pattern that is characterized by large demands interrupted by periods with no demand, as opposed to a continuous or steady (e.g., daily) demand. Synonym: Lumpy Demand.

Discrete Available-to-Promise: A calculation based on the available-to-promise figure in the master schedule. For the first period, the ATP is the sum of the beginning inventory plus the MPS quantity minus backlog for all periods until the item is master scheduled again. For all other periods, if a quantity has been scheduled for that time period then the ATP is this quantity



minus all customer commitments for this and other periods, until another quantity is scheduled in the MPS. For those periods where the quantity scheduled is zero, the ATP is zero (even if deliveries have been promised). The promised customer commitments are accumulated and shown in the period where the item was most recently scheduled. *Also see: Available-to-Promise*

Discrete Manufacturing: Discrete manufacturing processes create products by assembling unconnected distinct parts as in the production of distinct items such as automobiles, appliances, or computers.

Discrete Order Picking: A method of picking orders in which the items on one order are picked before the next order is picked. *Also see: Batch Picking, Order Picking, Zone Picking*

Discrete Order Quantity: An order quantity that represents an integer number of periods of demand. Most MRP systems employ discrete order quantities. *Also see: Fixed-period Requirements, Least Total Cost, Least Unit Cost, Lot-for-Lot, Part Period Balancing, Period Order Quantity, Wagner-Whitin Algorithm*

Disintermediation: When the traditional sales channels are disassembled and the middleman gets cut out of the deal. Such as where the manufacturer ships direct to a retailer, bypassing the distributor.

Dispatching: The carrier activities involved with controlling equipment; involves arranging for fuel, drivers, crews, equipment, and terminal space.

Distributed Inventory: Inventory that is geographically dispersed. For example, where a company maintains inventory in multiple distribution centers to provide a higher level of customer service.

Distribution: Outbound logistics, from the end of the production line to the end user. 1) The activities associated with the movement of material, usually finished goods or service parts, from the manufacturer to the customer. These activities encompass the functions of transportation, warehousing, inventory control, material handling, order administration, site and location analysis, industrial packaging, data processing, and the communications network necessary for effective management. It includes all activities related to physical distribution, as well as the return of goods to the manufacturer. In many cases, this movement is made through one or more levels of field warehouses. *Synonym: Physical Distribution.* 2) The systematic division of a whole into discrete parts having distinctive characteristics.

Distribution Center (DC): The warehouse facility which holds inventory from manufacturing pending distribution to the appropriate stores.

Distribution Channel: One or more companies or individuals who participate in the flow of goods and services from the manufacturer to the final user or consumer.



Distribution Channel Management: The organizational and pipeline strategy for getting products to customers. Direct channels involve company sales forces, facilities, and/or direct shipments to customers. Indirect channels involve the use of wholesalers, distributors, and/or other parties to supply the products to customers. Many companies use both strategies, depending on markets and effectiveness.

Distribution On Demand (DOD): The order fulfillment state a distribution operation achieves when it can respond, closest to real time, to changes in demand while shipping 100 percent customer compliant orders at the least cost.

Distribution Planning: The planning activities associated with transportation, warehousing, inventory levels, materials handling, order administration, site and location planning, industrial packaging, data processing, and communications networks to support distribution.

Discharge Port - Port terminal where cargo is unloaded from vessel.

Distribution Requirements Planning (DRP): A system of determining demands for inventory at distribution centers and consolidating demand information in reverse as input to the production and materials system.

Distribution Resource Planning (DRP II): The extension of distribution requirements planning into the planning of the key resources contained in a distribution system: warehouse space, workforce, money, trucks, freight cars, etc.

Distribution Warehouse: A warehouse that stores finished goods and from which customer orders are assembled.

Distributor: A business that does not manufacture its own products, but purchases and resells these products. Such a business usually maintains a finished goods inventory. *Synonym: Wholesaler*

Diversions: The practice of selling goods to a competitor that the vendor assumes would be used to service that Customer's store. Example; Grocery Store Chain A buys orange juice from Minute Maid. Grocery Store Chain A, because of their sales volume or because of promotion, can buy product for \$12.50 per case. Grocery Store Chain B, because of a lower sales volume, buys the same orange juice for \$14.50 per case. Grocery Store Chain A and Grocery Store Chain B get together and make a deal. Grocery Store Chain A resells that product to Grocery Store Chain B for \$13.50 per case. Grocery Store Chain A makes \$1.00 per case and Grocery Store Chain B gets product for \$1.00 less per case than it can buy from Minute Maid.

DIT - Destination Interchange Terminal - The facility operated by the ocean carrier or his agent at which containers are interchanged with the delivering motor carrier.



Diversions - A change made either in the route of a shipment in transit or of the entire ship.

Dock - Where vessel positions itself to load/unload cargo.

Dock-to-Stock: A program by which specific quality and packaging requirements are met before the product is released. Pre-qualified product is shipped directly into the customer's inventory. Dock-to-stock eliminates the costly handling of components, specifically in receiving and inspection and enables product to move directly into production.

Document: In EDI, a form, such as an invoice or a purchase order, that trading partners have agreed to exchange and that the EDI software handles within its compliance-checking logic.

Dock Receipt - Document used to transfer cargo from drayman acting on shipper behalf of steamship line.

Documentation: The papers attached or pertaining to goods requiring transportation and/or transfer of ownership. These may include the packing list, hazardous materials declarations, export / customs documents, etc.

Domain: A computer term for the following: 1) Highest subdivision of the Internet, for the most part by country (except in the U.S., where it's by type of organization, such as educational, commercial, and government). Usually the last part of a host name; for example, the domain part of ibm.com is .com, which represents the domain of commercial sites in the U.S. 2) In corporate data networks, a group of client computers controlled by a server system.

Domestic Trunk Line Carrier: An air carrier classification for carriers that operate between major population centers. These carriers are now classified as major carriers.

Dormant route: A route over which a carrier failed to provide service 5 days a week for 13 weeks out of a 26-week period.

Double Bottoms: A motor carrier operation involving two trailers being pulled by one tractor.

Double Order Point System: A distribution inventory management system that has two order points. The smallest equals the original order point, which covers demand during replenishment lead time. The second order point is the sum of the first order point plus normal usage during manufacturing lead time. It enables warehouses to forewarn manufacturing of future replenishment orders.

Double-pallet jack: A mechanized device for transporting two standard pallets simultaneously.

Double Stack Car - Rail car capable of carrying two containers stacked one on top of each other.



Download: To merge temporary files containing a day's or week's worth of information with the main data base in order to update it.

Downstream: Referring to the demand side of the supply chain. One or more companies or individuals who participate in the flow of goods and services moving from the manufacturer to the final user or consumer. Opposite of Upstream.

Draft (Bill of Exchange) - A written order for a certain sum of money to be transferred on a certain date.

Draft Sight and Time - Sight Draft (S/D): A draft so drawn as to be payable upon presentation or acceptance.

Drawback - 99% refund of imported, duty paid materials, which are to be exported.

Drayage - Haulage of containers over the road via truck.

Driving Time Regulations: Rules administered by the U.S. Department of Transportation that limit the maximum time a driver may drive in interstate commerce; both daily and weekly maximums are prescribed.

Drop: A situation in which an equipment operator deposits a trailer or boxcar at a facility at which it is to be loaded or unloaded.

Drop Ship: To take the title of the product but not actually handle, stock, or deliver it, e.g., to have one supplier ship directly to another or to have a supplier ship directly to the buyer's customer.

Drum-Buffer-Rope (DBR): In the theory of constraints, the generalized process used to manage resources to maximize throughput. The drum is the rate or pace of production set by the system's constraint. The buffers establish the protection against uncertainty so that the system can maximize throughput. The rope is a communication process from the constraint to the gating operation that checks or limits material released into the system to support the constraint. *Also see: Finite Scheduling*

Dry Box - See [Container](#).

Dry Container - See [Container](#).

Drydock - Used to lay up vessels for repair.

Dual Operation: A motor carrier that has both common and contract carrier operating authority.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Dual Rate System: An international water carrier pricing system where a shipper signing an exclusive use agreement with the conference pays a lower rate (10% to %15) than non-signing shippers for an identical shipment.

Dumping: Selling goods below costs in selected markets.

Dunnage: The packing material used to protect a product from damage during transport.

DUNS Number: A unique nine-digit number assigned by Dun and Bradstreet to identify a company. DUNS stands for Data Universal Numbering System.

DUNS: Data Universal Numbering System.

Durable Goods: Generally, any goods whose continuous serviceability is likely to exceed three years (e.g., trucks, furniture).

Dunnage - Material used around cargo to prevent breakage or shifting, normally provided by shipper. Its weight is included in the rating.

Duty Drawback - Payment returned for cargoes re-exported or trade show material returned. A customs refund on re-exported cargo

Duty Free Zone (DFZ): An area where goods or cargo can be stored without paying import customs duties while awaiting manufacturing or future transport.

Dynamic Lot Sizing: Any lot-sizing technique that creates an order quantity subject to continuous recomputation. *See: Least total cost, Least unit cost, Part period balancing, Period order quantity, Wagner-Whitin algorithm*

Dynamic Process Control (DPC): Continuous monitoring of process performance and adjustment of control parameters to optimize process output.



E

EAN.UCC: European Article Numbering/ Uniform Code Council (now the European office of GS1). The EAN.UCC System provides identification standards to uniquely identify trade items, logistics units, locations, assets, and service relations worldwide. The identification standards define the construction of globally-unique and unambiguous numbers.

Early Supplier Involvement (ESI): The process of involving suppliers early in the product design activity and drawing on their expertise, insights, and knowledge to generate better designs in less time and designs that are easier to manufacture with high quality.

Earnings Before Interest and Taxes (EBIT): A measure of a company's earning power from ongoing operations, equal to earnings (revenues minus cost of sales, operating expenses, and taxes) before deduction of interest payments and income taxes. *Also called operating profit*

Economic Order Quantity (EOQ): An inventory model that determines how much to order by determining the amount that will meet customer service levels while minimizing total ordering and holding costs.

Economic Value Added (EVA): A measurement of shareholder value as a company's operating profits after tax, less an appropriate charge for the capital used in creating the profits.

Economy of Scale: A phenomenon whereby larger volumes of production reduce unit cost by distributing fixed costs over a larger quantity.

EDI - Electronic Data Interchange.

EDIFACT: Electronic Data Interchange for Administration, Commerce, and Transport. The United Nations EDI standard.

EDI Standards: Criteria that define the data content and format requirements for specific business transactions (e.g. purchase orders). Using standard formats allows companies to exchange transactions with multiple trading partners easily. *Also see: American National Standards Institute, GSI Group*

EDI Transmission: A functional group of one or more EDI transactions that are sent to the same location, in the same transmission, and are identified by a functional group header and trailer.

Efficient Consumer Response (ECR): A demand driven replenishment system designed to link all parties in the logistics channel to create a massive flow-through distribution network. Replenishment is based upon consumer demand and point of sale information.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

EIR - Equipment Interchange Receipt. Documents used to receive or deliver a full or empty container/chassis at any terminal or inland container pool.

Elcee - See [Letter of Credit](#).

Electronic Commerce (EC): Also written as e-commerce. Conducting business electronically via traditional EDI technologies, or online via the Internet. In the traditional sense of selling goods, it is possible to do this electronically because of certain software programs that run the main functions of an e-commerce website, such as product display, online ordering, and inventory management. The definition of e-commerce includes business activity that is business-to-business (B2B), business-toconsumer (B2C).

Electronic Data Interchange - Communications by computer to computer from one company to another.

Electronic Data Interchange Association: A national body that propagates and controls the use of EDI in a given country. All EDIAs are nonprofit organizations dedicated to encouraging EDI growth. The EDIA in the United States was formerly TDCC and administered the development of standards in transportation and other industries.

Electronic Funds Transfer (EFT): A computerized system that processes financial transactions and information about these transactions or performs the exchange of value. Sending payment instructions across a computer network, or the company-to-company, company-to-bank, or bank-tobank electronic exchange of value.

Electronic Mail (E-Mail): The computer-to-computer exchange of messages. E-mail is usually unstructured (free-form) rather than in a structured format. X.400 has become the standard for email exchange.

Electronic Product Code (EPC or ePC): An electronically coded tag that is intended as an improvement to the UPC bar code system. The EPC is a 96-bit tag which contains a number called the Global Trade Identification Number (GTIN). Unlike a UPC number, which only provides information specific to a group of products, the GTIN gives each product its own specific identifying number, giving greater accuracy in tracking. EPC standards are managed by the Global Standards organization known as GS1.

Electronic Signature: A form of authentication that provides identification and validation of a transaction by means of an authorization code identifying the individual or organization.

Elkins Act: An amendment to the IC Act that prohibits giving rebates.

Embargo: A prohibition upon exports or imports, either with specific products or specific countries.



Empirical: Pertaining to a statement or formula based upon experience or observation rather than on deduction or theory.

Empowerment: A condition whereby employees have the authority to make decisions and take action in their work areas without prior approval. For example, an operator can stop a production process if he or she detects a problem, or a customer service representative can send out a replacement product if a customer calls with a problem.

Encryption: The transformation of readable text into coded text for security purposes.

End item: A product sold as a completed item or repair part; any item subject to a customer order or sales forecast. Synonym: Finished Goods Inventory.

End-of-Life: Planning and execution at the end of the life of a product. The challenge is making just the right amount to avoid A) ending up with excess, which have to be sold at great discounts or scrapped or B) ending up with shortages before the next generation is available.

End-of-Life Inventory: Inventory on hand that will satisfy future demand for products that are no longer in production at your entity.

Engineering Change: A revision to a drawing or design released by engineering to modify or correct a part. The request for the change can be from a customer or from production, quality control, another department, or a supplier. *Synonym: Engineering Change Order*

Engineering Change Order (ECO): A documented and approved revision to a product or process specification.

Engineer-to-Order: A process in which the manufacturing organization must first prepare (engineer) significant product or process documentation before manufacture may begin.

Enroute: A term used for goods in transit or on the way to a destination.

Enterprise Application Integration (EAI): A computer term for the tools and techniques used in linking ERP and other enterprise systems together. Linking systems is key for e-business. Gartner say 'firms implementing enterprise applications spend at least 30% on point-to-point interfaces'.

Equalization - Compensation for additional charges incurred by shipper for delivering cargo to port designated by the carrier other than the closest port to the supplier.

Equipment: The rolling stock carriers use to facilitate the transportation services that they provide, including containers, trucks, chassis, vessels, and airplanes, among others.



Equipment I.D.: An identifier assigned by the carrier to a piece of equipment. *See also Container ID*

Equipment Positioning: The process of placing equipment at a selected location.

Ergonomic: The science of creating workspaces and products which are human friendly to use.

Enterprise-Wide ABM: A management information system that uses activity-based information to facilitate decision making across an organization.

Enterprise Resource Planning (ERP) System: A class of software for planning and managing "enterprise-wide" the resources needed to take customer orders, ship them, account for them and replenish all needed goods according to customer orders and forecasts. Often includes electronic commerce with suppliers. Examples of ERP systems are the application suites from SAP, Oracle, PeopleSoft and others.

Enveloping: An EDI management software function that groups all documents of the same type, or functional group, and bound for the same destination into an electronic envelope. Enveloping is useful where there are multiple documents such as orders or invoices issued to a single trading partner that need to be sent as a packet.

Environmental Health and Safety (EH&S): The category of processes, procedures and regulations related to addressing the needs of maintaining environmental quality standards for health and safety. Includes the RoHS (Restriction of Hazardous Substances) and WEEE (Waste Electrical and Electronic) standards.

Environmentally Sensitive Engineering: Designing features in a product and its packaging that improve recycling, etc. It can include elimination of compounds that are hazardous to the environment.

ETA - Estimated Time of Arrival.

ETD - Estimated Time of Departure.

Ethernet: A computer term for the most commonly used type of local area network (LAN) communication protocol using coaxial or twisted pair wiring.

Ethical Standards: A set of guidelines for proper conduct by business professionals.

European Article Number (EAN): A defined numbering mechanism used in Europe to uniquely identify every retail product and packaging option. The EAN is similar in concept and design to the UPC code and is usually what the barcode represents on goods. *Also see: Uniform Product Code*

EVA: *See Economic Value Added*



Evaluated Receipts Settlement (ERS): A process for authorizing payment for goods based on actual receipts with purchase order data, when price has already been negotiated. The basic premise behind ERS is that all of the information in the invoice is already transmitted in the shipping documentation. Therefore, the invoice is eliminated and the shipping documentation is used to pay the vendor.

Exception-Based Processing: A computer term for applications that automatically highlight particular events or results which fall outside pre-determined parameters. This saves considerable effort by automatically finding problems and alerting the right persons. An example would be where a shorted item on a purchase order receipt would automatically notify a purchasing agent for follow-up.

Ethernet: A computer term for the most commonly used type of local area network (LAN) communication protocol using coaxial or twisted pair wiring.

Ethical Standards: A set of guidelines for proper conduct by business professionals.

European Article Number (EAN): A defined numbering mechanism used in Europe to uniquely identify every retail product and packaging option. The EAN is similar in concept and design to the UPC code and is usually what the barcode represents on goods. *Also see: Uniform Product Code*

EVA: *See Economic Value Added*

Evaluated Receipts Settlement (ERS): A process for authorizing payment for goods based on actual receipts with purchase order data, when price has already been negotiated. The basic premise behind ERS is that all of the information in the invoice is already transmitted in the shipping documentation. Therefore, the invoice is eliminated and the shipping documentation is used to pay the vendor.

Exception-Based Processing: A computer term for applications that automatically highlight particular events or results which fall outside pre-determined parameters. This saves considerable effort by automatically finding problems and alerting the right persons. An example would be where a shorted item on a purchase order receipt would automatically notify a purchasing agent for follow-up.

Exponential Smoothing Forecast: In forecasting, a type of weighted moving average forecasting technique in which past observations are geometrically discounted according to their age. The heaviest weight is assigned to the most recent data. The smoothing is termed exponential because data points are weighted in accordance with an exponential function of their age. The technique makes use of a smoothing constant to apply to the difference between the most recent forecast and the critical sales data, thus avoiding the necessity of carrying historical sales data. The approach can be used for data that exhibit no trend or seasonal patterns. Higher order exponential smoothing models can be used for



data with either (or both) trend and seasonality

Export: 1) In logistics, the movement of products from one country to another. For example, significant volumes of cut flowers are exported from The Netherlands to other countries of the world. 2) A computer term referring to the transfer of information from a source (system or database) to a target.

Export Broker: An enterprise that brings together buyer and seller for a fee, then eventually withdraws from the transaction.

Export Compliance: Complying with rules for exporting products, including packaging, labeling, and documentation.

Export Declaration - Export Declaration (Shippers.) Bureau of Census document which spells out shipment details for entry to government statistical system. Documents for export shipping declaring value of cargo to U.S. Customs.

Export Documents - These documents required to export a shipment.

Export License: A document secured from a government authorizing an exporter to export a specific quantity of a controlled commodity to a certain country. An export license is often required if a government has placed embargoes or other restrictions upon exports.

Export sales contract: The initial document in any international transaction; it details the specifics of the sales agreement between the buyer and seller.

Exporter Identification Number (EIN): A number required for the exporter on the Shipper's Export Declaration. A corporation may use their Federal Employer Identification Number as issued by the IRS; individuals can use their Social Security Numbers.

Exports: A term used to describe products produced in one country and sold in another. *Also see: Export*

Express: 1) Carrier payment to its customers when ships, rail cars, or trailers are unloaded or loaded in less than the time allowed by contract and returned to the carrier for use. See: demurrage, detention. 2) The use of priority package delivery to achieve overnight or second-day delivery.

Extended Enterprise: The notion that supply chain partners form a larger entity which works together as though it were a single unit.

Extensible Markup Language (XML): A computer term for a language that facilitates direct communication among computers on the Internet. Unlike the older hypertext markup language (HTML), which provides data tags giving instructions to a web browser about how to display



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

information, XML tags give instructions to a browser or to application software which help to define the specifics about the category of information.

External Factory: A situation where suppliers are viewed as an extension of the firm's manufacturing capabilities and capacities. The same practices and concerns that are commonly applied to the management of the firm's manufacturing system should also be applied to the management of the external factory.

Extranet: A computer term describing a private network (or a secured link on the public internet) that links separate organizations and that uses the same software and protocols as the Internet. Used for improving supply chain management. For example, extranets are used to provide access to a supply chain partner's internal inventory data which is not available to unrelated parties. *Antonym: Intranet*

Extrinsic Forecast: In forecasting, a forecast based on a correlated leading indicator, such as estimating furniture sales based on housing starts. Extrinsic forecasts tend to be more useful for large aggregations, such as total company sales, than for individual product sales. *Ant: intrinsic forecast method*

Ex-Works - Buyer receives the cargo directly from the factory and thereafter arranges shipment, insurance and other related services themselves.



F

Fabricator: A manufacturer that turns the product of a raw materials supplier into a larger variety of products. A fabricator may turn steel rods into nuts, bolts, and twist drills, or may turn paper into bags and boxes.

Facilities: The physical plant, distribution centers, service centers, and related equipment.

Factory Gate Pricing: Like DSD in reverse, factory gate pricing (FGP) is a supply chain initiative that has been gaining popularity among retailers in England. With FGP, retailers buy goods at the suppliers' "gate" and take care of getting it to their stores or distribution centers, either with their own trucks or those of their contracted carriers.

Failure Modes Effects Analysis (FMEA): A pro-active method of predicting faults and failures so that preventive action can be taken.

Fair Return: A level of profit that enables a carrier to realize a rate of return on investment or property value that the regulatory agencies deem acceptable for that level of risk.

Fair-share Quantity Logic: In inventory management, the process of equitably allocating available stock among field distribution centers. Fair-share quantity logic is normally used when stock available from a central inventory location is less than the cumulative requirements of the field stocking locations. The use of fair-share quantity logic involves procedures that "push" stock out to the field, instead of allowing the field to "pull" in what is needed. The objective is to maximize customer service from the limited available inventory.

Fair value: The value of the carrier's property; the basis of calculation has included original cost minus depreciation, replacement cost, and market value.

FAK - Freight All Kinds. Usually refers to consolidated cargo.

FAS - Free Along Side. Seller quotes a price including delivery of the goods alongside the vessel.

Fast and Secure Trade (FAST): U.S. Customs program that allows importers on the U.S./Canada border to obtain expedited release for qualifying commercial shipments.



Fast Moving Consumer Goods (FMCG): Fast Moving Consumer Goods are packaged commercial products that are consumed through use. They include pre-packaged food and drinks, alcohol, health and beauty items, tobacco products, paper products, household cleansers and chemicals, animal care items, anything that we need, can buy right off the shelf, and use up through daily living.

FCL - Full Container Load.

Feature: A distinctive characteristic of a good or service. The characteristic is provided by an option, accessory, or attachment. For example, in ordering a new car, the customer must specify an engine type and size (option), but need not necessarily select an air conditioner (attachment).

Federal Aviation Administration: The federal agency charged with administering federal safety regulations governing air transportation.

Federal Maritime Commission - Government agency responsible for overseeing regulatory aspects of the Shipping Act.

Feeder - The transportation vehicle utilized to relay cargo from mother vessel to ultimate destination.

Feeder Railroad Development Program: A Federal program which allows any financially responsible person (except Class I and Class II carriers) with ICC approval to acquire a rail line having a density of less than 3 million gross ton-miles per year, in order to avert the line being abandoned.

FEQ - Forty-foot Equivalent.

FEU - Forty-foot Equivalent Unit.

FF - See [Freight Forwarder](#).

FFE - Forty-foot Equivalent.

Field Finished Goods: Inventory which is kept at locations outside the four walls of the manufacturing plant (i.e., distribution center or warehouse).

Field Service Parts: Parts inventory kept at locations outside the four walls of the manufacturing plant (i.e., distribution center or warehouse).



Field warehouse: A warehouse on the property of the owner of the goods that stores goods that are under the custody of a bona fide public warehouse manager. The public warehouse receipt is used as collateral for a loan.

FIFO - First In First Out.

File Transfer Protocol (FTP): The Internet service that transfers files from one computer to another, over standard phone lines.

Filed rate doctrine: The legal rate the common carrier may charge; is the rate published in the carrier's tariff on file with the ICC.

Fill Rate: The percentage of order items that the picking operation actually fills within a given period of time.

Fill Rates by Order: Whether orders are received and released consistently, or released from a blanket purchase order, this metric measures the percentage of ship-from-stock orders shipped within 24 hours of order "release". Make-to-Stock schedules attempt to time the availability of finished goods to match forecasted customer orders or releases. Orders that were not shipped within 24 hours due to consolidation but were available for shipment within 24 hours are reported separately. In calculating elapsed time for order fill rates, the interval begins at ship release and ends when material is consigned for shipment.

Calculation:

[Number of orders filled from stock shipped within 24 hours of order release] / [Total number of stock orders] Note: The same concept of fill rates can be applied to order lines and individual products to provide statistics on percentage of lines shipped completely and percentage of products shipped completely.

Final Assembly: The highest level assembled product, as it is shipped to customers. This terminology is typically used when products consist of many possible features and options that may only be combined when an actual order is received. *Also see: End Item, Assemble to Order*

Final Assembly Schedule (FAS): A schedule of end items to finish the product for specific customers' orders in a make-to-order or assemble-to-order environment. It is also referred to as the finishing schedule because it may involve operations other than just the final assembly; also, it may not involve assembly, but simply final mixing, cutting, packaging, etc. The FAS is prepared after receipt of a customer order as constrained by the availability of material and capacity, and it schedules the operations required to complete the product from the level where it is stocked (or master scheduled) to the end-item level.

Finance Lease: An equipment-leasing arrangement that provides the lessee with a means of financing for the leased equipment; a common method for leasing motor carrier trailers.



Financial Responsibility: Motor carriers are required to have body injury and property damage (not cargo) insurance or not less than \$500,000 per incident per vehicle; higher financial responsibility limits apply for motor carriers transporting oil or hazardous materials.

Finished Goods Inventory (FG or FGI): Products completely manufactured, packaged, stored, and ready for distribution. *Also see: End Item*

Finite Forward Scheduling: An equipment scheduling technique that builds a schedule by proceeding sequentially from the initial period to the final period while observing capacity limits. A Gantt chart may be used with this technique. *Also see: Finite Scheduling*

Finite Scheduling: A scheduling methodology where work is loaded into work centers such that no work center capacity requirement exceeds the capacity available for that work center. See: drum buffer- rope, finite forward scheduling.

Firewall: A computer term for a method of protecting the files and programs on one network from users on another network. A firewall blocks unwanted access to a protected network while giving the protected network access to networks outside of the firewall. A company will typically install a firewall to give users access to the Internet while protecting their internal information.

FIO - Free In and Out. A party other than the steamship line provides for the stevedoring.

Firm Planned Order: A planned order which has been committed to production. *Also see: Planned Order*

First In, First Out (FIFO): Warehouse term meaning first items stored are the first used. In accounting this term is associated with the valuing of inventory such that the latest purchases are reflected in book inventory. *Also see: Book Inventory*

First Mover Advantage: Market innovator, putting the company in the leadership position.

First Pass Yield: The ratio of usable, specification conforming output from a process to its input, achieved without rework or reprocessing.

Fixed Costs: Costs, which do not fluctuate with business volume in the short run. Fixed costs include items such as depreciation on buildings and fixtures.

Fixed Interval Inventory Model: A setup wherein each time an order is placed for an item, the same (fixed) quantity is ordered.

Fixed Interval Order System: *See Fixed Reorder Cycle Inventory Model*



Fixed Order Quantity: A lot-sizing technique in MRP or inventory management that will always cause planned or actual orders to be generated for a predetermined fixed quantity, or multiples thereof if net requirements for the period exceed the fixed order quantity.

Fixed Order Quantity System: *See Fixed Reorder Cycle Inventory Model*

Fixed Overhead: Traditionally, all manufacturing costs, other than direct labor and direct materials, that continue even if products are not produced. Although fixed overhead is necessary to produce the product, it cannot be directly traced to the final product. *Also see: Indirect Cost*

Fixed-Period Requirements: A lot-sizing technique that sets the order quantity to the demand for a given number of periods.

given number of periods. *Also see: Discrete Order Quantity*

Fixed Quantity Inventory Model: A setup wherein a company orders the same (fixed) quantity each time it places an order for an item.

Fixed Reorder Cycle Inventory Model: A form of independent demand management model in which an order is placed every "n" time units. The order quantity is variable and essentially replaces the items consumed during the current time period. Let "M" be the maximum inventory desired at any time, and let x be the quantity on hand at the time the order is placed. Then, in the simplest model, the order quantity will be $M - x$. The quantity M must be large enough to cover the maximum expected demand during the lead time plus a review interval. The order quantity model becomes more complicated whenever the replenishment lead time exceeds the review interval, because outstanding orders then have to be factored into the equation. These reorder systems are sometimes called fixed interval order systems, order level systems, or periodic review systems. *Synonyms: Fixed-Interval Order System, Fixed-Order Quantity System, Order Level System, Periodic Review System, Time- Based Order System. Also see: Fixed Reorder Quantity Inventory Model, Hybrid Inventory System, Independent Demand Item Management Models, Optional Replenishment Model*

Fixed Reorder Quantity Inventory Model: A form of independent demand item management model in which an order for a fixed quantity is placed whenever stock on hand plus on order reaches a predetermined reorder level. The fixed order quantity may be determined by the economic order quantity, by a fixed order quantity (such as a carton or a truckload), or by another model yielding a fixed result. The reorder point may be deterministic or stochastic, and in either instance is large enough to cover the maximum expected demand during the replenishment lead time. Fixed reorder quantity models assume the existence of some form of a perpetual inventory record or some form of physical tracking, e.g., a two-bin system that is able to determine when the reorder point is reached. *Synonym: Fixed Order Quantity System, Lot Size System, Order Point-Order Quantity System, Quantity Based Order System. Also see: Fixed Reorder Cycle Inventory Model, Hybrid Inventory System, Independent Demand Item Management Models, Optional Replenishment Model, Order Point – Order Management System*



Fixed-Location Storage: A method of storage in which a relatively permanent location is assigned for the storage of each item in a storeroom or warehouse. Although more space is needed to store parts than in a random-location storage system, fixed locations become familiar, and therefore a locator file may not be needed. *Also see: Random-Location Storage*

Flag Vessel - Every vessel has a flag distinguishing nationality.

Flag Waiver - Permission from government to carry cargo otherwise labeled for flag recipient.

Flat: A loadable platform having no superstructure whatever but having the same length and width as the base of a container and equipped with top and bottom corner fittings. This is an alternative term used for certain types of specific purpose containers - namely platform containers and platform-based containers with incomplete structures

Flat Bed - Truck designed to haul heavy or oversized non-containerizable cargo.

Flat Car - Railroad car on which container or container/chassis is placed.

Flat File: A computer term which refers to any file having fixed-record length, or in EDI, the file produced by EDI translation software to serve as input to the interface. Usually includes the same fields as the original file, but each field is expanded to its maximum length. Does not have delimiters.

Flat Rack - 20' & 40' metal platform with open sides, with bulk heads (i.e., no roof or side walls).

Flexibility: Ability to respond quickly and efficiently to changing customer and consumer demands.

Flexible-Path Equipment: Materials handling devices that include hand trucks and forklifts.

Flexible Specialization: a strategy based on multi-use equipment, skilled workers and innovative senior management to accommodate the continuous change that occurs in the marketplace.

Float: The time required for documents, payments, etc. to get from one trading partner to another.

Floating Cranes - Heavy duty cranes brought in to handle cargo when unable to use gantry crane.

Floor-Ready Merchandise (FRM): Goods shipped by suppliers to retailers with all necessary tags, prices, security devices, etc. already attached, so goods can be cross docked rapidly through retail DCs, or received directly at stores.



Flow Rack: Storage rack that utilizes shelves (metal) that are equipped with rollers or wheels. Such an arrangement allows product and materials to "flow" from the back of the rack to the front and therein making the product more accessible for small-quantity order-picking.

Flow-Through Distribution: A process in a distribution center in which products from multiple locations are brought in to the D.C. and are re-sorted by delivery destination and shipped in the same day. Also known as a "cross-dock" process in the transportation business. *See Cross Docking.*

FMC - Federal Maritime Commission. U.S. regulatory body affecting ocean-going carriers. A U.S. government body that oversees all maritime rules and regulations.

FMC Number - Number assigned by a government agency authorizing a freight forwarder to operate.

FOB - Free On Board. A pricing term under which the seller must deliver the goods on board the ship at the point named at his own expense.

FOB Destination: Title passes at destination, and seller has total responsibility until shipment is delivered.

FOB Origin: Title passes at origin, and buyer has total responsibility over the goods while in shipment.

For-Hire Carrier: A carrier that provides transportation service to the public on a fee basis.

Forecast: An estimate of future demand. A forecast can be constructed using quantitative methods, qualitative methods, or a combination of methods, and it can be based on extrinsic (external) or intrinsic (internal) factors. Various forecasting techniques attempt to predict one or more of the four components of demand: cyclical, random, seasonal, and trend. *Also see: Box-Jenkins Model, Exponential Smoothing Forecast, Extrinsic Forecasting Method, Intrinsic Forecasting Method, Qualitative Forecasting Method, Quantitative Forecasting Method*

Forecast Accuracy: Measures how accurate your forecast is as a percent of actual units or dollars shipped, calculated as 1 minus the absolute value of the difference between forecasted demand and actual demand, as a percentage of actual demand.

Calculation:

$[1 - (|Sum\ of\ Variances| / Sum\ of\ Actual)]$

Forecast Cycle: Cycle time between forecast regenerations that reflect true changes in marketplace demand for shippable end products.



Forecasting: Predictions of how much of a product will be purchased by customers. Relies upon both quantitative and qualitative methods. *Also see: Forecast*

Foreign Trade Zone (FTZ): An area or zone set aside at or near a port or airport, under the control of the U.S. Customs Service, for holding goods duty-free pending customs clearance.

Forklift truck: A machine-powered device that is used to raise and lower freight and to move freight to different warehouse locations.

Form utility: The value created in a good by changing its form, through the production process.

Four P's: A set of marketing tools to direct the business offering to the customer. The four P's are product, price, place, and promotion.

Fourier Series: In forecasting, a form of analysis useful for forecasting. The model is based on fitting sine waves with increasing frequencies and phase angles to a time series.

Four Wall Inventory: The stock which is contained within a single facility or building.

Fourth-Party Logistics (4PL): Differs from third party logistics in the following ways; 1) 4PL organization is often a separate entity established as a joint venture or long-term contract between a primary client and one or more partners; 2) 4PL organization acts as a single interface between the client and multiple logistics service providers; 3) All aspects (ideally) of the client's supply chain are managed by the 4PL organization; and, 4) It is possible for a major third-party logistics provider to form a 4PL organization within its existing structure. The term was registered by Accenture as a trademark in 1996 and defined as "A supply chain integrator that assembles and manages the resources, capabilities, and technology of its own organization with those of complementary service providers to deliver a comprehensive supply chain solution.", but is no longer registered *Also see: Lead Logistics Provider*

Forty-foot Equivalent Unit (FEU): A standard size intermodal container.

Force Majeure - State of emergency; all tariff rules can be altered to adjust shipper's/carrier's needs.

Foreign Trade Zone - Designed location providing duty-free storage area.

Fork Lift - Truck used for loading/unloading cargo into container.

Forwarder's Cargo Receipt - A negotiable document issued by a forwarder which will satisfy legal requirements for a letter-of-credit. Since a forwarder is not an NVOCC it cannot issue actual Bills of Lading. The FCR is a legally binding substitute for the B/L which was pioneered by Sea-Land and is now an industry standard.



Free Alongside Ship (FAS): A term of sale indicating the seller is liable for all changes and risks until the goods sold are delivered to the port on a dock that will be used by the vessel. Title passes to the buyer when the seller has secured a clean dock or ship's receipt of goods. The seller agrees to deliver the goods to the dock alongside the overseas vessel that is to carry the shipment. The seller pays the cost of getting the shipment to the dock; the buyer contracts the carrier, obtains documentation, and assumes all responsibility from that point forward.

Free on Board (FOB): Contractual terms between a buyer and a seller, that define where title transfer takes place.

Free Time - Storage allowed at carrier facility without penalties assessed.

Freight Claim - Formal letter with supporting documents, i.e., B/L, D/R, temperature chart, etc., making claim against carrier for lost or damaged cargo.

Freight Collect - Payment due at destination (consignee.)

Freight Forwarder - Federally licensed (by FMC) company that arranges the carriage of goods including connected services and/or associated formalities on behalf of a shipper or consignee.

Freight Release - Evidence that the freight charges for the cargo have been paid. If in writing, it may be presented at the pier to obtain release of the cargo. Normally, once the freight is paid freight releases are arranged without additional documentation. aka Freight Bill Receipt.

Free Time: The period of time allowed for the removal or accumulation of cargo before charges become applicable.

Freezing Inventory Balances: In most cycle counting programs the term "freezing" refers to copying the current on-hand inventory balance into the cycle count file. This may also be referred to as taking a snapshot of the inventory balance. It rarely means that the inventory is actually frozen in a way that prevents transactions from occurring.

Freight: Goods being transported from one place to another.

Freight-all-kinds (FAK): An approach to rate making whereby the rate is based only upon the shipment weight and distance; widely used in TOFC service.

Freight Bill: The carrier's invoice for transportation charges applicable to a freight shipment.

Freight Carriers: Companies that haul freight, also called "for-hire" carriers. Methods of transportation include trucking, railroads, airlines, and sea borne shipping.

Freighted B/L - A bill of lading that lists all charges relevant to cargo movement from origin to destination.



Freight Charge: The rate established for transporting freight.

Freight Collect: The freight and charges to be paid by the consignee.

Freight Consolidation: The grouping of shipments to obtain reduced costs or improved utilization of the transportation function. Consolidation can occur by market area grouping, grouping according to scheduled deliveries, or using third-party pooling services such as public warehouses and freight forwarders.

Freight Forwarder: An organization which provides logistics services as an intermediary between the shipper and the carrier, typically on international shipments. Freight forwarders provide the ability to respond quickly and efficiently to changing customer and consumer demands and international shipping (import/export) requirements.

Freight Forwarders Institute: The freight forwarder industry association.

Freight Prepaid: The freight and charges to be paid by the consignor.

Fronthaul: The first leg of the truck trip that involves hauling a load or several loads to targeted destinations.

Frozen Zone: In forecasting, this is the period in which no changes can be made to scheduled work orders based on changes in demand. Use of a frozen zone provides stability in the manufacturing schedule.

Fulfillment: The act of fulfilling a customer order. Fulfillment includes order management, picking, packaging, and shipping.

Full Container load (FCL): A term used when goods occupy a whole container.

Full-Service Leasing: An equipment-leasing arrangement that includes a variety of services to support leased equipment (i.e., motor carrier tractors).

Full-Time Equivalents (FTE): Frequently organizations make use of contract and temporary employees; please convert contract, part-time, and temporary employees to full-time equivalents. For example, two contract employees who worked for six months full-time and a half-time regular employee would constitute 1.5 full-time equivalents. 1 FTE = 2000 hours per year.

Full Truckload (FTL): A term which defines a shipment which occupies at least one complete truck trailer, or allows for no other shippers goods to be carried at the same time.

Fully allocated cost: The variable cost associated with a particular unit of output plus an allocation of common cost.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Functional Acknowledgment (FA): A specific EDI Transaction Set (997) sent by the recipient of an EDI message to confirm the receipt of data but with no indication as to the recipient application's response to the message. The FA will confirm that the message contained the correct number of lines, etc. via control summaries, but does not report on the validity of the data.

Functional Group: Part of the hierarchical structure of EDI transmissions, a Functional Group contains one or more related Transaction Sets preceded by a Functional Group header and followed by a Functional Group trailer

Functional Metric: A number resulting from an equation, showing the impact of one or more parts of a functional/department process. This is also known as a results measure as the metric measures the results of one aspect of the business. Example: Distribution Center Fill Rate.

Functional Silo: A view of an organization where each department or functional group is operated independent of other groups within the organization. Each group is referred to as a "Silo". This is the opposite of an integrated structure.

Future Order: An order entered for shipment at some future date. This may be related to new products which are not currently available for shipment, or scheduling of future needs by the customer.

Full Cellular Vessel - Fully containerized vessel.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



Gain Sharing: A method of incentive compensation where supply chain partners share collectively in savings from productivity improvements. The concept provides an incentive to both the buying and supplier organizations to focus on continually re-evaluating, re-energizing, and enhancing their business relationship. All aspects of value delivery are scrutinized, including specification design, order processing, inbound transportation, inventory management, obsolescence programs, material yield, forecasting and inventory planning, product performance and reverse logistics. The focus is on driving out limited value cost while protecting profit margins.

Gateway: The connection that permits messages to flow freely between two networks.

Gathering lines: Oil pipelines that bring oil from the oil well to storage areas.

Gantry Crane - Port crane to load and discharge containers from vessel, able to be positioned by moving along rail tracks.

Gear & Tackle - Ship's equipment used to level, secure and brace cargo for loading/unloading from vessel.

General Agreement on Tariffs and Trade (GATT): The General Agreement on Tariffs and Trade started as an international trade organization in 1947, and has been superseded by the World Trade Organization (WTO). GATT (the agreement) covers international trade in goods. An updated General Agreement is now the WTO agreement governing trade in goods. The 1986-1994 "Uruguay Round" of GATT member discussions gave birth to the WTO and also created new rules for dealing with trade in services, relevant aspects of intellectual property, dispute settlement, and trade policy reviews. GATT 1947: The official legal term for the old (pre-1994) version of the GATT. GATT 1994: The official legal term for new version of the General Agreement, incorporated into the WTO, and including GATT 1947.

General Average - Declared upon vessel damage, whereupon shippers pay a certain percentage of damage incurred; carrier declares percentage of responsibility by all participants.

General Commodities Carrier: A common motor carrier that has operating authority to transport general commodities, or all commodities not listed as special commodities.

General-Merchandise Warehouse: A warehouse that is used to store goods that are readily handled, are packaged, and do not require a controlled environment.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

General Order (GO): A customs term referring to a warehouse where merchandise not entered within five working days after the carrier's arrival is stored at the risk and expense of the importer.

Genset - Generator used to regulate temperature in a reefer container; can be run on its own power or plugs provided on pier/vessel.

Goose Neck - Specialized chassis. Has hook-up higher than bed of chassis.

Global Data Synchronization Network (GDSN): The GDSN is an Internet-based, interconnected network of interoperable data pools and a Global Registry, the GS1 Global Registry, that enables companies around the world to exchange standardized and synchronized supply chain data with their trading partners.

Global Standards Management Process (GSMP): The Global Standards Management Process (GSMP) is the Global Process established in January 2002 by EAN International and the Uniform Code Council, Inc. (UCC) for the development and maintenance of Global Standards and Global Implementation Guidelines that are part of the EAN.UCC system.

Global Strategy: A strategy that focuses on improving worldwide performance through the sales and marketing of common goods and services with minimum product variation by country. Its competitive advantage grows through selecting the best locations for operations in other countries.

Global Trade Item Number (GTIN): A unique number that comprises up to 14 digits and is used to identify an item (product or service) upon which there is a need to retrieve pre-defined information that may be priced, ordered or invoiced at any point in the supply chain. The definition covers raw materials through end user products and includes services, all of which have pre-defined characteristics. GTIN is the globally-unique EAN.UCC System identification number, or key, used for trade items (products and services). It's used for uniquely identifying trade items (products and services) sold, delivered, warehoused, and billed throughout the retail and commercial distribution channels. Unlike a UPC number, which only provides information specific to a group of products, the GTIN gives each product its own specific identifying number, giving greater accuracy in tracking. *See EPC*

Global Positioning System (GPS): A system which uses satellites to precisely locate an object on earth. Used by trucking companies to locate over-the-road equipment.

Globalization: The process of making something worldwide in scope or application.

GO - General Order. Cargo seized by Customs due to failure on part of consignee to make Customs entry within allotted free time.



GO Warehouse - A Customs warehouse utilized when cargo goes into General Order due to lack of permit/entry filed.

Going-Concern Value: The value that a firm has as an entity, as opposed to the sum of the values of each of its parts taken separately; particularly important in determining what constitutes a reasonable railroad rate.

Gondola: A rail car with a flat platform and sides three to five feet high; used for top loading of items that are long and heavy.

Good Manufacturing Practices (GMP) or 21 CFR, parts 808, 812, and 820: Requirements governing the quality procedures of medical device manufacturers.

Goods: A term associated with more than one definition: 1) Common term indicating movable property, merchandise, or wares. 2) All materials which are used to satisfy demands. 3) Whole or part of the cargo received from the shipper, including any equipment supplied by the shipper.

Goods Received Note (GRN): Documentation raised by the recipient of materials or products.

Grandfather Clause: A provision that enabled motor carriers engaged in lawful trucking operations before the passage of the Motor Carrier Act of 1935 to secure common carrier authority without proving public convenience and necessity; a similar provision exists for other modes.

Granger Laws: State laws passed before 1870 in Midwestern states to control rail transportation.

Graphics Interchange Format (GIF): A graphical file format commonly used to display indexed color images on the World Wide Web. GIF is a compressed format, designed to minimize file transfer time over standard phone lines.

GreenLane: A concept that would give C-TPAT members that demonstrate the highest standard of secure practices additional benefits for exceeding the minimum requirements of the program. GreenLane benefits would include expedited movement of cargo, especially during an incident of national significance.

Grid technique: A quantitative technique to determine the least-cost center, given raw materials sources and markets, for locating a plant or warehouse.

Groupthink: A situation in which critical information is withheld from the team because individual members censor or restrain themselves, either because they believe their concerns are not worth discussing or because they are afraid of confrontation.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Gross Inventory: Value of inventory at standard cost before any reserves for excess and obsolete items are taken.

Gross Margin: The difference between total revenue and the cost of goods sold. *Syn: gross profit margin*

Gross National Product (GNP): A measure of a nation's output; the total value of all final goods and services produced during a period of time.

Gross Weight: The total weight of the vehicle and the payload of freight or passengers.

GS1: The new name of EAN International. The GS1 US is the new name of the Uniform Code Council, Inc® (UCC®) the GS1 Member Organization for the U.S. The association that administrates UCS, WINS, and VICS and provides UCS identification codes and UPCs. Also, a model set of legal rules governing commercial transmissions, such as sales, contracts, bank deposits and collections, commercial paper, and letters of credit. Individual states give legal power to the GS1 by adopting its articles of law.

Guaranteed Loans: Loans made to railroads that are cosigned and guaranteed by the federal government.

GRI - General Rate Increase.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

H

Handling Costs: The cost involved in moving, transferring, preparing, and otherwise handling inventory.

Hatches - Where cargo is placed in conventional vessels.

Hard copy: Computer output printed on paper.

Harmonized Code: An international classification system that assigns identification numbers to specific products. The coding system ensures that all parties in international trade use a consistent classification for the purposes of documentation, statistical control, and duty assessment.

Haulage: The inland transport service which is offered by the carrier under the terms and conditions of the tariff and of the relative transport document.

Hawaiian carrier: A for-hire air carrier that operates within the state of Hawaii

Hawthorne Effect: From a study conducted at the Hawthorne Plant of Western Electric Company in 1927-1932 which found that the act of showing people that you are concerned usually results in better job performance. Studying and monitoring of activities are typically seen as being concerned and results in improved productivity.

Hazardous Material: A substance or material, which the Department of Transportation has determined to be capable of posing a risk to health, safety, and property when stored or transported in commerce. *Also see: Material Safety Data Sheet*

HBD - Harbor Dues. Assessment when vessels enter harbor.

Heated Storage - Warehouse specifically heated to protect bottle cargo.

Hedge Inventory: A form of inventory buildup to buffer against some event that may not happen. Hedge inventory planning involves speculation related to potential labor strikes, price increases, unsettled governments, and events that could severely impair a company's strategic initiatives. Risk and consequences are unusually high, and top management approval is often required.

Heijunka: In the Just-in-Time philosophy, an approach to level production throughout the supply



chain to match the planned rate of end product sales.

Heavy Lift - Single commodity exceeding the capacity of normal loading equipment and requiring special equipment and rigging methods for handling.

Hierarchy of Cost Assignability: In cost accounting, an approach to group activity costs at the level of an organization where they are incurred, or can be directly related to. Examples are the level where individual units are identified (unit-level), where batches of units are organized or processed (batchlevel), where a process is operated or supported (process-level), or where costs cannot be objectively assigned to lower level activities or processes (facility-level). This approach is used to better understand the nature of the costs, including the level in the organization at which they are incurred, the level to which they can be initially assigned (attached) and the degree to which they are assignable to other activity and/or cost object levels, i.e. activity or cost object cost, or sustaining costs.

High Cube Container - Container 40' in length, 9'6" in height.

Highway Trust Fund: Federal highway use tax revenues are paid into this fund, and the federal government's share of highway construction is paid from the fund.

Highway Use Taxes: Taxes assessed by federal and state governments against users of the highway (the fuel tax is an example). The use tax money is used to pay for the construction, maintenance, and policing of highways.

Hi-low: Usually refers to a forklift truck on which the operator must stand rather than sit.

Home Page: The starting point for a website. It is the page that is retrieved and displayed by default when a user visits the website. The default home-page name for a server depends on the server's configuration. On many web servers, it is index.html or default.htm. Some web servers support multiple home pages.

Holds - Sections of a vessel; bays.

Honeycombing: 1. The practice of removing merchandise in pallet load quantities where the space is not exhausted in an orderly fashion. This results in inefficiencies due to the fact that the received merchandise may not be efficiently stored in the space which is created by the honeycombing. 2. The storing or withdrawal or supplies in a manner that results in vacant space that is not usable for storage of other items. 3. Creation of unoccupied space resulting from withdrawal of unit loads. This is one of the major hidden costs of warehousing.

Hopper Cars: Rail cars that permit top loading and bottom unloading of bulk commodities; some hopper cars have permanent tops with hatches to provide protection against the elements.



Horizontal Play/Horizontal Hub: This is a term for a function that cuts across many industries, usually defines a facility or organization that is providing a common service.

Hoshin Planning: Breakthrough planning. A Japanese strategic planning process in which a company develops up to four vision statements that indicate where the company should be in the next five years. Company goals and work plans are developed based on the vision statements. Periodic audits are then conducted to monitor progress.

Hostler: An individual employed to move trucks and trailers within a terminal or warehouse yard area.

Household Goods Warehouse: A warehouse that is used to store household goods.

House to House - Another term for CY/CY.

House to Pier - Shipper loaded container that will be deconsolidated at destination terminal for distribution.

Hub: 1) A large retailer or manufacturer having many trading partners. 2) A reference for a transportation network as in "hub and spoke" which is common in the airline and trucking industry. For example, a hub airport serves as the focal point for the origin and termination of long-distance flights where flights from outlying areas are fed into the hub airport for connecting flights. 3) A common connection point for devices in a network. 4) A Web "hub" is one of the initial names for what is now known as a "portal". It came from the creative idea of producing a website, which would contain many different "portal spots" (small boxes that looked like ads, with links to different yet related content). This content, combined with Internet technology, made this idea a milestone in the development and appearance of websites, primarily due to the ability to display a lot of useful content and store one's preferred information on a secured server. The web term "hub" was replaced with portal.

Hub Airport: An airport that serves as the focal point for the origin and termination of long-distance flights; flights from outlying areas are fed into the hub airport for connecting flights.

Human-Machine Interface: Any point where data is communicated from a worker to a computer or from a computer to a worker. Data entry programs, inquire programs, reports, documents, LED displays, and voice commands are all examples of human-machine interfaces.

Human Resources (HR): The function broadly responsible for personnel policies and practices within an organization.

Humping - Making up a train, joining of railcars by use of an inclined plain (gravity).

Hundredweight (cwt): A pricing unit used in transportation (equal to 100 pounds).



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Hustler - Tractor that pulls containers around pier for positioning.

Hybrid Inventory System: An inventory system combining features of the fixed reorder quantity inventory model and the fixed reorder cycle inventory model. Features of the fixed reorder cycle inventory model and the fixed reorder quantity inventory model can be combined in many different ways. For example, in the order point-periodic review combination system, an order is placed if the inventory level drops below a specified level before the review date; if not, the order quantity is determined at the next review date. Another hybrid inventory system is the optional replenishment model. *Also see: Fixed Reorder Cycle Inventory Model, Fixed Reorder Quantity Inventory Model, Optional Replenishment Model*

Hyperlink: A computer term. Also referred to as "link". The text you find on a website which can be "clicked on" with a mouse which, in turn, will take you to another web page or a different area of the same web page. Hyperlinks are created or "coded" in HTML.

Hyperlink: Also known as link. The text you find on a website which can be "clicked on" with a mouse which, in turn, will take you to another web page or a different area of the same web page. Hyperlinks are created or "coded" in HTML.

HyperText Markup Language (HTML): The standard language for describing the contents and appearance of pages on the World Wide Web.

HyperText Transport Protocol (HTTP): The Internet protocol that allows World Wide Web browsers to retrieve information from servers.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



IA / Independent Action - Independent Action. A carrier can take an independent action in a conference resulting in a unique rate for that carrier within a conference; ability to file a rate independently of other carriers' action.

ICC - Interstate Commerce Commission. International Chamber of Commerce.

IHC - Inland Haulage Charge. Cost to move a container to an inland destination.

ILA - International Longshoremen Association.

ILO - International Labour Organization. An United Nations agency, dealing with employment rights and working conditions, covering work at sea and in ports.

ILWU - International Longshoremen Workers Union.

Igloos: Pallets and containers used in air transportation; the igloo shape is designed to fit the internal wall contours of a narrow-body airplane.

Image Processing: allows a company to take electronic photographs of documents. The electronic photograph then can be stored in a computer and retrieved from computer storage to replicate the document on a printer. The thousands of bytes of data composing a single document are encoded in an optical disk. Many carriers now use image processing to provide proof-of-delivery documents to a shipper. The consignee signs an electronic pad that automatically digitizes a consignee's signature for downloading into a computer. A copy of that signature then can be produced to demonstrate that a delivery took place.

IMCO Classification - International Maritime Control Organization Classification. Classification for hazardous cargo. See [IMO](#).

IMDG - International Maritime Dangerous Goods Code. A code, representing the classification of dangerous goods as defined by the International Maritime Organization (IMO) in compliance with international legal requirements.

IMO - International Maritime Organization. An United Nations agency concerned with safety at sea. Its work includes codes and rules relating to tonnage measurement of vessels, load lines, pollution and the carriage of dangerous goods. Its previous name was the Inter-Governmental Maritime Consultative Organization (IMCO).



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Import: Movement of products from one country into another. The import of automobiles from Germany to the U.S. is an example.

Importation Point: The location (port, airport or border crossing) where goods will be cleared for importation into a country.

Import/Export License: Official authorization issued by a government allowing the shipping or delivery of a product across national boundaries.

Importer - Receiver of goods from an overseas origin.

Impressions: With regard to online advertising, it is the number of times an ad banner is downloaded and presumably seen by users. Guaranteed impressions refer to the minimum number of times an ad banner will be seen by users.

In Bond - Cargo that has not cleared customs, moving to destination under carrier's control.

Inbound Logistics: The movement of materials from suppliers and vendors into production processes or storage facilities.

Incentive Rate: A rate designed to induce the shipper to ship heavier volumes per shipment.

INCOTERMS: International terms of sale developed by the International Chamber of Commerce to define sellers' and buyers' responsibilities.

Independent action: A carrier that is a member of a rate bureau has the right to publish a rate that differs from the rate published by the rate bureau.

Independent Demand Item Management Models: Models for the management of items whose demand is not strongly influenced by other items managed by the same company. These models can be characterized as follows: (1) stochastic or deterministic, depending on the variability of demand and other factors; (2) fixed quantity, fixed cycle, or hybrid - (optional replenishment). *Also see: Fixed Reorder Cycle Inventory Model, Fixed Reorder Quantity Inventory Model, Optional Replenishment Model*

Independent Trading Exchange (ITE): Often used synonymously with B2B, e-marketplace or Virtual Commerce Network (VCN). ITE is a more precise term, connoting many-to-many transactions, whereas the others do not specify the transactions.

Indirect Cost: A resource or activity cost that cannot be directly traced to a final cost object since no direct or repeatable cause-and-effect relationship exists. An indirect cost uses an assignment or allocation to transfer cost. *Also see: Direct Cost, Support Costs*



Indirect/Distributor Channel: Your company sells and ships to the distributor. The distributor sells and ships to the end user. This may occur in multiple stages. Ultimately your products may pass through the Indirect/Distributor Channel and arrive at a retail outlet. Order information in this channel may be transmitted by electronic means. These means may include EDI, brokered systems, or linked electronic systems.

Indirect Retail Locations: A retail location that ultimately sells your product to consumers, but who purchases your products from an intermediary, like a distributor or wholesaler.

Infinite Loading: Calculation of the capacity required at work centers in the time periods required regardless of the capacity available to perform this work.

Information Systems (IS): Managing the flow of data in an organization in a systematic, structured way to assist in planning, implementing, and controlling.

Inherent Advantage: The cost and service benefits of one mode compared with other modes.

Inland Point - City with no port; landlocked city.

Inland Bill of Lading: The carriage contract used in transport from a shipping point overland to the exporter's international carrier location.

Inland Carrier: An enterprise that offers overland service to or from a point of import or export.

Insourcing: The opposite of outsourcing, that is, a serve performed in-house.

Insurance Certificate - Document which assures the consignee that insurance is provided to cover loss or damage to the cargo while in transit.

Inspection Certificate: A document certifying that merchandise (such as perishable goods) was in good condition immediately prior to shipment.

Integrated Carrier: A company that offers a blend of transportation services such as land, sea and air carriage, freight forwarding, and ground handling.

Integrated Logistics: A comprehensive, system-wide view of the entire supply chain as a single process, from raw materials supply through finished goods distribution. All functions that make up the supply chain are managed as a single entity, rather than managing individual functions separately.

Integrated Services Digital Network (ISDN): A computer term describing the networks and equipment for integrated broadband transmissions of data, voice, and image, from rates of 144 Kbps to 2 Mbps. ISDN allows integration of data, voice, and video over the same digital links.



Integrated Tow Barge: A series of barges that are connected together to operate as one unit.

Intellectual Property (IP): Property of an enterprise or individual which is typically maintained in a digital form. This may include software program code or digital documents, music, videos, etc.

Interchange: In EDI, the exchange of electronic information between companies. Also, the group of transaction sets transmitted from one sender to one receiver at one time. Delineated by interchange control segments.

Interchange Agreement - Contract between steamship company and truckman that legally permits interchange of equipment.

Intercoastal Carriers: Water carriers that transport freight between East and West Coast ports, usually by way of the Panama Canal.

Intercorporate Hauling: A private carrier hauling the goods of a subsidiary and charging the subsidiary a fee: this is legal if the subsidiary is wholly owned (100%) or if the private carrier has common carrier authority.

Interleaving: The practice of assigning an employee multiple tasks which are performed concurrently.

Interline: Two or more motor carriers working together to haul the shipment to a destination. Carrier equipment may be interchanged from one carrier to the next, but usually the shipment is rehandled without the equipment.

Intermediately Positioned Warehouse: A warehouse located between customers and manufacturing plants to provide increased customer service and reduced distribution cost.

Intermittent-flow, fixed-path equipment: Materials handling devices that include cranes, monorails, and stacker cranes.

Intermodal - Movement of cargo involving more than one form of transportation.

Intermodal Container Transfer Facility: A facility where cargo is transferred from one mode of transportation to another, usually from ship or truck to rail.

Intermodal Marketing Company (IMC): An intermediary that sells intermodal services to shippers.

Intermodal Transportation: Transporting freight by using two or more transportation modes such as by truck and rail or truck and oceangoing vessel.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Intermodal transport unit (ITU): Container, swap body or semi-trailer/goods road motor vehicle suitable for intermodal transport. **IPI** - Inland Points Intermodal.

IT - (In-Transit) Type of customs document governing movement of in-transit (bonded) cargo.

Internal Customer: The recipient (person or department) of another person's or department's output (good, service, or information) within an organization. *Also see: Customer*

Internal Labor and Overhead: The portion of COGS that is typically reported as labor and overhead, less any costs already classified as "outsourced."

Internal Water Carriers: Water carriers that operate over internal, navigable rivers such as the Mississippi, Ohio, and Missouri.

International Air Transport Association (IATA): An international air carrier rate bureau for passenger and freight movements.

International Civil Aeronautics Organization (ICAO): An international agency that is responsible for air safety and for standardizing air traffic control, airport design, and safety features worldwide.

International Maritime Bureau (IMB): A special division of the International Chamber of Commerce.

International Maritime Organization (IMO): A United Nations-affiliated organization representing all maritime countries in matters affecting maritime transportation, including the movement of dangerous goods. The organization also is involved in deliberations on marine environmental pollution.

International Ship and Port Facility Security Code (ISPS): Adopted by the IMO and based on the U.S. MTSA, came into force on July 1, 2004. It is a comprehensive, mandatory security regime for international shipping and port facility operations agreed to by the members of the IMO. Ships must be certified by their flag states to ensure that mandated security measures have been implemented; port facilities must undergo security vulnerability assessments that form the basis of security plans approved by their government authorities.

International Standards Organization (ISO): An organization within the United Nations to which all national and other standard setting bodies (should) defer. Develops and monitors international standards, including OSI, EDIFACT, and X.400

Internet: A computer term which refers to an interconnected group of computer networks from all parts of the world, i.e. a network of networks. Accessed via a modem and an on-line service provider, it contains many information resources and acts as a giant electronic message routing system.



Interstate Commerce: The transportation of persons or property between states; in the course of the movement, the shipment crosses a state boundary line.

Interstate Commerce Commission (ICC): An independent regulatory agency that implements federal economic regulations controlling railroads, motor carriers, pipelines, domestic water carriers, domestic surface freight forwarders, and brokers.

Interstate System: The National System of Interstate and Defense Highways, 42,000 miles of four-lane, limited-access roads connecting major population centers.

Intra-Manufacturing Re-plan Cycle: Average elapsed time, in calendar days, between the time a regenerated forecast is accepted by the end-product manufacturing/assembly location, and the time that the revised plan is reflected in the Master Production Schedule of all the affected internal subassembly/ component producing plant(s). (An element of Total Supply Chain Response Time)

Intrastate Commerce: The transportation of persons or property between points within a state. A shipment between two points within a state may be interstate if the shipment had a prior or subsequent move outside of the state and the intent of the shipper was an interstate shipment at the time of shipment.

In-transit Inventory: Material moving between two or more locations, usually separated geographically; for example, finished goods being shipped from a plant to a distribution center. In-transit inventory is an easily overlooked component of total supply chain availability.

Intrinsic Forecast Method: In forecasting, a forecast based on internal factors, such as an average of past sales.

Inventory: Raw materials, work in process, finished goods and supplies required for creation of a company's goods and services; The number of units and/or value of the stock of goods held by a company.

Inventory Accuracy: When the on-hand quantity is equivalent to the perpetual balance (plus or minus the designated count tolerances). Often referred to as a percentage showing the variance between book inventory and actual count. This is a major performance metric for any organization which manages large inventories. Typical minimum and best practice averages would be 95% and 99%.

Inventory Balance Location Accuracy: When the on-hand quantity in the specified locations is equivalent to the perpetual balance (plus or minus the designated count tolerances).

Inventory Carrying Cost: One of the elements comprising a company's total supply-chain management costs. These costs consist of the following:



1. **Opportunity Cost:** The opportunity cost of holding inventory. This should be based on your company's own cost of capital standards using the following formula. Calculation: Cost of Capital x Average Net Value of Inventory
2. **Shrinkage:** The costs associated with breakage, pilferage, and deterioration of inventories. Usually pertains to the loss of material through handling damage, theft, or neglect.
3. **Insurance and Taxes:** The cost of insuring inventories and taxes associated with the holding of inventory.
4. **Total Obsolescence for Raw Material, WIP, and Finished Goods Inventory:** Inventory reserves taken due to obsolescence and scrap and includes products exceeding the shelf life, i.e. spoils and is no good for use in its original purpose (do not include reserves taken for Field Service Parts).
5. **Channel Obsolescence:** Aging allowances paid to channel partners, provisions for buy-back agreements, etc. Includes all material that goes obsolete while in a distribution channel. Usually, a distributor will demand a refund on material that goes bad (shelf life) or is no longer needed because of changing needs.
6. **Field Service Parts Obsolescence:** Reserves taken due to obsolescence and scrap. Field Service Parts are those inventory kept at locations outside the four walls of the manufacturing plant i.e., distribution center or warehouse.

Inventory Days of Supply (for RM, WIP, PFG, and FFG): Total gross value of inventory for the category (raw materials, work in process, partially finished goods, or fully-finished goods) at standard cost before reserves for excess and obsolescence. It includes only inventory that is on the books and currently owned by the business entity. Future liabilities such as consignments from suppliers are not included.

Calculation:

$[5 \text{ Point Annual Average Gross Inventory}] / [\text{Calendar Year Value of Transfers} / 365]$

Inventory Deployment: A technique for strategically positioning inventory to meet customer service levels while minimizing inventory and storage levels. Excess inventory is replaced with information derived through monitoring supply, demand and inventory at rest as well as in motion.

Inventory Management: The process of ensuring the availability of products through inventory administration.

Inventory Planning Systems: The systems that help in strategically balancing the inventory policy and customer service levels throughout the supply chain. These systems calculate time-phased order quantities and safety stock, using selected inventory strategies. Some inventory planning systems conduct what-if analysis and that compares the current inventory policy with simulated inventory scenarios and improves the inventory ROI.

Inventory Turns: The cost of goods sold divided by the average level of inventory on hand. This ratio measures how many times a company's inventory has been sold during a period of time. Operationally, inventory turns are measured as total throughput divided by average level of



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

inventory for a given period; How many times a year the average inventory for a firm changes over, or is sold.

Inventory Velocity: The speed with which inventory moves through a defined cycle (i.e., from receiving to shipping).

Invoice: A detailed statement showing goods sold and amounts for each. The invoice is prepared by the seller and acts as the document that the buyer will use to make payment.

Irregular Route Carrier: A motor carrier that is permitted to provide service utilizing any route.

ISO 9000: A series of quality assurance standards compiled by the Geneva, Switzerland-based International Standardization Organization. In the United States, ISO is represented by the American National Standards Institute based in Washington, D.C.

ISO 14000 Series Standards: A series of generic environmental management standards under development by the International Organization of Standardization, which provide structure and systems for managing environmental compliance with legislative and regulatory requirements and affect every aspect of a company's environmental operations.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



Java: A computer term for a general-purpose programming language created by Sun Microsystems. Java can be used to create Java applets. A Java program is downloaded from the web server and interpreted by a program running on the computer running the Web browser.

Java Applet: A computer term for a short program written in Java that is attached to a web page and executed by the computer on which the Web browser is installed.

Java Script: A computer term for a cross-platform, World Wide Web scripting language developed by Netscape Communications. JavaScript code is inserted directly into an HTML page.

Jidoka: The concept of adding an element of human judgment to automated equipment. In doing this, the equipment becomes capable of discriminating against unacceptable quality, and the automated process becomes more reliable. This concept, also known as autonotation, was pioneered by Sakichi Toyoda at the turn of the twentieth century when he invented automatic looms that stopped instantly when any thread broke. This permitted one operator to oversee many machines with no risk of producing large amounts of defective cloth. The term has since been extended beyond its original meaning to include any means of stopping production to prevent scrap (for example the andon cord which allows assembly-plant workers to stop the line), even where this capability is not built-in to the production machine itself.

JIT - Just In Time.

Joint Cost: A type of common cost where products are produced in fixed proportions, and the cost incurred to produce on product necessarily entails the production of another; the backhaul is an example.

Joint Photographic Expert Group (JPEG): A computer term which is an abbreviation for the Joint Photographic Expert Group. A graphical file format used to display high-resolution color images on the World Wide Web. JPEG images apply a user-specified compression scheme that can significantly reduce the large file size usually associated with photo-realistic color images. A higher level of compression results in lower image quality, whereas a lower level of compression results in higher image quality.

Joint Rate: A rate over a route that involves two or more carriers to transport the shipment.

Joint Supplier Agreement (JSA): Indicative of Stage 3 Sourcing Practices, the JSA includes terms & conditions, objectives, process flows, performance targets, flexibility, balancing and incentives.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Jones Act - Section 27 of the Merchant Marine Act of 1920, requiring that all shipments by water between ports in the United States (including Puerto Rico) be carried by U.S. - flag, U.S. - built, and U.S. - crewed vessels.

Just-in-Time (JIT): An inventory control system that controls material flow into assembly and manufacturing plants by coordinating demand and supply to the point where desired materials arrive just in time for use. An inventory reduction strategy that feeds production lines with products delivered "just in time". Developed by the auto industry, it refers to shipping goods in smaller, more frequent lots.

Just-in-Time II (JIT II): Vendor-managed operations taking place within a customer's facility. JIT II was popularized by the Bose Corporation. The supplier reps, called "inplants," place orders to their own companies, relieving the customer's buyers from this task. Many also become involved at a deeper level, such as participating in new product development projects, manufacturing planning (concurrent planning).



Kanban: Japanese word for "visible record", loosely translated means card, billboard or sign. Popularized by Toyota Corporation, it uses standard containers or lot sizes to deliver needed parts to assembly line "just in time" for use.

Kaizen: The Japanese term for improvement; continuing improvement involving everyone—managers and workers. In manufacturing, kaizen relates to finding and eliminating waste in machinery, labor, or production methods. *Also see: Continuous Process Improvement*

Kaizen Blitz: A rapid improvement of a limited process area, for example, a production cell. Part of the improvement team consists of workers in that area. The objectives are to use innovative thinking to eliminate non-value-added work and to immediately implement the changes within a week or less. Ownership of the improvement by the area work team and the development of the team's problem solving skills are additional benefits.

Keiretsu: A form of cooperative relationship among companies in Japan where the companies largely remain legally and economically independent, even though they work closely in various ways such as sole sourcing and financial backing. A member of a keiretsu generally owns a limited amount of stock in other member companies. A keiretsu generally forms around a bank and a trading company but "distribution" (supply chain) keiretsus exist linking companies from raw material suppliers to retailers.

Key Custodians: The persons, assigned by the security administrators of trading partners, that send or receive a component of either the master key or exchange key used to encrypt data encryption keys. This control technique involves dual control, with split knowledge that requires two key custodians.

Key Performance Indicator (KPI): A measure which is of strategic importance to a company or department. For example, a supply chain flexibility metric is Supplier On-time Delivery Performance which indicates the percentage of orders that are fulfilled on or before the original requested date. *Also see: Scorecard*

Kitting: Light assembly of components or parts into defined units. Kitting reduces the need to maintain an inventory of pre-built completed products, but increases the time and labor consumed at shipment. *Also see: Postponement*

Knot - Speed of 1 nautical mile per hour. Nautical mile: 6082.66 feet, 1.152 statute miles, 1.852 kilometers.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Knock-Down (KD): A flat, unformed cardboard box or tray. Knock-downs, also known as KDs, are constructed and glued in the recoup or packaging areas and used for repacked product. Many KDs are provided by the customer for their recouped products.

KGS - 1 Kilogram = 2.205 lbs.



Label Cargo - See [Dangerous Cargo](#).

Lading: The cargo carried in a transportation vehicle.

Laden on Board - A bill of lading that indicates a shipment has been loaded on board a vessel.

Laid-Down Cost: The sum of the product and transportation costs. The laid-down cost is useful in comparing the total cost of a product shipped from different supply sources to a customer's point of use.

Land-bridge - Cross country rail service connecting two ocean ports.

Land Grants: Grants of land given to railroads during their developmental stage to build tracks.

Landed Cost: Cost of product plus relevant logistics costs such as transportation, warehousing, handling, etc. *Also called Total Landed Cost or Net Landed Costs*

Lash Barges: Covered barges that are loaded on board oceangoing ships for movement to foreign destinations.

Last In, First Out (LIFO): Accounting method of valuing inventory that assumes latest goods purchased are first goods used during accounting period.

Lash Barge - Type of container utilizing barges instead of container.

Lash Vessel - Acronym for Lighter Along Ship. Vessel able to carry multiple barges.

Lashed - Barge system; barges loaded on a vessel instead of a container.

Lashing Equipment - Various types of equipment used to secure containers/cargo on board vessel.

Lead Logistics Partner (LLP): An organization that organizes other 3rd party logistics partners for outsourcing of logistics functions. An LLP serves as the client's primary supply chain management provider, defining processes and managing the provision and integration of logistics services through its own organization and those of its subcontractors. *Also see: Fourth Party Logistics*



Lead Time: The total time that elapses between an order's placement and its receipt. It includes the time required for order transmittal, order processing, order preparation, and transit.

Lead Time from Complete Manufacture to Customer Receipt: Includes time from when an order is ready for shipment to customer receipt of order. Time from complete manufacture to customer receipt including the following elements: pick/pack time, prepare for shipment, total transit time (all components to consolidation point), consolidation, queue time, and additional transit time to customer receipt.

Lead Time from Order Receipt to Complete Manufacture: Includes times from order receipt to order entry complete, from order entry complete to start to build, and from start to build to ready for shipment. Time from order receipt to order entry complete includes the following elements: order revalidation, configuration check, credit check, and scheduling. Time from order entry complete to start to build includes the following elements: customer wait time and engineering and design time. Time from start to build to ready for shipment includes the following elements: release to manufacturing or distribution, order configuration verification, production scheduling, and build or configure time.

Least Total Cost: A dynamic lot-sizing technique that calculates the order quantity by comparing the setup (or ordering) costs and the carrying cost for various lot sizes and selects the lot size where these costs are most nearly equal. *Also see: Discrete Order Quantity, Dynamic Lot Sizing*

Least Unit Cost: A dynamic lot-sizing technique that adds ordering cost and inventory carrying cost for each trial lot size and divides by the number of units in the lot size, picking the lot size with the lowest unit cost. *Also see: Discrete Order Quantity, Dynamic Lot Sizing*

Leg: A portion of a complete trip which has an origin, destination, and carrier and is composed of all consecutive segments of a route booked through the same carrier. *Also called Bookable Leg*

Less-Than-Carload (LCL): Shipment that is less than a complete rail car load (lot shipment).

Less-Than-Truckload (LTL) Carriers: Trucking companies that consolidate and transport smaller (less than truckload) shipments of freight by utilizing a network of terminals and relay points.

Lessee: A person or firm to whom a lease is granted.

Lessor: A person or firm that grants a lease.

Letter of Credit - Bank-issued document authorizing transfer of funds from buyer to seller (L/C, Elcee) under established terms and conditions in international transactions.



Letter of Guarantee. - Letter provided to carrier in lieu of surrender of original bill of lading.

Letter of Indemnity - Frees one from any responsibilities. Protection in writing to carrier from performing a deviation to normal business.

Leverage: Taking something small and exploding it. Can be financial or technological.

License Cargo - Cargo necessitating license to move.

License Plate: A pallet tag; refers to a uniquely numbered bar code sticker placed on a pallet of product. Typically contains information about product on the pallet.

Life Cycle Cost: In cost accounting, a product's life cycle is the period that starts with the initial product conceptualization and ends with the withdrawal of the product from the marketplace and final disposition. A product life cycle is characterized by certain defined stages, including research, development, introduction, maturity, decline, and abandonment. Life cycle cost is the accumulated costs incurred by a product during these stages.

Lighter: A flat-bottomed boat designed for cross-harbor or inland waterway freight transfer. While the terms barge and lighter are used interchangeably, a barge usually refers to a vessel used for a long haul, while a lighter is used for a short haul.

Lift truck: Vehicles used to lift, move, stack, rack, or otherwise manipulate loads. Material handling people use a lot of terms to describe lift trucks, some terms describe specific types of vehicles, others are slang terms or trade names that people often mistakenly use to describe trucks. Terms include industrial truck, forklift, reach truck, motorized pallet trucks, turret trucks, counterbalanced forklift, walkie, rider, walkie rider, walkie stacker, straddle lift, side loader, order pickers, high lift, cherry picker, Jeep, Towmotor, Yale, Crown, Hyster, Raymond, Clark, Drexel.

Line: 1) A specific physical space for the manufacture of a product that in a flow shop layout is represented by a straight line. In actuality, this may be a series of pieces of equipment connected by piping or conveyor systems. 2) A type of manufacturing process used to produce a narrow range of standard items with identical or highly similar designs. Production volumes are high, production and material handling equipment is specialized, and all products typically pass through the same sequence of operations. *Also see: Assembly Line*

Line Functions: The decision-making areas associated with daily operations. Logistics line functions include traffic management, inventory control, order processing, warehousing, and packaging.

Line-Haul Shipment: A shipment that moves between cities and distances over 100 to 150 miles.



Line Scrap: Value of raw materials and work-in-process inventory scrapped as a result of improper processing or assembly, as a percentage of total value of production at standard cost.

Liner Service - Carrier advertises fixed schedule of services; port calls not made on inducement basis.

Liner Train - Specially designed rail line for regular movement of liner/containerized cargo for one carrier.

Link: The transportation method used to connect the nodes (plants, warehouses) in a logistics system.

Linked Distributed Systems: Independent computer systems, owned by independent organizations, linked in a manner to allow direct updates to be made to one system by another. For example, a customer's computer system is linked to a supplier's system, and the customer can create orders or releases directly in the supplier's system.

Little Inch: A federally built pipeline constructed during World War II that connected Corpus Christi and Houston, Texas.

Live: A situation in which the equipment operator stays with the trailer or boxcar while it is being loaded or unloaded.

LNG Carrier - Liquefied Natural Gas Carrier.

Load Factor: A measure of operating efficiency used by air carriers to determine the percentage of a plane's capacity that is utilized, or the number of passengers divided by the total number of seats.

Load Length - Any piece of cargo exceeding 40' in length.

Load List - See [Container Stuffing List \(CSL\)](#).

Load Tender (Pick-Up Request): An offer of cargo for transport by a shipper. Load tender terminology is primarily used in the motor industry.

Load Tendering: The practice of providing a carrier with detailed information and negotiated pricing (the tender) prior to scheduling pickup. This practice can help assure contract compliance and facilitate automated payments (self billing).

Loading allowance: A reduced rate offered to shippers and/or consignees who load and/or unload LTL or AQ shipments.

Load Port - Port where cargo is actually loaded on vessel.



Low Boy - Special trailer used to accommodate over height cargo with flat bed, approximately 12' above ground.

Local Area Network (LAN): A data communications network spanning a limited geographical area, usually a few miles at most, providing communications between computers and peripheral devices.

Local Rate: A rate published between two points served by one carrier.

Local Service Carriers: An air carrier classification of carriers that operate between areas of lesser and major population centers. These carriers feed passengers into the major cities to major hubs.

Location Tag: A bar coded sign that hangs above or on a warehouse location. The location number can be read from the tag or scanned with an RF gun.

Locational Determinant: The factors that determine the location of a facility. For industrial facilities, the determinants include logistics.

Locator System: Locator systems are inventory-tracking systems that allow you to assign specific physical locations to your inventory to facilitate greater tracking and the ability to store product randomly. Location functionality in software can range from a simple text field attached to an item that notes a single location, to systems that allow multiple locations per item and track inventory quantities by location. Warehouse management systems (WMS) take locator systems to the next level by adding functionality to direct the movement between locations.

Logbook: A daily record of the hours an interstate driver spends driving, off, duty, sleeping in the berth, or on duty but not driving.

Logistics: The process of planning, implementing, and controlling procedures for the efficient and effective transportation and storage of goods including services, and related information from the point of origin to the point of consumption for the purpose of conforming to customer requirements. This definition includes inbound, outbound, internal, and external movements.

Logistics Channel: The network of supply chain participants engaged in storage, handling, transfer, transportation, and communications functions that contribute to the efficient flow of goods.

Logistics Data Interchange (LDI): A computerized system to electronically transmit logistics information.

Logistics Management: As defined by the Council of Supply Chain Management Professionals (CSCMP): "Logistics management is that part of supply chain management that plans, implements, and controls the efficient, effective forward and reverse flow and storage of goods,



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

services, and related information between the point of origin and the point of consumption in order to meet customers' requirements. Logistics management activities typically include inbound and outbound transportation management, fleet management, warehousing, materials handling, order fulfillment, logistics network design, inventory management, supply/demand planning, and management of third party logistics services providers. To varying degrees, the logistics function also includes sourcing and procurement, production planning and scheduling, packaging and assembly, and customer service. It is involved in all levels of planning and execution—strategic, operational, and tactical. Logistics management is an integrating function which coordinates and optimizes all logistics activities, as well as integrates logistics activities with other functions, including marketing, sales, manufacturing, finance, and information technology."

Long Ton: Equals 2,240 pounds.

Lot Control: A set of procedures (e.g., assigning unique batch numbers and tracking each batch) used to maintain lot integrity from raw materials, from the supplier through manufacturing to consumers.

Lot-for-Lot: A lot-sizing technique that generates planned orders in quantities equal to the net requirements in each period. *Also see: Discrete Order Quantity*

Lot Size: The quantity of goods purchased or produced in anticipation of use or sale in the future.

LS or LM - Lump Sum. A local freight rate which is inclusive of all charges.

LT - 1 Long Ton = 2,240 lbs.

Lumping: A term applied to a person who assists a motor carrier owner-operator in the loading and unloading of property: quite commonly used in the food industry.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



Machine Downtimes: Time during which a machine cannot be utilized. Machine downtimes may occur during breakdowns, maintenance, changeovers, etc.

Machine-to-Machine interface (M2M): A term describing the process whereby machines are remotely monitored for status and problems reported and resolved automatically or maintenance scheduled by the monitoring systems.

Macro Environment: The environment external to a business including technological, economic, natural, and regulatory forces that marketing efforts cannot control.

Mainframe: A term sometimes generically used to refer to an organization's central computer system. Specifically the largest class of computer systems manufactured.

Maintenance, Repair, and Operating supplies (MRO): Items used in support of general operations and maintenance such as maintenance supplies, spare parts, and consumables used in the manufacturing process and supporting operations.

Major Carrier: A for-hire certificated air carrier that has annual operating revenues of \$1 billion or more: the carrier usually operates between major population centers.

Make-or-Buy Decision: The act of deciding whether to produce an item internally or buy it from an outside supplier. Factors to consider in the decision include costs, capacity availability, proprietary and/or specialized knowledge, quality considerations, skill requirements, volume, and timing.

Make-to-Order (Manufacture-to-order) (MTO): A manufacturing process strategy where the trigger to begin manufacture of a product is an actual customer order or release, rather than a market forecast. For Make-to-Order products, more than 20% of the value-added takes place after the receipt of the order or release, and all necessary design and process documentation is available at time of order receipt.

Make-to-Stock (Manufacture-to-stock) (MTS): A manufacturing process strategy where finished product is continually held in plant or warehouse inventory to fulfill expected incoming orders or releases based on a forecast.

Manifest - An invoice of all cargo loaded on board a vessel. Entire listing of all cargo on board a vessel required by line, customs, Coast Guard.



Manufacturer's Representative: One who sells goods for several firms but does not take title to them.

Manufacturing Calendar: A calendar used in inventory and production planning functions that consecutively numbers only the working days so that the component and work order scheduling may be done based on the actual number of workdays available. Synonyms: M-Day Calendar, Planning Calendar, Production Calendar, Shop Calendar.

Manufacturing Capital Asset Value: The asset value of the "Manufacturing fixed assets" after allowance for depreciation. Examples of equipment are SMT placement machines, conveyors, Auto guided vehicles, robot cells, testers, X-ray solder machines, Burn-in chambers, Logic testers, Auto packing equipment, PLC station controllers, Scanning equipment, PWB magazines.

Manufacturing Critical-Path Time (MCT): The typical amount of calendar time from when a manufacturing order is created through the critical-path until the first, single piece of that order is delivered to the customer.

Manufacture Cycle Time: The average time between commencement and completion of a manufacturing process, as it applies to make-to-stock products.

Calculation:

[Average # of units in WIP] / [Average daily output in units]

Manufacturing Execution Systems (MES): Programs and systems that participate in shop floor control, including programmed logic controllers and process control computers for direct and supervisory control of manufacturing equipment; process information systems that gather historical performance information, then generate reports; graphical displays; and alarms that inform operations personnel what is going on in the plant currently and a very short history into the past. Quality control information is also gathered and a laboratory information management system may be part of this configuration to tie process conditions to the quality data that are generated. Thereby, cause-and-effect relationships can be determined. The quality data at times affect the control parameters that are used to meet product specifications either dynamically or off line.

Manufacturing Lead Time: The total time required to manufacture an item, exclusive of lower level purchasing lead time. For make-to-order products, it is the length of time between the release of an order to the production process and shipment to the final customer. For make-to-stock products, it is the length of time between the release of an order to the production process and receipt into finished goods inventory. Included here are order preparation time, queue time, setup time, run time, move time, inspection time, and put-away time. *Synonyms: Manufacturing Cycle Time. Also see: Lead Time*

Manufacturing Resource Planning (MRP II): A method for the effective planning of all resources of a manufacturing company. Ideally, it addresses operational planning in units, financial planning in dollars, and has a simulation capability to answer what-if questions. It is



made up of a variety of processes, each linked together: business planning, production planning (sales and operations planning), master production scheduling, material requirements planning, capacity requirements planning, and the execution support systems for capacity and material. Output from these systems is integrated with financial reports such as the business plan, purchase commitment report, shipping budget, and inventory projections in dollars. Manufacturing resource planning is a direct outgrowth and extension of closed-loop MRP.

Mapping: A computer term referring to diagramming data that is to be exchanged electronically, including how it is to be used and what business management systems need it. Preliminary step for developing an applications link. Performed by the functional manager responsible for a business management system.

Marginal Cost: The cost to produce one additional unit of output. The change in total variable cost resulting from a one-unit change in output.

Marine Insurance: Insurance to protect against cargo loss and damage when shipping by water transportation.

Maritime Administration: A federal agency that promotes the merchant marine, determines ocean ship routes and services, and awards maritime subsidies.

Maritime Transportation Security Act (MTSA): Law passed in 2002 to create a comprehensive national system of transportation security enhancements. The MTSA designated the U.S. Coast Guard as the lead federal agency for maritime homeland security and requires federal agencies, ports, and vessel owners to take numerous steps to upgrade security. The MTSA requires the Coast Guard to develop national and regional area maritime transportation security plans and requires seaports, waterfront terminals, and vessels to submit security and incident response plans to the Coast Guard for approval. The MTSA also requires the Coast Guard to conduct antiterrorism assessments of certain foreign ports.

Market Demand: In marketing, the total demand that would exist within a defined customer group in a given geographical area during a particular time period given a known marketing program.

Market Dominance: In transportation rating this refers to the absence of effective competition for railroads from other carriers and modes for the traffic to which the rate applies. The Staggers Act stated that market dominance does not exist if the rate is below the revenue-to-variable-cost ratio of 160% in 1981 and 170% in 1983

Market Segment: A group of potential customers sharing some measurable characteristics based on demographics, psychographics, lifestyle, geography, benefits, etc.

Market Share: The portion of the overall market demand for a specific product or service which is provided by any single provider.



Market-Positioned Warehouse: Warehouse positioned to replenish customer inventory assortments and to afford maximum inbound transport consolidation economies from inventory origin points with relatively short-haul local delivery.

Marks & Numbers - The identifying detail on a package. Actual markings which appear on packages.

Marquis Partners: Key strategic relationships. This has emerged as perhaps the key competitive advantage and barrier to entry of e-marketplaces. Get the big players in the fold first, offering equity if necessary.

Marshaller or Marshalling Agent: This is a service unique to international trade and relates to an individual or firm that specializes in one or more of the activities preceding Main Carriage, such as consolidation, packing, marking, sorting of merchandise, inspection, storage, etc. References state that Marshaling Agent, Consolidation Agent and Freight Forwarder all have the same meaning. may specify his or her exact model out of a large volume of possible end items while manufacturing cost is low because of the large volume. An example is a personal computer order in which the customer may specify processor speed, memory size, hard disk size and speed, removable storage device characteristics, and many other options when PCs are assembled on one line and at low cost.

Master Pack: A large box that is used to pack a number of smaller boxes or containers. Aids in protecting the smaller cartons or packages and reduces the number of cartons to be handled during the material handling process.

Master Production Schedule (MPS): The master level or top level schedule used to set the production plan in a manufacturing facility.

Material Acquisition Costs: One of the elements comprising a company's total supply-chain management costs. These costs consist of the following:

1. **Materials (Commodity) Management and Planning:** All costs associated with supplier sourcing, contract negotiation and qualification, and the preparation, placement, and tracking of a purchase order, including all costs related to buyer/planners.
2. **Supplier Quality Engineering:** The costs associated with the determination, development/certification, and monitoring of suppliers' capabilities to fully satisfy the applicable quality and regulatory requirements.
3. **Inbound Freight and Duties:** Freight costs associated with the movement of material from a vendor to the buyer and the associated administrative tasks. Duties are those fees and taxes levied by government for moving purchased material across international borders. Customs broker fees should also be considered in this category.
4. **Receiving and Put Away:** All costs associated with taking possession of material and storing it.

Note that carrying costs are not a part of acquisition, and inspection is handled separately.



5. **Incoming Inspection:** All costs associated with the inspection and testing of received materials to verify compliance with specifications.
6. **Material Process and Component Engineering:** Those tasks required to document and communicate component specifications, as well as reviews to improve the manufacturability of the purchased item.
7. **Tooling:** Those costs associated with the design, development, and depreciation of the tooling required to produce a purchased item. A tooling cost would be incurred by a company if they actually paid for equipment and/or maintenance for a contract manufacturer that makes their product. Sometimes, there isn't enough incentive for a contract manufacturer to upgrade plant equipment to a level of quality that a company requires, so the company will pay for the upgrades and maintenance to ensure high quality. May not be common in some industries such as the Chemicals.

Material Index: The ratio of the sum of the localized raw material weights to the weight of the finished product.

Material Safety Data Sheet (MSDS): A document that is part of the materials information system and accompanies the product. Prepared by the manufacturer, the MSDS provides information regarding the safety and chemical properties and (if necessary) the long-term storage, handling, and disposal of the product. Among other factors, the MSDS describes the hazardous components of a product; how to treat leaks, spills, and fires; and how to treat improper human contact with the product. *Also see: Hazardous Materials*

Materials Handling: The physical handling of products and materials between procurement and shipping.

Materials Management: Inbound logistics from suppliers through the production process. The movement and management of materials and products from procurement through production.

Materials planning: The materials management function that attempts to coordinate the supply of materials with the demand for materials.

Materials Requirements Planning (MRP): A decision-making methodology used to determine the timing and quantities of materials to purchase.

Matrix Organizational Structure: An organizational structure in which two (or more) channels of command, budget responsibility, and performance measurement exist simultaneously. For example, both product and functional forms of organization could be implemented simultaneously, that is, the product and functional managers have equal authority and employees report to both managers.

MAX: The lowest inventory quantity that is desired at a ship to location or selling location. This quantity will over-ride the forecast number if the forecast climbs above the MAX. Maximum stock



Maximum Inventory: The planned maximum allowable inventory for an item based on its planned lot size and target safety stock.

Maximum Order Quantity: An order quantity modifier applied after the lot size has been calculated, that limits the order quantity to a pre-established maximum.

M-Commerce: Mobile commerce applications involve using a mobile phone to carry out financial transactions. This usually means making a payment for goods or transferring funds electronically. Transferring money between accounts and paying for purchases are electronic commerce applications. An emerging application, electronic commerce has been facilitated by developments in other areas in the mobile world, such as dual slot phones and other smarter terminals and more standardized protocols, which allow greater interactivity and therefore more sophisticated services.

Mean: The arithmetic average of a group of values. *Syn: arithmetic mean*

Measure: A number used to quantify a metric, showing the result of part of a process often resulting from a simple count. Example: Number of units shipped.

Measurement Ton: Equals 40 cubic feet; used in water transportation rate making.

Median: The middle value in a set of measured values when the items are arranged in order of magnitude. If there is no single middle value, the median is the mean of the two middle values.

Merge In Transit: The process of combining or "merging" shipments from multiple suppliers which are going directly to the buyer or to the store, bypassing the seller. Effectively a "drop shipment" from several vendors to one buyer, which is being combined at an intermediary point prior to delivery.

Merger: The combination of two or more carriers into one company for the ownership, management, and operation of the properties previously operated on a separate basis.

Memo B/L - A bill of lading issued for in house purposes for cargo short shipped or loaded in advance of issuance of full bill of lading.

Merchant Haulage - Inland transportation performed by an inland carrier contracted by and for the account of the shipper.

Message: The EDIFACT term for a transaction set. A message is the collection of data, organized in segments, exchanged by trading partners engaged in EDI. Typically, a message is an electronic version of a document associated with a common business transaction, such as a purchase order or shipping notice. A message begins with a message header segment, which identifies the start of the message (e.g., the series of characters representing one purchase order). The message header segment also carries the message type code, which identifies the business



transaction type. EDIFACT's message header segment is called UNH; in ANSI X12 protocol, the message header is called ST. A message ends with a message trailer segment, which signals the end of the message (e.g., the end of one purchase order). EDIFACT's message trailer is labeled UNT; the ANSI X12 message trailer is referred to as SE.

Meta Tag: An optional HTML tag that is used to specify information about a web document. Some search engines use "spiders" to index web pages. These spiders read the information contained within a page's META tag. So in theory, an HTML or web page author has the ability to control how their site is indexed by search engines and how and when it will "come up" on a user's search. The META tag can also be used to specify an HTTP or URL address for the page to "jump" to after a certain amount of time. This is known as Client-Pull. What this means, is a web page author can control the amount of time a web page is up on the screen as well as where the browser will go next.

Metrics: Specific areas of measurement. A metric must be quantitative and must support benchmarking, and it must be based on broad, statistically valid data. Therefore, it must exist in a format for which published data exists within the enterprise or industry. *See Performance Measures*

Micro-Land Bridge: An intermodal movement in which the shipment is moved from a foreign country to the U.S. by water and then moved across the U.S. by railroad to an interior, nonport city, or vice versa for exports from a nonport city.

Mileage Allowance: An allowance based upon distance and given by railroads to shippers using private rail cars.

Mileage Rate: A rate based upon the number of miles the commodity is shipped.

Milk Run: A regular route for pickup of mixed loads from several suppliers. For example, instead of each of five suppliers sending a truckload per week to meet the weekly needs of the customer, one truck visits each of the suppliers on a daily basis before delivering to the customer's plant. Five truckloads per week are still shipped, but each truckload contains the daily requirement from each supplier. *Also see: Consolidation*

Min – Max System: A type of order point replenishment system where the "min" (minimum) is the order point, and the "max" (maximum) is the "order up to" inventory level. The order quantity is variable and is the result of the max minus the available and on-order inventory. An order is recommended when the sum of the available and on-order inventory is at or below the min.

Mini-Land Bridge: An intermodal movement in which the shipment is moved from a foreign country to the U.S. by water and then moved across the U.S. by railroad to a destination that is a port city, or vice versa for exports from a U.S. port city.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Minimum B/L - The least amount you can charge per individual bill of lading.

Minimum Weight: The shipment weight specified by the carrier's tariff as the minimum weight required to use the TL or CL rate; the rate discount volume.

Misguided Capacity Plans: Plans or forecasts for capacity utilization, which are based on inaccurate assumptions or input data.

Mixed loads: The movement of both regulated and exempt commodities in the same vehicle at the same time.

MOTE (as in reMOTE): A wireless receiver/transmitter that is typically combined with a sensor of some type to create a remote sensor. Motes are being used in ocean containers to look for evidence of tampering. They have huge application in food, pharma, and other "cold chain" industries to closely monitor temperature, humidity and other factor.

Motor Carrier: An enterprise that offers service via land motor carriage.

Move Ticket: A document used to move inventory within a facility. Warehouse management systems use move tickets to direct and track material movements. In a paperless environment the electronic version of a move ticket is often called a task or a trip.

MLB - Miniland Bridge. Cargo moves port to port via land; port to port via rail; port destination served overland by rail.

MT - 1 Metric Ton = 2,204.62 lbs or 35.314 cft.

Multi-Currency: The ability to process orders using a variety of currencies for pricing and billing.

Multinational Company: A company that both produces and markets products in different countries.

Multiple-Car Rate: A railroad rate that is lower for shipping more than one carload rather than just one carload at a time.

Multi-Skilled: Pertaining to individuals who are certified to perform a variety of tasks.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



National Carrier: A for-hire certificated air carrier that has annual operating revenues of \$75 million to \$1 billion; the carrier usually operates between major population centers and areas of lesser population.

National Industrial Traffic League: An association representing the interests of shippers and receivers in matters of transportation policy and regulation.

Nationalization: Public ownership, financing, and operation of a business entity.

National Motor Bus Operators Organization: An industry association representing common and charter bus firms; now known as the American Bus Association.

National Motor Freight Classification (NMFC): A tariff, which contains descriptions and classifications of commodities and rules for domestic movement by motor carriers in the U.S.

National Railroad Corporation: Also known as Amtrak, the corporation established by the Rail Passenger Service Act of 1970 to operate most of the United States' rail passenger service.

National Stock Number (NSN): The individual identification number assigned to an item to permit inventory management in the federal (U.S.) supply system.

Net Asset Turns: The number of times you replenish your net assets in your annual sales cycle. A measure of how quickly assets are used to generate sales.

Calculation:

Total Product Revenue / Total Net Assets

Net Assets: Total Net assets are calculated as Total Assets - Total Liabilities; where: The total assets are made up of fixed assets (plant, machinery and equipment) and current assets which is the total of stock, debtors and cash (also includes A/R, inventory, prepaid assets, deferred assets, intangibles and goodwill). The total liabilities are made up in much the same way of long-term liabilities and current liabilities (includes A/P, accrued expenses, deferred liabilities).

Net Change MRP: An approach in which the material requirements plan is continually retained in the computer. Whenever a change is needed in requirements, open order inventory status, or bill of material, a partial explosion and netting is made for only those parts affected by the change. Antonym: Regeneration MRP.

Net Requirements: In MRP, the net requirements for a part or an assembly are derived as a result of applying gross requirements and allocations against inventory on hand, scheduled



receipts, and safety stock. Net requirements, lot-sized and offset for lead time, become planned orders.

Net Weight: The weight of the merchandise, unpacked, exclusive of any containers.

New Product Introduction (NPI): The process used to develop products that are new to the sales portfolio of a company.

Negotiable B/L - Original bill of lading endorsed by shipper that is used for negotiating documents with bank.

Negotiating Bank - Bank where shipper negotiates documents or where documents are first presented usually at country of origin.

Neutral Body - Investigating body designated by conference carriers to insure that rules are adhered to.

Node: A fixed point in a firm's logistics system where goods come to rest; includes plants, warehouses, supply sources, and markets.

No Show - Cargo that fails to appear for vessel that is originally booked for.

No Location (No Loc): A received item for which the warehouse has no previously established storage slot.

Noncertified Carrier: A for-hire air carrier that is exempt from economic regulation.

Nonconformity: Failure to fulfill a specified requirement. *See: blemish, defect, imperfection*

Non-Conveyable: Materials which cannot be moved on a conveyor belt.

Non-Durable goods: Goods whose serviceability is generally limited to a period of less than three years (such as perishable goods and semidurable goods).

Non-Intrusive Inspection technology (NII): Originally developed to address the threat of smugglers using increasingly sophisticated techniques to conceal narcotics deep in commercial cargo and conveyances, NII systems, in many cases, give Customs inspectors the capability to perform thorough examinations of cargo without having to resort to the costly, time consuming process of unloading cargo for manual searches, or intrusive examinations of conveyances by methods such as drilling and dismantling.

Non-Negotiable B/L - Copy of original B/L which cannot be negotiated with bank.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Non-Vessel-Owning Common Carrier (NVOCC): A firm that offers the same services as an ocean carrier, but which does not own or operate a vessel. NVOCCs usually act as consolidators, accepting small shipments (LCL) and consolidating them into full container loads. They also consolidate and disperse international containers that originate at or are bound for inland ports. They then act as a shipper, tendering the containers to ocean common carriers. They are required to file tariffs with the Federal Maritime Commission and are subject to the same laws and statutes that apply to primary common carriers.

North American Free Trade Agreement (NAFTA): A free trade agreement, implemented January 1, 1994, between Canada, the United States and Mexico. It includes measures for the elimination of tariffs and non-tariff barriers to trade, as well as many more specific provisions concerning the conduct of trade and investment that reduce the scope for government intervention in managing trade.

NOS - Not Otherwise Specified (in Tariff).

Not Otherwise Specified/Not Elsewhere Specified (NOS/NES): This term often appears in ocean or airfreight tariffs respectively. If no rate for the specific commodity shipped appears in the tariff, then a general class rate (for example: printed matter NES) will apply. Such rates usually are higher than rates for specific commodities.

Notify Party - Company/person who appears on the bill of lading to be notified when cargo arrives. Could be different from consignee — usually actual receiver of goods.

NVOCC (NVO) - Non Vessel Operating Common Carrier. Company who charters space aboard vessels, then sells that space to prospective shippers.



OB - On Board.

OBL - Original Bill of Lading. See [Negotiable B/L](#).

Object Linking and Embedding (OLE): An object system created by Microsoft. OLE lets an author invoke different editor components to create a compound document.

Obsolete Inventory: Inventory for which there is no forecast demand expected. A condition of being out of date. A loss of value occasioned by new developments that place the older property at a competitive disadvantage.

Ocean Bill of Lading: The bill of lading issued by the ocean carrier to its customer.

OCP - Overland Common Point.

Off Dock Location - Depot away from main terminal used to load/unload cargo-truck/rail.

Offline: A computer term which describes work done outside of the computer system or outside of a main process within the corporate system. In general usage this term describes any situation where equipment is not available for use, or individuals cannot be contacted.

Offshore: Utilizing an outsourcing service provider (manufacturer or business process) located in a country other than where the purchasing enterprise is located.

Offshoring: The practice of moving domestic operations such as manufacturing to another country.

OLE: *See Object Linking and Embedding*

On-Demand: Pertaining to work performed when demand is present. Typically used to describe products which are manufactured or assembled only when a customer order is placed.

On-Hand Balance: The quantity shown in the inventory records as being physically in stock.
On order: The quantity of goods that has yet to arrive at a location or retail store. This includes all open purchase orders including, but not limited to, orders in transit, orders being picked, and orders being processed through customer service.



On-Line Receiving: A system in which computer terminals are available at each receiving bay and operators enter items into the system as they are unloaded.

On Order: The amount of goods that has yet to arrive at a location or retail store. This includes all open purchase orders including, but not limited to, orders in transit, orders being picked, and orders being processed through customer service.

On Time In Full (OTIF): Sales order delivery performance measure which can be expressed as a target, say, of achieving 98% of orders delivered in full, no part shipments, on the requested date.

On Board B/L - A Bill of Lading in which a carrier acknowledges that goods have been placed on board a certain vessel.

On Carriage - Movement of cargo by connecting carrier to ultimate destination.

On Deck Stowage - Cargo stowed on deck of vessel.

One Piece Flow: Moving parts through a process in batches of one

One-Way Networks: The advantages generally live with either the seller or buyer, but not both. B2C websites are one-way networks.

Online: A computer term which describes activities performed using computer systems.

Open-to-Buy: A control technique used in aggregate inventory management in which authorizations to purchase are made without being committed to specific suppliers. These authorizations are often reviewed by management using such measures as commodity in dollars and by time period.

Open-to-Receive: Authorization to receive goods, such as a blanket release, firm purchase order item, or supplier schedule. Open-to-receive represents near-term impact on inventory, and is often monitored as a control technique in aggregate inventory management. The total of open-to-receive, other longer term purchase commitments and open-to-buy represents the material and services cash exposure of the company.

Operational Performance Measurements: 1) In traditional management, performance measurements related to machine, worker, or department efficiency or utilization. These performance measurements are usually poorly correlated with organizational performance. 2) In theory of constraints, performance measurements that link causally to organizational performance measurements. Throughput, inventory, and operating expense are examples. *Also see: Performance Measures*

Operating ratio: A measure of operation efficiency defined as:



(Operating expenses / Operating revenues) x 100

Optimization: The process of making something as good or as effective as possible with given resources and constraints.

Option: A choice that must be made by the customer or company when customizing the end product. In many companies, the term option means a mandatory choice from a limited selection.

Optional Replenishment Model: A form of independent demand item management model in which a review of inventory on hand plus on order is made at fixed intervals. If the actual quantity is lower than some predetermined threshold, a reorder is placed for a quantity $M - x$, where M is the maximum allowable inventory and x is the current inventory quantity. The reorder point, R , may be deterministic or stochastic, and in either instance is large enough to cover the maximum expected demand during the review interval plus the replenishment lead time. The optional replenishment model is sometimes called a hybrid system because it combines certain aspects of the fixed reorder cycle inventory model and the fixed reorder quantity inventory model. *Also see: Fixed Reorder Cycle Inventory Model, Fixed Reorder Quantity Inventory Model, Hybrid Inventory System, Independent Demand Item Management Models*

Open Side/Open Top Container - Container open on top and sides with frame.

Open Top Container - Container with open top and tarp provided.

Opening Bank - Bank letters of credit are opened usually at destination.

Order: A type of request for goods or services such as a purchase order, sales order, work order, etc.

Order Batching: Practice of compiling and collecting orders before they are sent in to the manufacturer.

Order Complete Manufacture to Customer Receipt of Order: Average lead time from when an order is ready for shipment to customer receipt of order, including the following sub-elements: pick/pack time, preparation for shipment, total transit time for all components to consolidation point, consolidation, queue time, and additional transit time to customer receipt. (An element of Order Fulfillment Lead-Time). Note: Determined separately for Make-to-Order, Configure/Package-to-Order, Engineer-to-Order and Make-to-Stock products.

Order Consolidation Profile: The activities associated with filling a customer order by bringing together in one physical place all of the line items ordered by the customer. Some of these may come directly from the production line others may be picked from stock.

Order Cycle: The time and process involved from the placement of an order to the receipt of the shipment.



Order Entry and Scheduling: The process of receiving orders from the customer and entering them into a company's order processing system. Orders can be received through phone, fax, or electronic media. Activities may include "technically" examining orders to ensure an orderable configuration and provide accurate price, checking the customer's credit and accepting payment (optionally), identifying and reserving inventory (both on hand and scheduled), and committing and scheduling a delivery date.

Order Entry Complete to Start Manufacture: Average lead-time from completion of customer order to the time manufacturing begins, including the following sub-elements: order wait time, engineering and design time. (An element of Order Fulfillment Lead-Time). Note: Determined separately for Make-to-Order, Configure/Package-to-Order, and Engineer-to-Order products. Does not apply to Make-to-Stock products.

Order Fulfillment Lead Times: Average, consistently achieved lead-time from customer order origination to customer order receipt, for a particular manufacturing process strategy (Make-to-Stock, Make-to-Order, Configure/Package-to-Order, Engineer-to-Order). Excess lead-time created by orders placed in advance of typical lead times (Blanket Orders, Annual Contracts, Volume Purchase Agreements, etc.), is excluded. (An element of Total Supply Chain Response Time)

Calculation:

Total average lead time from: [Customer signature/authorization to order receipt] + [Order receipt to completion of order entry] + [Completion of order entry to start manufacture] + [Start manufacture to complete manufacture] + [Complete manufacture to customer receipt of order] + [Customer receipt of order to installation complete]

Note: The elements of order fulfillment lead time are additive. Not all elements apply to all manufacturing process strategies. For example, for Make-to-Stock products, the lead-time from Start manufacture to complete manufacture equals 0.

Order Interval: The time period between the placement of orders.

Order Management: The planning, directing, monitoring, and controlling of the processes related to customer orders, manufacturing orders, and purchase orders. Regarding customer orders, order management includes order promising, order entry, order pick, pack and ship, billing, and reconciliation of the customer account. Regarding manufacturing orders, order management includes order release, routing, manufacture, monitoring, and receipt into stores or finished goods inventories. Regarding purchasing orders, order management includes order placement, monitoring, receiving, acceptance, and payment of supplier.

Order Management Costs: One of the elements comprising a company's total supply-chain management costs. These costs consist of the following:

1. New Product Release Phase-In and Maintenance: This includes costs associated with releasing new products to the field, maintaining released products, assigning product ID, defining configurations and packaging, publishing availability schedules, release letters and updates, and maintaining product databases.



2. Create Customer Order: This includes costs associated with creating and pricing configurations to order and preparing customer order documents.
3. Order Entry and Maintenance: This includes costs associated with maintaining the customer database, credit check, accepting new orders, and adding them to the order system as well as later order modifications.
4. Contract/Program and Channel Management: This includes costs related to contract negotiation, monitoring progress, and reporting against the customer's contract, including administration of performance or warranty related issues.
5. Installation Planning: This includes costs associated with installation engineering, scheduling and modification, handling cancellations, and planning the installation.
6. Order Fulfillment: This includes costs associated with order processing, inventory allocation, ordering from internal or external suppliers, shipment scheduling, order status reporting, and shipment initiation.
7. Distribution: This includes costs associated with warehouse space and management, finished goods receiving and stocking, processing shipments, picking and consolidating, selecting carrier, and staging products/systems.
8. Transportation, Outbound Freight and Duties: This includes costs associated with all company paid freight duties from point-of-manufacture to end-customer or channel.
9. Installation: This includes costs associated with verification of site preparation, installation, certification, and authorization of billing.
10. Customer Invoicing/Accounting: This includes costs associated with invoicing, processing customer payments, and verification of customer receipt.

Order Picking: Selecting or “picking” the required quantity of specific products for movement to a packaging area (usually in response to one or more shipping orders) and documenting that the material was moved from one location to shipping. *Also see: Batch Picking, Discrete Order Picking, Zone Picking*

Order Point – Order Quantity System: The inventory method that places an order for a lot whenever the quantity on hand is reduced to a predetermined level known as the order point. *Also see: Fixed Reorder Quantity Inventory Model, Hybrid system*

Order Processing: Activities associated with filling customer orders.

Order Promising: The process of making a delivery commitment, i.e., answering the question, When can you ship? For make-to-order products, this usually involves a check of uncommitted material and availability of capacity, often as represented by the master schedule available-to-promise. *Also see: Available-to-Promise*

Order Receipt to Order Entry Complete: Average lead-time from receipt of a customer order to the time that order entry is complete, including the following sub-elements: order revalidation, product configuration check, credit check, and order scheduling.

Note: Determined separately for Make-to-Order, Configure/Package-to-Order, Engineer-to-Order, and Make-to-Stock products.



Origin: The place where a shipment begins its movement.

Original Equipment Manufacturer (OEM): A manufacturer that buys and incorporates another supplier's products into its own products. Also, products supplied to the original equipment manufacturer or sold as part of an assembly. For example, an engine may be sold to an OEM for use as that company's power source for its generator units.

OS&D - Abbreviation for "Over, Short or Damaged". Usually discovered at cargo unloading.

Out Of Stock: The state of not having inventory at a location and available for distribution or for sell to the consumer (zero inventory).

Outbound Consolidation: Consolidation of a number of small shipments for various customers into a larger load. The large load is then shipped to a location near the customers where it is broken down and then the small shipments are distributed to the customers. This can reduce overall shipping charges where many small packet or parcel shipments are handled each day.
Also see: Break Bulk

Outbound Logistics: The process related to the movement and storage of products from the end of the production line to the end user.

Outlier: A data point that differs significantly from other data for a similar phenomenon. For example, if the average sales for a product were 10 units per month, and one month the product had sales of 500 units, this sales point might be considered an outlier. *Also see: Abnormal Demand*

Outpartnering: The process of involving the supplier in a close partnership with the firm and its operations management system. Outpartnering is characterized by close working relationships between buyers and suppliers, high levels of trust, mutual respect, and emphasis on joint problem solving and cooperation. With outpartnering, the supplier is viewed not as an alternative source of goods and services (as observed under outsourcing) but rather as a source of knowledge, expertise, and complementary core competencies. Outpartnering is typically found during the early stages of the product life cycle when dealing with products that are viewed as critical to the strategic survival of the firm. *Also see: Customer-Supplier Partnership*

Outsource: To utilize a third-party provider to perform services previously performed in-house. Examples include manufacturing of products and call center/customer support.

Outsourced Cost of Goods Sold: Operations performed on raw material outside of the responding entity's organization that would typically be considered internal to the entity's manufacturing cycle. Outsourced cost of goods sold captures the value of all outsourced activities that roll up as cost of goods sold. Some examples of commonly outsourced areas are assembly by subcontract houses, test,



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

metal finishing or painting, and specialized assembly process.

Out of Gauge - Cargo which exceeds the internal dimensions of the container in width, length, or height.

Outbound - Export shipments.

Over Landed - Cargo taken beyond original; port of discharge.

Overpack: The practice of using a large box or carton to contain multiple smaller packages which are all going to the same destination in order to achieve a reduced overall shipping cost vs. the individual packages.

Over, short and damaged (OS&D): This is typically a report issued at warehouse when goods are damaged. Used to file claim with carrier.

Over-the-road: A motor carrier operation that reflects long-distance, intercity moves; the opposite of local operations.

Overall Equipment Effectiveness (OEE): A measure of overall equipment effectiveness that takes into account machine availability & performance as well as output quality.

Owner-Operator: A trucking operation in which the opener of the truck is also the driver.

Over the Road Limitations - State or country regulations for weight limits allowed per container/truckload.



P

Pack Out: In a fulfillment environment this refers to the operations involved in packaging and palletizing individual units of product for introduction into the warehouse distribution environment. For example, a contract 3PL may receive or assemble units of product which need to be placed into retail packaging, then overpacked with a carton and then palletized.

Package to Order: A production environment in which a good or service can be packaged after receipt of a customer order. The item is common across many different customers; packaging determines the end product.

Packing and Marking: The activities of packing for safe shipping and unitizing one or more items of an order, placing them into an appropriate container, and marking and labeling the container with customer shipping destination data, as well as other information that may be required.

Packing List - List of packages for each shipment showing individual breakdown in weights/measures.

Pallet - Wooden structure generally 48 x 48 used to support cargo and ease movement by forklifts.

Pallet Jack: Material handling equipment consisting of two broad parallel pallet forks on small wheels used in the warehouse to move pallets of product, but not having the lifting capability of a forklift. It may be a motorized unit guided by an operator who stands on a platform; or it may be a motorized or manual unit guided by an operator who is walking behind or beside it. Comes as a "single" (one pallet) or "double" (two pallets).

Pallet Rack: A single or multi-level structural storage system that is utilized to support high stacking of single items or palletized loads.

Pallet Tag: The bar coded sticker that is placed on a unit load or partial load, typically at receiving. The pallet tag can be scanned with an RF gun.

Pallet Ticket: A label to track pallet-sized quantities of end items produced to identify the specific sub lot with specifications determined by periodic sampling and analysis during production.

Pallet Wrapping Machine: A machine that wraps a pallet's contents in stretch-wrap to ensure safe shipment.



Parcel Shipment: Parcels include small packages like those typically handled by providers such as UPS and FedEx.

Pareto: A means of sorting data for example. For example, number of quality faults by frequency of occurrence. An analysis that compares cumulative percentages of the rank ordering of costs, cost drivers, profits or other attributes to determine whether a minority of elements have a disproportionate impact. Another example, identifying that 20 percent of a set of independent variables is responsible for 80 percent of the effect. *Also see: 80/20 Rule*

Part Period Balancing (PPB): In forecasting, a dynamic lot-sizing technique that uses the same logic as the least total cost method, but adds a routine called look ahead/look back. When the look ahead/look back feature is used, a lot quantity is calculated, and before it is firmed up, the next or the previous period's demands are evaluated to determine whether it would be economical to include them in the current lot. *Also see: Discrete Order Quantity, Dynamic lot sizing*

Part Standardization: A program for planned elimination of superficial, accidental, and deliberate differences between similar parts in the interest of reducing part and supplier proliferation. A typical goal of part standardization is to reduce costs by reducing the number of parts that the company needs to manage.

Passenger-Mile: A measure of output for passenger transportation; it reflects the number of passengers transported and the distance traveled; a multiplication of passengers hauled and distance traveled.

Particular Average - Carrier determines responsibility by specific participant.

Password: A private code required to gain access to a computer, an application program, or service.

Path to Profitability (P2P): The step-by-step model to generate earnings.

Pay-on-Use: Pay-on-Use is a process where payment is initiated by product consumption, i.e., consignment stock based on withdrawal of product from inventory. This process is popular with many European companies.

Payment: The transfer of money, or other agreed upon medium, for provision of goods or services.

Payroll: Total of all fully burdened labor costs, including wage, fringe, benefits, overtime, bonus, and profit sharing.



Peak Demand: The time period during which the quantity demanded is greater than during any other comparable time period.

Pentle Hook - Steel pivot upon which chassis and cab are connected.

Peer to Peer (P2P): A computer networking environment which allows individual computers to share resources and data without passing through an intermediate network server.

Pegged Requirement: An MRP component requirement that shows the next-level parent item (or customer order) as the source of the demand.

Pegging: A technique in which a ERP system traces demand for a product by date, quantity, and warehouse location.

Percent of Fill: Number of lines or quantity actually shipped as a percent of the original order.
Synonym: Customer Service Ratio.

Per Diem: 1) The rate of payment for use by one railroad of the cars of another. 2) A daily rate of reimbursement for expenses.

Perfect Order: The definition of a perfect order is one which meets all of the following criteria:

- Delivered complete, with all items on the order in the quantity requested
- Delivered on time to customer's request date, using the customer's definition of on-time delivery
- Delivered with complete and accurate documentation supporting the order, including packing slips, bills of lading, and invoices
- Delivered in perfect condition with the correct configuration, customer ready, without damage, and faultlessly installed (as applicable)

Performance-Based Logistics (PBL): A U.S. Government program that describes the purchase of services and support as an integrated, affordable, performance package designed to optimize system readiness and meet performance goals for a weapon system through long-term support arrangements with clear lines of authority and responsibility.

Performance and Event Management Systems: The systems that report on the key measurements in the supply chain -- inventory days of supply, delivery performance, order cycle times, capacity use, etc. Using this information to identify causal relationships to suggest actions in line with the business goals.

Performance Measures: Indicators of the work performed and the results achieved in an activity, process, or organizational unit. Performance measures should be both non-financial and financial. Performance measures enable periodic comparisons and benchmarking. For example, a common performance measure for a distribution center is % of order fill rate. *Also see:*



Performance Measurement Program Attributes of good performance measurement include the following:

1. Measures only what is important: The measure focuses on key aspects of process performance
2. Can be collected economically: Processes and activities are designed to easily capture the relevant information
3. Are visible: The measure and its causal effects are readily available to everyone who is measured
4. Is easy to understand: The measure conveys at a glance what it is measuring and how it is derived
5. Is process oriented: The measure makes the proper trade-offs among utilization, productivity and performance
6. Is defined and mutually understood. The measure has been defined and mutually understood by all key parties (internal and external)
7. Facilitates trust: The measure validates the participation among various parties and discourages "game playing"
8. Are usable: The measure is used to show progress and not just data that is "collected". Indicated performance vs. data

Performance Measurement Program: A performance measurement program goes beyond just having performance metrics in place. Many companies do not realize the full benefit of their performance metrics because they often do not have all of the necessary elements in place that support their metrics. *Also see: Performance Measures, Dashboard, Scorecard, Key Performance Indicator*

Typical characteristics of a good performance measurement program include the following:

- Metrics that are aligned to strategy and linked to the "shop floor" or line level workers
- A process and culture that drives performance and accountability to delivery performance against key performance indicators.
- An incentive plan that is tied to performance goals, objectives and metrics
- Tools/technology in place to support easy data collection and use. This often includes the use of a "dashboard" or "scorecard" to allow for ease of understanding and reporting against key performance indicators.

Period Order Quantity: A lot-sizing technique under which the lot size is equal to the net requirements for a given number of periods, e.g., weeks into the future. The number of periods to order is variable, each order size equalizing the holding costs and the ordering costs for the interval. *Also see: Discrete Order Quantity, Dynamic Lot Sizing*

Permit: A grant of authority to operate as a contract carrier.

Perpetual Inventory: An inventory record keeping system where each transaction in and out is recorded and a new balance is computed. Perpetual inventory records may be kept manually on paper logs or stock cards, or in a computer database.



Personal Digital Assistant (PDA): A computer term for a handheld device that combines computing, telephone/fax, and networking features. PDA examples include the Palm and Pocket PC devices. A typical PDA can function as a cellular phone, fax sender, and personal organizer. Unlike portable computers, most PDAs are pen-based, using a stylus rather than a keyboard for input. This means that they also incorporate handwriting recognition features. Some PDAs can also react to voice input by using voice recognition technologies. Some PDAs and networking software allow companies to use PDAs in their warehouses to support wireless transaction processing and inquiries.

Personal Discrimination: Charging different rates to shippers with similar transportation characteristics, or vice versa.

Phantom Bill of Material: A bill-of-material coding and structuring technique used primarily for transient (nonstocked) subassemblies. For the transient item, lead time is set to zero and the order quantity to lot-for-lot. A phantom bill of material represents an item that is physically built, but rarely stocked, before being used in the next step or level of manufacturing. This permits MRP logic to drive requirements straight through (blowthrough) the phantom item to its components, but the MRP system usually retains its ability to net against any occasional inventories of the item. This technique also facilitates the use of common bills of material for engineering and manufacturing. *Synonym: Pseudo Bill of Material. Also see: blowthrough*

Physical Distribution: The movement and storage functions associated with finished goods from manufacturing plants to warehouses and to customers; also, used synonymously with business logistics.

Physical Supply: The movement and storage functions associated with raw materials from supply sources to the manufacturing facility.

Pick-by-Light: A laser identifies the bin for the next item in the rack; when the picker completes the pick, the bar code is scanned and the system then points the laser at the next bin.

Pick/Pack: Picking of product from inventory and packing into shipment containers.

Pick List: A list of items to be picked from stock in order to fill an order; the pick list generation and the picking method can be quite sophisticated.

Pick on Receipt: Product is receipted and picked in one operation (movement); therefore the product never actually touches the ground within the warehouse. It is unloaded from one vehicle and re-loaded on an outbound vehicle. *Related to Cross Docking*

Pick-to-Clear: A method often used in warehouse management systems that directs picking to the locations with the smallest quantities on hand.



Pick-to-Carton: Pick-to-carton logic uses item dimensions/weights to select the shipping carton prior to the order picking process. Items are then picked directly into the shipping carton.

Pick-to-Light: Pick-to light systems consist of lights and LED displays for each pick location. The system uses software to light the next pick and display the quantity to pick.

Pick-to-Trailer: Order-picking method where the order picker transports the materials directly from the pick location to the trailer without any interim checking or staging steps.

Pick-Up Order: A document indicating the authority to pick up cargo or equipment from a specific location.

Picking: The operations involved in pulling products from storage areas to complete a customer order.

Picking by Aisle: A method by which pickers pick all needed items in an aisle regardless of the items' ultimate destination; the items must be sorted later.

Picking by Source: A method in which pickers successively pick all items going to a particular destination regardless of the aisle in which each item is located.

Piggyback: Terminology used to describe a truck trailer being transported on a railroad flatcar.

Pin Lock: A hard piece of iron, formed to fit on a trailer's pin, that locks in place with a key to prevent an unauthorized person from moving the trailer.

Pier - Where vessels pull alongside for loading/discharging.

Pier to House - Cargo received at pier loaded in a container and picked up at destination terminal intact by consignee.

Pier to Pier - Cargo movement delivered loose to pier at origin point and picked up loose at destination terminal.

Piggyback - Point-to-point movement of one transportation vehicle on another.

Pilferage - Cargo stolen from container or terminal.

Pilot Boat - Conveys pilot to ocean vessel.

Place of Delivery - Actual final destination of cargo could be water or inland.

Place Utility: A value created in a product by changing its location. Transportation creates place utility.



Plaintext: Data before it has been encrypted or after it has been decrypted, e.g., an ASCII text file.

Plan Deliver: The development and establishment of courses of action over specified time periods that represent a projected appropriation of supply resources to meet delivery requirements.

Plan-Do-Check-Action (PDCA): In quality management, a four-step process for quality improvement. In the first step (plan), a plan to effect improvement is developed. In the second step (do), the plan is carried out, preferably on a small scale. In the third step (check), the effects of the plan are observed. In the last step (action), the results are studied to determine what was learned and what can be predicted. The plan-do-check-act cycle is sometimes referred to as the Shewhart cycle (because Walter A. Shewhart discussed the concept in his book *Statistical Method from the Viewpoint of Quality Control*) and as the Deming circle (because W. Edwards Deming introduced the concept in Japan; the Japanese subsequently called it the Deming circle).
Synonyms: Shewhart Cycle. Also see: Deming Circle

Plan Make: The development and establishment of courses of action over specified time periods that represent a projected appropriation of production resources to meet production requirements.

Plan Source: The development and establishment of courses of action over specified time periods that represent a projected appropriation of material resources to meet supply chain requirements.

Plan Stability: The difference between planned production and actual production, as a percentage of planned production.

Calculation:

$$\frac{[(\text{Sum of Monthly Production Plans}) + (\text{Sum of the absolute value of the difference between planned and actual})]}{[\text{Sum of Monthly Production Plans}]}$$

Note: Base Production Plan is the three month removed plan

Planned Date: The date an operation, such as a receipt, shipment, or delivery of an order is planned to occur.

Planned Order: A suggested order quantity, release date, and due date created by the planning system's logic when it encounters net requirements in processing MRP. In some cases, it can also be created by a master scheduling module. Planned orders are created by the computer, exist only within the computer, and may be changed or deleted by the computer during subsequent processing if conditions change. Planned orders at one level will be exploded into gross requirements for components at the next level. Planned orders, along with released orders, serve as input to capacity requirements planning to show the total capacity requirements by work center in future time periods. *Also see: Planning Time Fence, Firm Planned Order*



Planned Receipt: An anticipated receipt against an open purchase order or open production order.

Planning Bill of Material: An artificial grouping of items or events in bill-of-material format used to facilitate master scheduling and material planning. It may include the historical average of demand expressed as a percentage of total demand for all options within a feature or for a specific end item within a product family and is used as the quantity per in the planning bill of material. *Synonym: Planning Bill. Also see: Hedge Inventory, Production Forecast, Pseudo Bill of Material*

Planning Horizon: The amount of time a plan extends into the future. For a master schedule, this is normally set to cover a minimum of cumulative lead time plus time for lot sizing low-level components and for capacity changes of primary work centers or of key suppliers. For longer term plans the planning horizon must be long enough to permit any needed additions to capacity. *Also see: Cumulative Lead Time, Planning Time Fence*

Planning Time Fence: A point in time denoted in the planning horizon of the master scheduling process that marks a boundary inside of which changes to the schedule may adversely affect component schedules, capacity plans, customer deliveries, and cost. Outside the planning time fence, customer orders may be booked and changes to the master schedule can be made within the constraints of the production plan. Changes inside the planning time fence must be made manually by the master scheduler. *Synonym: Planning Fence. Also see: Cumulative Lead Time, Demand Time Fence, Firm Planned Order, Planned Order, Planning Horizon, Time Fence.*

Planogram: The end result of analyzing the sales data of an item or group of items to determine the best arrangement of products on a store shelf. The process determines which shelf your top-selling product should be displayed on, the number of facings it gets, and what best to surround it with. It results in graphical picture or map of the allotted shelf space along with a specification of the facing and deep.

Plant Finished Goods: Finished goods inventory held at the end manufacturing location.

Plimsoll Mark - Depth to which a vessel may safely load, identified by a horizontal line around the ships hull.

Point-of-Purchase (POP): A retail sales term referring to the area where a sale occurs, such as the checkout counter. POP is also used to refer to the displays and other sales promotion tools located at a checkout counter.

Point of Sale (POS): 1) The time and place at which a sale occurs, such as a cash register in a retail operation, or the order confirmation screen in an on-line session. Supply chain partners are interested in capturing data at the POS, because it is a true record of the sale rather than being derived from other information such as inventory movement. 2) Also a national network of merchant terminals, at which customers can use client cards and personal security codes to make



purchases. Transactions are directed against client deposit accounts. POS terminals are sophisticated cryptographic devices, with complex key management processes. POS standards draw on ABM network experiences and possess extremely stringent security requirements.

Point of Sale Information: Price and quantity data from retail locations as sales transactions occur.

Point-of-Use Inventory: Material used in production processes that is physically stored where it is consumed.

Poka Yoke (mistake-proof): The application of simple techniques that prevent process quality failure. A mechanism that either prevents a mistake from being made or makes the mistake obvious at a glance.

Police Powers: The United States constitutionally granted right or the states to establish regulations to protect the health and welfare of its citizens; truck weight, speed, length, and height laws are examples.

Pooling: A shipping term for the practice of combining shipment from multiple shippers into a truckload in order to reduce shipping charges.

Port: A harbor where ships will anchor.

Port Authority: A state or local government that owns, operates, or otherwise provides wharf, dock, and other terminal investments at ports.

Port of Discharge: Port where vessel is off loaded.

Port of Entry: A port at which foreign goods are admitted into the receiving country.

Port of Loading: Port where cargo is loaded aboard the vessel.

Portal: Websites that serve as starting points to other destinations or activities on the Internet. Initially thought of as a "home base" type of web page, portals attempt to provide all Internet needs in one location. Portals commonly provide services such as e-mail, online chat forums, shopping, searching, content, and news feeds.

Pool Location - See [Container Pools](#).

Positioning - Moving of empty equipment from surplus areas to deficient areas.

Possession Utility: The value created by marketing's effort to increase the desire to possess a good or benefit from a service.



Post-Deduct Inventory Transaction Processing: A method of inventory bookkeeping where the book (computer) inventory of components is reduced after issue. When compared to a real-time process, this approach has the disadvantage of a built-in differential between the book record and what is physically in stock. Consumption can be based on recorded actual use, or calculated using finished quantity received times the standard BOM quantity (backflush). *Also see: Backflush*

Postponement: The delay of final activities (i.e., assembly, production, packaging, etc.) until the latest possible time. A strategy used to eliminate excess inventory in the form of finished goods which may be packaged in a variety of configurations.

PPB: *See Part Period Balancing*

Pre-Deduct Inventory Transaction Processing: A method of inventory bookkeeping where the book (computer) inventory of components is reduced before issue, at the time a scheduled receipt for their parents or assemblies is created via a bill-of-material explosion. When compared to a real-time process, this approach has the disadvantage of a built-in differential between the book record and what is physically in stock.

Pre-Expediting: The function of following up on open orders before the scheduled delivery date, to ensure the timely delivery of materials in the specified quantity.

Prepaid - Shipper responsible for ocean freight charges prepaid at destination.

Prepaid Bill of Lading - Freight paid prior to movement. Money to be paid prior to issuance of bill of lading.

Present Value: Today's value of future cash flows, discounted at an appropriate rate.

Predictive Maintenance: Practices that seek to prevent unscheduled machinery downtime by collecting and analyzing data on equipment conditions. The analysis is then used to predict time-tofailure,

plan maintenance, and restore machinery to good operating condition. Predictive maintenance systems typically measure parameters on machine operations, such as vibration, heat, pressure, noise, and lubricant condition. In conjunction with computerized maintenance management systems (CMMS), predictive maintenance enables repair-work orders to be released automatically, repair-parts inventories checked, or routine maintenance scheduled.

Preventative Maintenance (PM): Regularly scheduled maintenance activities performed in order to reduce or eliminate unscheduled equipment failures and downtime.

Price Erosion: The decrease in price point and profit margin for a product or service, which occurs over time due to the effect of increased competition or commoditization.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Price Look-Up (PLU): Used for retail products sold loose, bunched or in bulk (to identify the different types of fruit, say). As opposed to UPC (Universal Product Codes) for packaged, fixed weight retail items. A PLU code contains 4-5 digits in total. The PLU is entered before an item is weighed to determine a price.

Primary-Business Test: A test used by the ICC to determine if a trucking operation is bona fide private transportation; the private trucking operation must be incidental to and in the furtherance of the primary business of the firm.

Primary highways: Highways that connect lesser populated cities with major cities.

Primary Manufacturing Strategy: Your company's dominant manufacturing strategy. The Primary Manufacturing Strategy generally accounts for 80-plus % of a company's product volume. According to a study by Pittiglio Rabin Todd & McGrath (PRTM), approximately 73% of all companies use a make-to-stock strategy.

PRIME QR: Product Replenishment and Inventory Management Edge for Quick Response.

Private carrier: A carrier that provides transportation service to the firm and that owns or leases the vehicles and does not charge a fee. Private motor carriers may haul at a fee for wholly-owned subsidiaries.

Private Label: Products that are designed, produced, controlled by, and which carry the name of the store or a name owned by the store; also known as a store brand or dealer brand. An example would be Wal-Mart's "Sam's Choice" products.

Private Warehouse: A warehouse that is owned by the company using it.

Pro Number: Any progressive or serialized number applied for identification of freight bills, bills of lading, etc.

Proactive: The strategy of understanding issues before they become apparent and presenting the solution as a benefit to the customer, etc.

Process: A series of time-based activities that are linked to complete a specific output.

Process Benchmarking: Benchmarking a process (such as the pick, pack, and ship process) against organizations known to be the best in class in this process. Process benchmarking is usually conducted on firms outside of the organization's industry. *Also see: Benchmarking, Best-in-Class, Competitive Benchmarking*

Process Improvement: Designs or activities, which improve quality or reduce costs, often through the elimination of waste or non-value-added tasks.



Process Manufacturing: Production that adds value by mixing, separating, forming, and/or performing chemical reactions. It may be done in a batch, continuous, or mixed batch/continuous mode. Products in this manufacturing group include: foods, petrochemicals, bottling, chemicals, etc. Process manufacturing frequently generates co-products and by-products as an outcome in addition to the primary product being manufactured. An example would be the manufacture of petroleum products, where multiple grades of lubricants and fuels are produced from a single run as well as nonusable by-products such as sludge.

Process Yield: The resulting output from a process. An example would be a quantity of finished product output from manufacturing processes.

Procurement: The business functions of procurement planning, purchasing, inventory control, traffic, receiving, incoming inspection, and salvage operations. *Synonym: Purchasing*

Procurement Services Provider (PSP): A services firm that integrates procurement technologies with product, sourcing, and supply management expertise, to provide outsourced procurement solutions. A PSP serves as an extension of an organization's existing procurement infrastructure, managing the processes and spending categories and procurement processes that the organization feels it has opportunities for improvement but lacks the internal expertise to manage effectively.

Product: Something that has been or is being produced.

Product Carrier - Caters to specialty commodities.

Production Capacity: Measure of how much production volume may be experienced over a set period of time.

Product Characteristics: All of the elements that define a product's character, such as size, shape, weight, etc.

Product Configurator: A system, generally rule-based, to be used in design-to-order, engineer-to order, or make-to-order environments where numerous product variations exist. Product configurators perform intelligent modeling of the part or product attributes and often create solid models, drawings, bills of material, and cost estimates that can be integrated into CAD/CAM and MRP II systems as well as sales order entry systems.

Product ID: A method of identifying a product without using a full description. These can be different for each document type and must, therefore, be captured and related to the document in which they were used. They must then be related to each other in context (also known as SKU, Item Code or Number, or other such name).

Product Family: A group of products with similar characteristics, often used in production planning (or sales and operations planning).



Production Forecast: A projected level of customer demand for a feature (option, accessory, etc.) of a make-to-order or an assemble-to-order product. Used in two-level master scheduling, it is calculated by netting customer backlog against an overall family or product line master production schedule and then factoring this product's available-to-promise by the option percentage in a planning bill of material. *Also see: Assemble-to-Order, Planning Bill of Material, Two-Level Master Schedule*

Production Line: A series of pieces of equipment dedicated to the manufacture of a specific number of products or families.

Production Planning and Scheduling: The systems that enable creation of detailed optimized plans and schedules taking into account the resource, material, and dependency constraints to meet the deadlines.

Production-Related Material: Production-related materials are those items classified as material purchases and included in Cost of Goods Sold as raw material purchases.

Productivity: A measure of efficiency of resource utilization; defined as the sum of the outputs divided by the sum of the inputs.

Profit Ratio: The percentage of profit to sales—that is, profit divided by sales.

Profit Before Interest and Tax (PBIT): The financial profit generated prior to the deduction of taxes and interest due on loans. Also called operating profit.

Profitability Analysis: The analysis of profit derived from cost objects with the view to improve or optimize profitability. Multiple views may be analyzed, such as market segment, customer, distribution channel, product families, products, technologies, platforms, regions, manufacturing capacity, etc.

Profitable to Promise: This is effectively a promise to deliver a certain order on agreed terms, including price and delivery. Profitable-to-Promise (PTP) is the logical evolution of Available-to-Promise (ATP) and Capable-to-Promise (CTP). While the first two are necessary for profitability, they are not sufficient. For enterprises to survive in a competitive environment, profit optimization is a vital technology.

Pro-Forma: A type of quotation or offer that may be used when first negotiating the sales of goods or services. If the pro-forma is accepted, then the terms and conditions of the pro-forma may become the request.

Pro Forma Invoice: An invoice, forwarded by the seller of goods prior to shipment, that advises the buyer of the particulars and value of the goods. Usually required by the buyer in order to obtain an import permit or letter of credit.



Pro Number: Any progressive or serialized number applied for identification of freight bills, bills of lading, etc.

Profitability Analysis: The analysis of profit derived from cost objects with the view to improve or optimize profitability. Multiple views may be analyzed, such as market segment, customer, distribution channel, product families, products, technologies, platforms, regions, manufacturing capacity, etc.

Promotion: The act of selling a product at a reduced price, or a buy one - get one free offer, for the purpose of increasing sales.

Proof of Delivery (POD): Information supplied by the carrier containing the name of the person who signed for the shipment, the time and date of delivery, and other shipment delivery related information. POD is also sometimes used to refer to the process of printing materials just prior to shipment (Print on Demand).

Proportional Rate: A rate lower than the regular rate for shipments that have prior or subsequent moves; used to overcome competitive disadvantages of combination rates.

Protocol: Communication standards that determine message content and format, enabling uniformity of transmissions.

Project Rates - Rates established for specific project.

PTI - Pre Trip Inspection.

Public Warehouse: A business that provides short or long-term storage to a variety of businesses usually on a month-to-month basis. A public warehouse will generally use their own equipment and staff however agreements may be made where the client either buys or subsidizes equipment. Public warehouse fees are usually a combination of storage fees (per pallet or actual square footage) and transaction fees (inbound and outbound). Public warehouses are most often used to supplement space requirements of a private warehouse. See also Contract warehouse and 3PL.

Public Warehouse Receipt: The basic document issued by a public warehouse manager that is the receipt for the goods given to the warehouse manager. The receipt can be either negotiable or nonnegotiable.

Pull Signal: A signal from a using operation that triggers the issue of raw material.

Pull or Pull-through distribution: Supply-chain action initiated by the customer. Traditionally, the supply chain was pushed; manufacturers produced goods and "pushed" them through the supply chain, and the customer had no control. In a pull environment, a customer's purchase



sends replenishment information back through the supply chain from retailer to distributor to manufacturer, so goods are "pulled" through the supply chain.

Pull Ordering System: A system in which each warehouse controls its own shipping requirements by placing individual orders for inventory with the central distribution center. A replenishment system where inventory is "pulled" into the supply chain (or "demand chain" by POS systems, or ECR programs). Associated with "build to order" systems.

Purchase Order - Common grouping of orders for goods/services. Several SKU categories may be listed on one purchase order. Most customers group their orders in a particular way to facilitate distribution at the other end. For example, one purchase order for an apparel importer might encompass 2 dozen green sweaters and 2 dozen red sweaters. If those P.O.s originated from the same store, it is simple for the store to put all items under that P.O. onto the right truck.

Purchase Price Discount: A pricing structure in which the seller offers a lower price if the buyer purchases a larger quantity.

Purchasing: The functions associated with buying the goods and services required by the firm.

Pure Raw Material: A raw material that does not lose weight in processing.

Push Back Rack: Utilizing wheels in the rack structure, this rack system allows palletized goods and materials to be stored by being pushed up a gently graded ramp. Stored materials are allowed to flow down the ramp to the aisle. This rack configuration allows for deep storage on each rack level.

Push Distribution: The process of building product and pushing it into the distribution channel without receiving any information regarding requirements. *Also see: Pull or Pull-Through Distribution*

Push Ordering System: A situation in which a firm makes inventory deployment decisions at the central distribution center and ships to its individual warehouses accordingly.

Push Technology: Webcasting (push technology) is the prearranged updating of news, weather, or other selected information on a computer user's desktop interface through periodic and generally unobtrusive transmission over the World Wide Web (including the use of the Web protocol on Intranet). Webcasting uses so-called push technology in which the Web server ostensibly "pushes" information to the user rather than waiting until the user specifically requests it.

Put Away: Removing the material from the dock (or other location of receipt), transporting the material to a storage area, placing that material in a staging area, and then moving it to a specific location and recording the movement and identification of the location where the material has been placed.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Put-to-Light: A method that uses lights to direct the placement of materials. Most often used in batch picking to designate the tote to place picked item into.



QR: *See Quick Response*

Qualifier: A data element, which identifies or defines a related element, set of elements or a segment. The qualifier contains a code from a list of approved codes.

Qualitative Forecasting Techniques: In forecasting, an approach that is based on intuitive or judgmental evaluation. It is used generally when data are scarce, not available, or no longer relevant. Common types of qualitative techniques include: personal insight, sales force estimates, panel consensus, market research, visionary forecasting, and the Delphi method. Examples include developing long-range projections and new product introduction.

Quality: Conformance to requirements or fitness for use. Quality can be defined through five principal approaches:

1. Transcendent quality is an ideal, a condition of excellence
2. Product-based quality is based on a product attribute
3. User-based quality is fitness for use
4. Manufacturing-based quality is conformance to requirements
5. Value-based quality is the degree of excellence at an acceptable price.

Also, quality has two major components:

- a. quality of conformance—quality is defined by the absence of defects, and
- b. quality of design—quality is measured by the degree of customer satisfaction with a product's characteristics and features.

Quality Circle: In quality management, a small group of people who normally work as a unit and meet frequently to uncover and solve problems concerning the quality of items produced, process capability, or process control. *Also see: Small Group Improvement activity*

Quality Control (QC): The management function that attempts to ensure that the foods or services manufactured or purchased meet the product or service specifications

Quality Function Deployment (QFD): A structured method for translating user requirements into detailed design specifications using a continual stream of 'what-how' matrices. QFD links the needs of the customer (end user) with design, development, engineering, manufacturing, and service functions. It helps organizations seek out both spoken and unspoken needs, translate these into actions and designs, and focus various business functions toward achieving this common goal.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Quantitative Forecasting Techniques: An approach to forecasting where historical demand data is used to project future demand. Extrinsic and intrinsic techniques are typically used. *Also see: Extrinsic Forecasting Method, Intrinsic Forecasting Method*

Quantity Based Order System: *See Fixed Reorder Quantity Inventory Model*

Quarantine: In quality management, the setting aside of items from availability for use or sale until all required quality tests have been performed and conformance certified. In a best practice process, items in quarantine are tagged, logged, and kept in a secure area pending disposition.

Quick Response (QR): A strategy widely adopted by general merchandise and soft lines retailers and manufacturers to reduce retail out-of-stocks, forced markdowns and operating expenses. These goals are accomplished through shipping accuracy and reduced response time. QR is a partnership strategy in which suppliers and retailers work together to respond more rapidly to the consumer by sharing point-of-sale scan data, enabling both to forecast replenishment needs.



R

Rack: A storage device for handling material in pallets. A rack usually provides storage for pallets arranged in vertical sections with one or more pallets to a tier. Some racks accommodate more than one-pallet-deep storage. Some racks are static, meaning that the rack contents remain in a fixed position until physically moved. Some racks are designed with a sloped shelf to allow products to “flow” down as product in the front is removed. Replenishment of product on a flow rack may be from the rear, or the front in a “push back” manner.

Racking: A function performed by a rack-jobber, a full-function intermediary who performs all regular warehousing functions and some retail functions, typically stocking a display rack. Also a definition that is applied to the hardware which is used to build racks.

Radio Frequency (RF): A form of wireless communications that lets users relay information via electromagnetic energy waves from a terminal to a base station, which is linked in turn to a host computer. The terminals can be placed at a fixed station, mounted on a forklift truck, or carried in the worker's hand. The base station contains a transmitter and receiver for communication with the terminals. RF systems use either narrow-band or spread-spectrum transmissions. Narrow-band data transmissions move along a single limited radio frequency, while spread-spectrum transmissions move across several different frequencies. When combined with a bar-code system for identifying inventory items, a radio-frequency system can relay data instantly, thus updating inventory records in so-called "real time."

Radio Frequency Identification (RFID): The use of radio frequency technology including RFID tags and tag readers to identify objects. Objects may include virtually anything physical, such as equipment, pallets of stock, or even individual units of product. RFID tags can be active or passive. Active tags contain a power source and emit a signal constantly. Passive tags receive power from the radio waves sent by the scanner / reader. The inherent advantages of RFID over bar code technology are: 1) the ability to be read over longer distances, 2) the elimination of requirement for “line of sight” reads, 3) added capacity to contain information, and 4) RFID tag data can be updated / changed.

Ramp Rate: A statement which quantifies how quickly you grow or expand an operation Growth trajectory. Can refer to sales, profits or margins.

Random-Location Storage: A storage technique in which parts are placed in any space that is empty when they arrive at the storeroom. Although this random method requires the use of a locator file to identify part locations, it often requires less storage space than a fixed-location storage method. *Also see: Fixed-Location Storage*



Rail Pig - A railroad owned container (trailer).

Rail Ramp - Used to unload rail cars or trailers.

Rail Terminal - Place where railroad cars terminate and/or turn around.

Rail Yard - Location where rail cars are concentrated for loading and unloading of containers.

Railhead - Location for loading and unloading containers at railroad terminal.

Rates - Charge for moving cargo between two points (i.e. Ocean Freight).

Rate-Based Scheduling: A method for scheduling and producing based on a periodic rate, e.g., daily, weekly, or monthly. This method has traditionally been applied to high-volume and process industries. The concept has recently been applied within job shops using cellular layouts and mixed model level schedules where the production rate is matched to the selling rate.

Rate Basis Number: The distance between two rate basis points.

Rate Basis Point: The major shipping point in a local area; all points in the local area are considered to be the rate basis point.

Rate Bureau: A group of carriers that get together to establish joint rates, to divide joint revenues and claim liabilities, and the publish tariffs. Rate bureaus have published single line rates, which were prohibited in 1984.

Rationing: The allocation of product among customers during periods of short supply. When price is used to allocate product, it is allocated to those willing to pay the most.

Raw Materials (RM): Crude or processed material that can be converted by manufacturing, processing, or combination into a new and useful product.

Real-Time: The processing of data in a business application as it happens - as contrasted with storing data for input at a later time (batch processing).

Reasonable Rate: A rate that is high enough to cover the carrier's cost but not too high to enable the carrier to realize monopolistic profits.

Recapture Clause: A provision of the 1920 Transportation Act that provided for self-help financing for railroads. Railroads that earned more than the prescribed return contributed one-half of the excess to the fund from which the ICC made loans to less profitable railroads. The Recapture Clause was repealed in 1933.



Receiving: The function encompassing the physical receipt of material, the inspection of the incoming shipment for conformance with the purchase order (quantity and damage), the identification and delivery to destination, and the preparation of receiving reports.

Receiving Dock: Distribution center location where the actual physical receipt of the purchased material from the carrier occurs.

Received for Shipment B/L - Issued on receipt of cargo; cargo not necessarily loaded yet.

Reconsignment: A carrier service that permits changing the destination and/or consignee after the shipment has reached its originally billed destination and paying the through rate from origin to final destination.

Reed-Bulwinkle Act: Legalized joint rate making by common carriers through rate bureaus; extended antitrust immunity to carriers participating in a rate bureau.

Refrigerated Carriers: Truckload carriers designed to keep perishables good refrigerated. The food industry typically uses this type of carrier.

Reefer: A term used for refrigerated vehicles.

Reefer Plug - Electrical outlet on ship for maintaining temperature.

Reengineering: 1) A fundamental rethinking and radical redesign of business processes to achieve dramatic improvements in performance. 2) A term used to describe the process of making (usually) significant and major revisions or modifications to business processes. 3) Also called Business Process Reengineering.

Regeneration MRP: An MRP processing approach where the master production schedule is totally reexploded down through all bills of material, to maintain valid priorities. New requirements and planned orders are completely recalculated or "regenerated" at that time.

Regional Carrier: A for-hire air carrier, usually certificated, that has annual operating revenues of less than \$74 million; the carrier usually operates within a particular region of the country.

Regular-Route Carrier: A motor carrier that is authorized to provide service over designated routes.

Relay Terminal: A motor carrier terminal designed to facilitate the substitution of one driver for another who has driven the maximum hours permitted.

Release-to-Start Manufacturing: Average time from order release to manufacturing to the start of the production process. This cycle time may typically be required to support activities such as material movement and line changeovers.



Released-Value Rates: Rates based upon the value of the shipment; the maximum carrier liability for damage is less than the full value, and in return the carrier offers a lower rate.

Reliability: A carrier selection criterion that considers the variation in carrier transit time; the consistency of the transit time provided.

Reorder Point: A predetermined inventory level that triggers the need to place an order. This minimum level provides inventory to meet anticipated demand during the time it takes to receive the order.

Reparation: The ICC could require railroads to repay users the difference between the rate charged and the maximum rate permitted when the ICC found the rate to be unreasonable or too high.

Re-plan Cycle: Time between the initial creation of a regenerated forecast and the time its impact is incorporated into the Master Production Schedule of the end-product manufacturing facility. (An element of Total Supply Chain Response Time)

Replenishment: The process of moving or re-supplying inventory from a reserve (or upstream) storage location to a primary (or downstream) storage or picking location, or to another mode of storage in which picking is performed.

Request for Information (RFI): A document used to solicit information about vendors, products, and services prior to a formal RFQ/RFP process.

Request for Proposal (RFP): A document, which provides information concerning needs and requirements for a manufacturer. This document is created in order to solicit proposals from potential suppliers. For, example, a computer manufacturer may use a RFP to solicit proposals from suppliers of third party logistics services.

Request for Quote (RFQ): A document used to solicit vendor responses when a product has been selected and price quotations are needed from several vendors.

Resellers: Organizations intermediate in the manufacturing and distribution process, such as wholesalers and retailers.

Resource Driver: In cost accounting, the best single quantitative measure of the frequency and intensity of demands placed on a resource by other resources, activities, or cost objects. It is used to assign resource costs to activities, and cost objects, or to other resources.

Resources: Economic elements applied or used in the performance of activities or to directly support cost objects. They include people, materials, supplies, equipment, technologies and facilities. *Also see: Resource Driver, Capacity*



Retailer: A business that takes title to products and resells them to final consumers. Examples include Wal-Mart, Best Buy, and Safeway, but also include the many smaller independent stores.

Return Cargo - Cargo to be returned to original place of receipt.

Return Disposal Costs: The costs associated with disposing or recycling products that have been returned due to End-of-Life or Obsolescence.

Return Goods Handling: Processes involved with returning goods from the customer to the manufacturer. Products may be returned because of performance problems or simply because the customer doesn't like the product.

Return Material Authorization or Return Merchandise Authorization (RMA): A number usually produced to recognize and give authority for a faulty, perhaps, good to be returned to a distribution centre of manufacturer. A form generally required with a Warranty/Return, which helps the company identify the original product, and the reason for return. The RPA number often acts as an order form for the work required in repair situations, or as a reference for credit approval.

Return on Assets (ROA): Financial measure calculated by dividing profit by assets.

Return on Net Assets: Financial measure calculated by dividing profit by assets net of depreciation.

Return on Sales: Financial measure calculated by dividing profit by sales.

Return Product Authorization (RPA): Also called Return Material or Goods Authorization (RMA or RGA). A form generally required with a Warranty/Return, which helps the company identify the original product, and the reason for return. The RPA number often acts as an order form for the work required in repair situations, or as a reference for credit approval.

Revenue Ton - Number of tons which freight is paid for; per ton.

Return to Vendor (RTV): Material that has been rejected by the customer or the buyer's inspection department and is awaiting shipment back to the supplier for repair or replacement.

Returns Inventory Costs: The costs associated with managing inventory, returned for any of the following reasons: repair, refurbish, excess, obsolescence, End-of-Life, ecological conformance, and demonstration. Includes all applicable elements of the Level 2 component Inventory Carrying Cost of Total Supply Chain Management Cost

Returns Material Acquisition, Finance, Planning and IT Costs: The costs associated with acquiring the defective products and materials for repair or refurbishing items, plus any Finance, Planning and Information Technology cost to support Return Activity.. Includes all applicable elements of the Level 2 components Material Acquisition Cost (acquiring materials for repairs),



Supply Chain Related Finance and Planning Costs and Supply Chain IT Costs of Total Supply Chain Management Cost.

Returns Order Management Costs: The costs associated with managing Return Product Authorizations (RPA). Includes all applicable elements of the Level 2 component Order Management Cost of Total Supply Chain Management Cost. *See Order Management Costs*

Returns Processing Cost: The total cost to process repairs, refurbished, excess, obsolete, and End-of-Life products including diagnosing problems, and replacing products. Includes the costs of logistics support, materials, centralized functions, troubleshooting service requests, on-site diagnosis and repair, external repair, and miscellaneous. These costs are broken into Returns Order Management, Returns Inventory Carrying, Returns Material Acquisition, Finance, Planning, IT, Disposal and Warranty Costs.

Returns To Scale: A defining characteristic of B2B. Bigger is better. It's what creates the winner takes all quality of most B2B hubs. It also places a premium on being first to market and first to achieve critical mass.

Reverse Auction: A type of auction where suppliers bid to sell products to a buyer (e.g. retailer). As bidding continues, the prices decline (opposite of a regular auction, where buyers are bidding to buy products).

Reverse Engineering: A process whereby competitors' products are disassembled & analyzed for evidence of the use of better processes, components & technologies

Reverse Logistics: A specialized segment of logistics focusing on the movement and management of products and resources after the sale and after delivery to the customer. Includes product returns for repair and/or credit.

RGA: Return Goods Authorization. *See: Return Material Authorization*

Rich Media: An Internet advertising term for a Web page ad that uses advanced technology such as streaming video, downloaded applet (programs) that interact instantly with the user, and ads that change when the user's mouse passes over it.

Rich Text Format (RTF): A method of encoding text formatting and document structure using the ASCII character set. By convention, RTF files have an .rtf filename extension.

Right of Eminent Domain: A concept that permits the purchase of land needed for transportation right-of-way in a court of law; used by railroads and pipelines.

Roll-On-Roll-Off (RO-RO): A type of ship designed to permit cargo to be driven on at origin and off at destination; used extensively for the movement of automobiles.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Root Cause Analysis: Analytical methods to determine the core problem(s) of an organization, process, product, market, etc.

RosettaNet: Consortium of major Information Technology, Electronic Components, Semiconductor Manufacturing, Telecommunications and Logistics companies working to create and implement industry-wide, open e-business process standards. These standards form a common e-business language, aligning processes between supply chain partners on a global basis. RosettaNet is a subsidiary of the GS1 Group.

Routing or Routing Guide: 1) Process of determining how shipment will move between origin and destination. Routing information includes designation of carrier(s) involved, actual route of carrier, and estimated time enroute. 2) Right of shipper to determine carriers, routes and points for transfer shipments. 3) In manufacturing this is the document which defines a process of steps used to manufacture and/or assemble a product.

Routing Accuracy: When specified activities conform to administrative specifications, and specified resource consumptions (both man and machine) are detailed according to administrative specifications and are within ten percent of actual requirements.

RO/RO Vessel - Roll-on/Roll-off Vessel. Vessel with dual cargo handling capability including a ramp where wheeled cargo can be driven into ship.

ROE - Rate of Exchange.

Rule of Eight: Before the Motor Carrier Act of 1980, contract carriers requesting authority were restricted to eight shippers under contract. The number of shippers has been deleted as a consideration for granting a contract carrier permit.

Rule of Rate Making: A regulatory provision directing the regulatory agencies to consider the earnings necessary for a carrier to provide adequate transportation.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

S

Safety Stock: The inventory a company holds above normal needs as a buffer against delays in receipt of supply or changes in customer demand.

Salable Goods: A part or assembly authorized for sale to final customers through the marketing function.

Sales and Operations Planning (SOP): A strategic planning process that reconciles conflicting business objectives and plans future supply chain actions. S&OP Planning usually involves various business functions such as sales, operations and finance working together to agree on a single plan/forecast that can be used to drive the entire business.

Sales Mix: The proportion of individual product-type sales volumes that make up the total sales volume.

Sales Plan: A time-phased statement of expected customer orders anticipated to be received (incoming sales, not outgoing shipments) for each major product family or item. It represents sales and marketing management's commitment to take all reasonable steps necessary to achieve this level of actual customer orders. The sales plan is a necessary input to the production planning process (or sales and operations planning process). It is expressed in units identical to those used for the production plan (as well as in sales dollars). *Also see: Aggregate planning, Production Planning, Sales and Operations Planning*

Sales Planning: The process of determining the overall sales plan to best support customer needs and operations capabilities while meeting general business objectives of profitability, productivity, competitive customer lead times, and so on, as expressed in the overall business plan. *Also see: Production Planning, Sales and Operations Planning*

Salvage Material: Unused material that has a market value and can be sold.

Sailing Schedule - Published schedule of sailing dates of vessels departures and arrivals.

Saw-Tooth Diagram: A quantity-versus-time graphic representation of the order point/order quantity inventory system showing inventory being received and then used up and reordered.

Scalability: 1) How quickly and efficiently a company can ramp up to meet demand. See also uptime production flexibility. 2) How well a solution to some problem will work when the size



of the problem increases. The economies to scale don't really kick in until you reach the critical mass, then revenues start to increase exponentially.

Scan: A computer term referring to the action of scanning bar codes or RF tags.

Scan-Based Trading (SBT): Scan-based trading is a method of using Point of Sale data from scanners and retail checkout to initiate invoicing between a manufacturer and retailer (pay on use), as well as generate re-supply orders.

Scanlon Plan: A system of group incentives on a companywide or plantwide basis that sets up one measure that reflects the results of all efforts. The Scanlon plan originated in the 1930's by Joe Scanlon and MIT. The universal standard is the ratio of labor costs to sales value added by production. If there is an increase in production sales

Scenario Planning: A form of planning in which likely sets of relevant circumstances are identified in advance, and used to assess the impact of alternative actions.

Schedule B - Government listing to properly declare cargo; seven digit number assigned by the Bureau of Census to identify types of Cargo.

SCM - Supply Chain Management.

Scorecard: A performance measurement tool used to capture a summary of the key performance indicators (KPIs)/metrics of a company. Metrics dashboards/scorecards should be easy to read and usually have "red, yellow, green" indicators to flag when the company is not meeting its targets for its metrics. Ideally, a dashboard/scorecard should be cross-functional in nature and include both financial and non-financial measures. In addition, scorecards should be reviewed regularly – at least on a monthly basis and weekly in key functions such as manufacturing and distribution where activities are critical to the success of a company. The dashboard/scorecards philosophy can also be applied to external supply chain partners such as suppliers to ensure that suppliers' objectives and practices align. *Synonym: Dashboard*

Scrap Material: Unusable material that has no market value.

Seasonality: A repetitive pattern of demand from year to year (or other repeating time interval) with some periods considerably higher than others. Seasonality explains the fluctuation in demand for various recreational products which are used during different seasons. *Also see: Base Series*

Secondary Highways: Highways that serve primarily rural areas.

Secure Electronic Transaction (SET): In e-commerce, a system for guaranteeing the security of financial transactions conducted over the Internet.

Sea Way Bill - Bill of lading used for through consignment; no original bill of lading required, I.D. only.



Sea-Air - Container moving both modes. Movement of cargo by sea to connecting discharge port, then air freighted to ultimate destination.

Seals - Attached to locking device to prevent pilferage and certify no tampering, made of plastic or aluminum attached by Customs or carrier.

Self Sustained Vessel - Vessel that doesn't require shore equipment to load/unload cargo.

Self Billing: A transportation industry strategy which prescribes that a carrier will accept payment based on the tender document provided by the shipper.

Self Correcting: A computer term for an online process that validates data and won't allow the data to enter the system unless all errors are corrected.

Sell In: Units which are sold to retail stores by the manufacturer or distributor for re-sale to consumers. The period of time in a Product Life Cycle where the manufacture works with it's resellers to market and build inventory for sale. *Also see: Sell Through*

Sell Through: Units sold from retail stores to customers. The point in a Product Life Cycle where initial consumption rates are developed and demand established. *Also See: Sell In*

Selling, General and Administrative (SG&A) Expenses: Includes marketing, communication, customer service, sales salaries and commissions, occupancy expenses, unallocated overhead, etc. Excludes interest on debt, domestic or foreign income taxes, depreciation and amortization, extraordinary items, equity gains or losses, gain or loss from discontinued operations and extraordinary items.

Separable Cost: A cost that can be directly assignable to a particular segment of the business.

Serial Number: A unique number assigned for identification to a single piece that will never be repeated for similar pieces. Serial numbers are usually applied by the manufacturer but can be applied at other points, including by the distributor or wholesaler. Serial numbers can be used to support traceability and warranty programs.

Serpentine Picking: A method used for picking warehouse orders wherein the pickers are directed to pick from racks on both sides of an aisle as they move from one end to the other. A different method would be to pick from one side (front to back) then from the opposite side (back to front). Where used, serpentine picking can halve travel time and improve traffic flow down the aisles.

Service Level: A measure (usually expressed as a percentage) of satisfying demand through inventory or by the current production schedule in time to satisfy the customer's requested delivery dates and quantities.



Service Oriented Architecture (SOA): A computer system term which describes an software architectural concept that defines the use of services to support business requirements. In an SOA, resources are made available to other participants in the network as independent services that are accessed in a standardized way. Most definitions of SOA identify the use of web services (using SOAP and WSDL) in its implementation, however it is possible to implement SOA using any service-based technology.

Service Parts Revenue: The sum of the value of sales made to external customers and the transfer price valuation of sales within the company of repair or replacement parts and supplies, net of all discounts, coupons, allowances, and rebates.

Set Point - Specific temperature that a refrigerated container has been set to keep. Ideally the set point and the actual temperature should be identical throughout the voyage.

Setup Costs: The costs incurred in staging the production line to produce a different item.

Shared Services: Consolidation of a company's back-office processes to form a spinout (or a separate "shared services" unit, to be run like a separate business), providing services to the parent company and, sometimes, to external customers. Shared services typically lower overall cost due to the consolidation, and may improve support as a result of focus.

Shareholder Value: Combination of profitability (revenue and costs) and invested capital (working capital and fixed capital).

Shelf Life: The amount of time an item may be held in inventory before it becomes unusable. Shelf life is a consideration for food and drugs which deteriorate over time, and for high tech products which become obsolete quickly.

Shed - Small building that holds LTL cargo for loading vessel.

Shingo's Seven Wastes: Shigeo Shingo, a pioneer in the Japanese Just-in-Time philosophy, identified seven barriers to improving manufacturing. They are 1) waste of overproduction, 2) waste of waiting, 3) waste of transportation, 4) waste of stocks, 5) waste of motion, 6) waste of making defects, and 7) waste of the processing itself.

Ship Agent: A liner company or tramp ship operator representative who facilitates ship arrival, clearance, loading and unloading, and fee payment while at a specific port.

Ship Broker: A firm that serves as a go-between for the tramp ship owner and the chartering consignor or consignees.

Shipper: The party that tenders goods for transportation.

Shipper-Carriers: Shipper-carriers (also called private carriers) are companies with goods to be



shipped that own or manage their own vehicle fleets. Many large retailers, particularly groceries and "big box" stores, are shipper-carriers.

Shipper's Agent: A firm that acts primarily to match up small shipments, especially single-traffic

piggyback loads to permit use of twin-trailer piggyback rates.

Shipper's Association: A nonprofit, cooperative consolidator and distributor of shipments owned or shipped by member firms; acts in much the same way as for-profit freight forwarders.

Shipping: The function that performs tasks for the outgoing shipment of parts, components, and products. It includes packaging, marking, weighing, and loading for shipment.

Shipping Lane: A predetermined, mapped route on the ocean that commercial vessels tend to follow between ports. This helps ships avoid hazardous areas. In general transportation, the logical route between the point of shipment and the point of delivery used to analyze the volume of shipment between two points.

Shipping Manifest: A document that lists the pieces in a shipment. A manifest usually covers an entire load regardless of whether the load is to be delivered to a single destination or many destinations. Manifests usually list the items, piece count, total weight, and the destination name and address for each destination in the load.

Ship's Chandlers - Suppliers of various items to the vessel.

Shipper - Group, company, person designated on OBL who sold cargo to ultimate receiver of goods.

Service Contract - A rate negotiable and agreed to between two parties allowing for a particular rate based on volume; written agreement between carrier and customer for specified rate, volume, and service level by carrier over an agreed time.

Shipper Pool - Where containers belonging to shipper are stored.

Shipper's Load Stow & Count - Contents of a container as stowed and counted by shipper. Cargo loaded and stowed by shipper in container; CY load.

Shipper's Reference Number - A shipper's ID number for a shipment.

Shipping Act of 1984 - Congressional legislation establishing U.S. regulations for the ocean transportation industry.

Shipside - Cargo located alongside vessel.

Shop Floor Production Control Systems: The systems that assign priority to each shop order,



maintaining work-in-process quantity information, providing actual output data for capacity control purposes and providing quantity by location by shop order for work-in-process inventory and accounting purposes.

Short-Haul Discrimination: Charging more for a shorter haul than for a longer haul over the same route, in the same direction, and for the same commodity.

Short Shipment: Piece of freight missing from shipment as stipulated by documents on hand.

Shrinkage: Reductions of actual quantities of items in stock, in process, or in transit. The loss may be caused by scrap, theft, deterioration, evaporation, etc.

Short Landed - Cargo volume count less than originally shipped.

Short Shipped - Cargo missing a vessel that originally intended for due to carrier's option.

Sigma: A Greek letter commonly used to designate the standard deviation of a population. Sigma is a statistical term that measures how much a process varies from perfection, based on the number of defects per million units.

One Sigma = 690,000 per million units

Two Sigma = 308,000 per million units

Three Sigma = 66,800 per million units

Four Sigma = 6,210 per million units

Five Sigma = 230 per million units

Six Sigma = 3.4 per million units

Silo: Also frequently called "Foxhole" or "Stovepipe", relates to a management / organization style where each functional unit operates independently, and with little or no collaboration between them on major business processes and issues.

Simulation: A mathematical technique for testing the performance of a system due to uncertain inputs and/or uncertain system configuration options. Simulation produces probability distributions for the behavior (outputs) of a system. A company may build a simulation model of its build plan process to evaluate the performance of the build plan under multiple scenarios on product demand.

Single-Period Inventory Models: Inventory models used to define economical or profit maximizing lot-size quantities when an item is ordered or produced only once, e.g., newspapers, calendars, tax guides, greeting cards, or periodicals, while facing uncertain demands.

Single Sourcing: When an organization deliberately chooses to use one supplier to provide a product or service, even though there are other suppliers available.

Single Source Leasing: Leasing both the truck and driver from one source.



Six-Sigma Quality: A term used generally to indicate that a process is well controlled, i.e., tolerance limits are ± 6 sigma (3.4 defects per million events) from the centerline in a control chart. Six Sigma's goal is to define processes and manage those processes to obtain the lowest possible level of error— thus it can be applied to virtually any process, not just manufacturing. The term is usually associated with Motorola, which named one of its key operational initiatives Six-Sigma Quality.

Skills Matrix: A visible means of displaying people's skill levels in various tasks. Used in a team environment to identify the skills required by the team and which team members have those skills.

Sleeper Team: The use of two drivers to operate a truck equipped with a sleeper berth; while one driver sleeps in the berth to accumulate the mandatory off-duty time, the other driver operates the vehicle.

Sleepsheet - Method of loading packages in a container via a thin liner board and forklift.

Slip Seat Operation: A term used to describe a motor carrier relay terminal operation where one driver is substituted for another who has accumulated the maximum driving time hours.

Slip Sheet: Similar to a pallet, the slip sheet, which is made of cardboard or plastic, is used to facilitate movement of unitized loads.

Slot - Compartment for containers; space on vessel for container.

Slot Based Production: A lean manufacturing term used to describe a production system which has been level loaded (Heijunka) with a few slots held open for situations where demand must be met immediately.

Slotting: Inventory slotting or profiling is the process of identifying the most efficient placement for each item in a distribution center. Since each warehouse is different, proper slotting depends on a facility's unique product, movement, and storage characteristics. An optimal profile allows workers to pick items more quickly and accurately and reduces the risk of injuries.

Slot Charter - Carrier charters slot space on other carrier's vessel.

Slurry: Dry commodities that are made into a liquid form by the addition of water or other fluids to permit movement by pipeline.

Small Group Improvement Activity: An organizational technique for involving employees in continuous improvement activities. *Also see: Quality Circle*

Smart and Secure Trade Lanes (SST): Private initiative of the Strategic Council on Security Technology, an assembly of executives from port operators, major logistics technology providers, transportation consultancies, and former generals and public officials. Aims to



enhance the safety, security and efficiency of cargo containers and their contents moving through the global supply chain into U.S. ports.

Smart Label: A label that has an RFID tag integrated into it.

Society of Logistics Engineers: A professional association engaged in the advancement of logistics technology and management.

Software as Services (SaS): A term which describes the use of computer systems provided by a remote third party, similar to what has traditionally been called a "Service Bureau" or "Application Service Provider (ASP)". In this setting the service provider maintains all of the computer hardware and software at their location, while the user accesses the systems via an internet connection and is charged a rate based on access time. Sometimes also referred to as "On Demand" services.

Sole Sourcing: When there is only one supplier for a product or service, and no alternate suppliers are available.

Sortation: Separating items (parcels, boxes, cartons, parts, etc.) according to their intended destination within a plant or for transit.

Spam: A computer industry term referring to the Act of sending identical and irrelevant postings to many different newsgroups or mailing lists. Usually this posting is something that has nothing to do with the particular topic of a newsgroup or of no real interest to the person on the mailing list.

Special-Commodities Carrier: A common carrier trucking company that has authority to haul a special commodity; there are 16 special commodities, such as household goods, petroleum products, and hazardous materials.

Special-Commodity Warehouses: A warehouse that is used to store products that require unique types of facilities, such as grain (elevator), liquid (tank), and tobacco (barn).

Specific, Measurable, Achievable, Realistic, Time-Based (SMART): A shorthand description of a way of setting goals and targets for individuals and teams.

Splash Page: A "first" or "front" page that you often see on some websites, usually containing a "click-through" logo or message, or a fancy Flash presentation, announcing that you have arrived. The main content and navigation on the site lie "behind" this page (a.k.a. the homepage or "welcome page").

Split Case Order Picking: A process used to fill orders for quantities less than a full case thereby requiring ordered items to be picked from a case or some similar container.



Split Delivery: A method by which a larger quantity is ordered on a purchase order to secure a lower price, but delivery is divided into smaller quantities and spread out over several dates to control inventory investment, save storage space, etc.

Spot: To move a trailer or boxcar into place for loading or unloading.

Spot Demand: Demand, having a short lead time that is difficult to estimate. Usually supply for this demand is provided at a premium price. An example of spot demand would be when there's a spiked demand for building materials as a result of a hurricane.

Spur Track: A railroad track that connects a company's plant or warehouse with the railroad's track; the cost of the spur track and its maintenance is borne by the user.

SS - Steamship.

ST - 1 Short Ton = 2,000 lbs.

Stable Demand: Products for which demand does not fluctuate widely at specific points during the year.

Staff Functions: The support activities of planning and analysis provided to assist line managers with daily operations. Logistics staff functions include location analysis, system design, cost analysis, and planning.

Staging: 1) Pulling material for an order from inventory before the material is required. Staging is a means to ensure that all required materials are and will be available for use at time of assembly. The downside to staging is that it creates additional WIP inventory and reduces flexibility. 2) Placing trailers. *Also see: Accumulation Bin*

Stakeholders: People with a vested interest in a company or in a project, including managers, employees, stockholders, customers, suppliers, and others.

Stand Up Fork Lift: A forklift where the operator stands rather than sits. Most commonly used in case picking operations where the operator must get on and off the lift frequently.

Standard Carrier Alpha Code (SCAC/SCAC Code): A unique 2 to 4-letter code assigned to transportation companies for identification purposes. SCAC codes are required for EDI, and are printed on bills of lading and other transportation documents.

Standard Components: Components (parts) of a product, for which there is an abundance of suppliers. Not difficult to produce. An example would be a power cord for a computer.



Standard Cost Accounting System: A cost accounting system that uses cost units determined before production for estimating the cost of an order or product. For management control purposes, the standards are compared to actual costs, and variances are computed.

Standard Deviation/Variance: Measures of dispersion for a probability distribution. The variance is the average squared difference of a distribution from the distribution's mean (average) value. The standard deviation is defined mathematically as the square root of the variance, and is thereby expressed in the same units as the random variable that's described by the probability distribution. A distribution that varies widely about its mean value will have a larger standard deviation/variance than a distribution with less variation about its mean value.

Standard Industrial Classification (SIC): Classification codes that are used to categorize companies into industry groupings.

Start Manufacture to Order Complete Manufacture: Average lead-time from the time manufacturing begins to the time end products are ready for shipment, including the following subelements: order configuration verification, production scheduling, time to release order to manufacturing or distribution, and build or configure time. (An element of Order Fulfillment Lead Time)

Stack Train - Containers placed two high on rail car.

Stacking Cone - Metal cone for stacking containers.

Statement of Work (SOW): 1) A description of products to be supplied under a contract. A good practice is for companies to have SOWs in place with their trading partners – especially for all top suppliers. 2) In projection management, the first project planning document that should be prepared. It describes the purpose, history, deliverables, and measurable success indicators for a project. It captures the support required from the customer and identifies contingency plans for events that could throw the project off course. Because the project must be sold to management, staff, and review groups, the statement of work should be a persuasive document.

Statistical Process Control (SPC): A visual means of measuring and plotting process and product variation. Results are used to adjust variables and maintain product quality.

Statutory Notice - Specific time period before a rate regulation can become effective.

STC - Said to Contain. Amount and description of cargo with container.

Stevedore - Terminal operator who is designated to facilitate the operation of loading and discharging vessels and various terminal activities.

Steamship Conferences: Collective rate-making bodies for liner water carriers.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Stickering: Placing customer-specific stickers on boxes of product. An example would be where Wal-Mart has a request for their own product codes to be applied to retail boxes prior to shipment.

Stochastic Models: Models where uncertainty is explicitly considered in the analysis.

Storage Charge - Charge for goods held in railroad or other warehouses under fixed agreement for periods of time, and which is not included in other service arrangement.

Store Door Delivery - Movement of goods to the consignee's place of business, customarily applied to movement by truck.

Stowage - Space in vessel where cargo is stowed.

Stock Keeping Unit (SKU): A category of unit with unique combination of form, fit, and function (i.e. unique components held in stock). To illustrate: If two items are indistinguishable to the customer, or if any distinguishing characteristics visible to the customer are not important to the customer, so that the customer believes the two items to be the same, these two items are part of the same SKU. As a further illustration consider a computer company that allows customers to configure a product from a standard catalogue components, choosing from three keyboards, three monitors, and three CPUs. Customers may also individually buy keyboards, monitors, and CPUs. If the stock were held at the configuration component level, the company would have nine SKUs. If the company stocks at the component level, as well as at the configured product level, the company would have 36 SKUs. (9 component SKUs + 3*3*3 configured product SKUs. If as part of a promotional campaign the company also specially packaged the products, the company would have a total of 72 SKUs.

Stock Out: A term used to refer to a situation where no stock was available to fill a request from a customer or production order during a pick operation. Stock outs can be costly, including the profit lost for not having the item available for sale, lost goodwill, substitutions. *Also referred to Out of Stock (OOS)*

Stockchase: Moving shipments through regular channels at an accelerated rate; to take extraordinary action because of an increase in relative priority. *Synonym: Expediting*

Stockless Purchasing: A practice whereby the buyer negotiates a price for the purchases of annual requirements of MRO items and the seller holds inventory until the buyer places an order for individual items.

Stockout Cost: The opportunity cost associated with not having sufficient supply to meet demand.

Stovepipe: *See Silo*



Straight Truck: A truck which has the driver's cab and the trailer combined onto a single frame.

Straight trucks do not have a separate tractor and trailer. The driving compartment, engine and trailer are one unit.

Straddle Carrier - Machine used for positioning containers in yard.

Straight Frame - Type of chassis used to move containers.

Strategic Alliance: Business relationship in which two or more independent organizations cooperate and willingly modify their business objectives and practices to help achieve long-term goals and objectives. *Also see: Marquee Partners*

Strategic Planning: Looking one to five years into the future and designing a logistical system (or systems) to meet the needs of the various businesses in which a company is involved.

Strategic Sourcing: The process of determining long-term supply requirements, finding sources to fulfill those needs, selecting suppliers to provide the services, negotiating the purchase agreements and managing the suppliers' performance. Focuses on developing the most effective relationships with the right suppliers, to ensure that the right price is paid and that lifetime product costs are minimized. It also assesses whether services or processes would provide better value if they were outsourced to specialist organizations.

Strategic Variables: The variables that effect change in the environment and logistics strategy. The major strategic variables include economics, population, energy, and government.

Strategy: A specific action to achieve an objective.

Stretch Wrap: Clear plastic film that is wrapped around a unit load or partial load of product to secure it. The wrap is elastic.

Stripping - Physical removal of cargo from the carrier's container (Unstuffing).

Stores: The function associated with the storage and issuing of items that are frequently used. Also frequently seen as an alternative term for warehouse.

Stuffing - Physical loading of cargo into carrier's container.

Sub-Optimization: Decisions or activities in a part made at the expense of the whole. An example of sub-optimization is where a manufacturing unit schedules production to benefit its cost structure without regard to customer requirements or the effect on other business units.



Subcontracting: Sending production work outside to another manufacturer. This can involve specialized operations such as plating metals, or complete functional operations. *Also see: Outsource*

Substitutability: The ability of a buyer to substitute the products of different sellers.

Sunk Cost: 1) The unrecovered balance of an investment. It is a cost, already paid, that is not relevant to the decision concerning the future that is being made. Capital already invested that for some reason cannot be retrieved. 2) A past cost that has no relevance with respect to future receipts and disbursements of a facility undergoing an economic study. This concept implies that since a past outlay is the same regardless of the alternative selected, it should not influence the choice between alternatives.

Surrogate [item] Driver: A substitute for the ideal driver, but is closely correlated to the ideal driver, where [item] is Resource, Activity, Cost Object. A surrogate driver is used to significantly reduce the cost of measurement while not significantly reducing accuracy. For example, the number of production runs is not descriptive of the material disbursing activity, but the number of production runs may be used as an activity driver if material disbursements correlate well with the number of production runs.

Sufferance Warehouse - Bonded Customs warehouse in Canada.

Supermarket Approach: An inventory management and picking technique used in lean enterprises. This concept was conceived by Taiichi Ohno of Toyota after a visit to the US in 1956 where he was impressed by how consumers could pick whatever they need from the shelf, and the store would simply replenish what was taken. This became the basis for the "pull system".

Supplier: 1) A provider of goods or services. *Also see: Vendor* 2) A seller with whom the buyer does business, as opposed to vendor, which is a generic term referring to all sellers in the marketplace.

Supplier Certification: Certification procedures verifying that a supplier operates, maintains, improves, and documents effective procedures that relate to the customer's requirements. Such requirements can include cost, quality, delivery, flexibility, maintenance, safety, and ISO quality and environmental standards.

Supplier-Owned Inventory: A variant of Vendor-Managed Inventory and Consignment Inventory. In this case, the supplier not only manages the inventory, but also owns the stock close to or at the customer location until the point of consumption or usage by the customer.

Supplemental Carrier: A for-hire air carrier subject to economic regulations; the carrier has no time schedule or designated route; service is provided under a charter or contract per plane per trip.



Supply Chain: 1) starting with unprocessed raw materials and ending with the final customer using the finished goods, the supply chain links many companies together. 2) the material and informational interchanges in the logistical process stretching from acquisition of raw materials to delivery of finished products to the end user. All vendors, service providers and customers are links in the supply chain.

Supply Chain Council: A non-profit organization dedicated to improving the supply chain efficiency of its members. The Supply-Chain Council's membership consists primarily practitioners representing a broad cross section of industries, including manufacturers, services, distributors, and retailers. It is the organization responsible for the SCOR standards.

Supply Chain Design: The determination of how to structure a supply chain. Design decisions include the selection of partners, the location and capacity of warehouse and production facilities, the products, the modes of transportation, and supporting information systems.

Supply Chain Execution (SCE): The ability to move the product out the warehouse door. This is a critical capacity and one that only brick-and-mortar firms bring to the B2B table. Dot-coms have the technology, but that's only part of the equation. The need for SCE is what is driving the Dot-coms to offer equity partnerships to the wholesale distributors.

Supply Chain Event Management (SCEM): SCEM is an application that supports control processes for managing events within and between companies. It consists of integrated software functionality that supports five business processes: monitor, notify, simulate, control and measure supply chain activities.

Supply Chain Integration (SCI): Likely to become a key competitive advantage of selected emarket places. Similar concept to the Back-End Integration, but with greater emphasis on the moving of goods and services.

Supplier - Person supplying materials to exporter/shipper/consignee/importers.

Supply Vessel - Vessel that carries supplies from shore to platform.

Supply Chain Inventory Visibility: Software applications that permit monitoring events across a supply chain. These systems track and trace inventory globally on a line-item level and notify the user of significant deviations from plans. Companies are provided with realistic estimates of when material will arrive.

Supply Chain Management (SCM) as defined by the Council of Supply Chain Management Professionals (CSCMP): "Supply Chain Management encompasses the planning and management of all activities involved in sourcing and procurement, conversion, and all logistics management activities. Importantly, it also includes coordination and collaboration with channel partners, which can be suppliers, intermediaries, third-party service providers, and customers. In essence, supply chain management integrates supply and demand management within and across



companies. Supply Chain Management is an integrating function with primary responsibility for linking major business functions and business processes within and across companies into a cohesive and high-performing business model. It includes all of the logistics management activities noted above, as well as manufacturing operations, and it drives coordination of processes and activities with and across marketing, sales, product design, finance and information technology.”

Supply Chain Network Design Systems: The systems employed in optimizing the relationships among the various elements of the supply chain manufacturing plants, distribution centers, points-of sale, as well as raw materials, relationships among product families, and other factors-to synchronize supply chains at a strategic level.

Supply Chain Operations Reference Model (SCOR): This is the model developed by the Supply-Chain Council SCC and is built around six major processes: plan, source, make, deliver, return and enable. The aim of the SCOR is to provide a standardized method of measuring supply chain performance and to use a common set of metrics to benchmark against other organizations.

Supply Chain-Related Finance and Planning Cost Element: One of the elements comprising a company's total supply-chain management costs. These costs consist of the following:

1. Supply-Chain Finance Costs: Costs associated with paying invoices, auditing physical counts, performing inventory accounting, and collecting accounts receivable. Does NOT include customer invoicing/ accounting costs (see Order Management Costs).
2. Demand/Supply Planning Costs: Costs associated with forecasting, developing finished goods, intermediate, subassembly or end item inventory plans, and coordinating Demand/Supply

Supply Chain-Related IT Costs: Information Technology (IT) costs (in US dollars) associated with major supply-chain management processes as described below. These costs should include: Development costs (costs incurred in process reengineering, planning, software development, installation, implementation, and training associated with new and/or upgraded architecture, infrastructure, and systems to support the described supply-chain management processes), Execution costs (operating costs to support supply-chain process users, including computer and network operations, EDI and telecommunications services, and amortization/depreciation of hardware, Maintenance costs (costs incurred in problem resolution, troubleshooting, repair, and routine maintenance associated with installed hardware and software for described supply-chain management processes. Include costs associated with data base administration, systems configuration control, release planning and management. These costs are associated with the following processes:

- PLAN

1. Product Data Management - Product phase-in/phase-out and release; post introduction support & expansion; testing and evaluation; end-of-life inventory management. Item master definition and control.
2. Forecasting and Demand/Supply Manage and Finished Goods - Forecasting; end-item inventory planning, DRP, production master scheduling for all products, all channels.



• SOURCE

1. Sourcing/Material Acquisition - Material requisitions, purchasing, supplier quality engineering, inbound freight management, receiving, incoming inspection, component engineering, tooling acquisition, accounts payable.
2. Component and Supplier Management - Part number cross-references, supplier catalogs, approved vendor lists.
3. Inventory Management - Perpetual and physical inventory controls and tools.

• MAKE

1. Manufacturing Planning - MRP, production scheduling, tracking, mfg. engineering, mfg. documentation management, inventory/obsolescence tracking.
2. Inventory Management - Perpetual and physical inventory controls and tools.
3. Manufacturing Execution - MES, detailed and finite interval scheduling, process controls and machine scheduling.

• DELIVER

1. Order Management - Order entry/ maintenance, quotes, customer database, product/price database, accounts receivable, credits and collections, invoicing.
2. Distribution and Transportation Management - DRP shipping, freight management, traffic management.
3. Inventory Management - Perpetual and physical inventory controls and tools.
4. Warehouse Management - Finished goods, receiving and stocking, pick/pack.
5. Channel Management - Promotions, pricing and discounting, customer satisfaction surveys.
6. Field Service/Support - Field service, customer and field support, technical service, service/call management, returns and warranty tracking.

• EXTERNAL ELECTRONIC INTERFACES

Plan/Source/Make/Deliver - Interfaces, gateways, and data repositories created and maintained to exchange supply-chain related information with the outside world. E-Commerce initiatives. Includes development and implementation costs.

Note: Accurate assignment of IT-related cost is challenging. It can be done using Activity-Based-Costing methods, or using other approaches such as allocation based on user counts, transaction counts, or departmental headcounts. The emphasis should be on capturing all costs. Costs for any IT activities that are outsourced should be included.

Supply Chain Resiliency: A term describing the level of hardening of the supply chain against disasters.

Supply Chain Strategy Planning: The process of process of analyzing, evaluating, defining supply chain strategies, including network design, manufacturing and transportation strategy and inventory policy.

Supply Chain Vulnerability: Of equal importance to Variability, Velocity and Volume in the elements of the Supply Chain. The term evaluates the supply chain based on the level of acceptance of the five steps of disaster logistics being planning, detection, mitigation, response and recovery.



Supply Planning: The process of identifying, prioritizing, and aggregating, as a whole with constituent parts, all sources of supply that are required and add value in the supply chain of a product or service at the appropriate level, horizon and interval.

Supply Planning Systems: The process of identifying, prioritizing, and aggregating, as a whole with constituent parts, all sources of supply that are required and add value in the supply chain of a product or service at the appropriate level, horizon and interval.

Supply Warehouse: A warehouse that stores raw materials. Goods from different suppliers are picked, sorted, staged, or sequenced at the warehouse to assemble plant orders.

Support Costs: Costs of activities not directly associated with producing or delivering products or services. Examples are the costs of information systems, process engineering and purchasing.
Also see: Indirect Cost

Surcharge: An add-on charge to the applicable charges; motor carriers have a fuel surcharge, and railroads can apply a surcharge to any joint rate that does not yield 110% of variable cost.

Sustaining Activity: An activity that benefits an organizational unit as a whole, but not any specific cost object.

SWAS: Store-Within-A-Store.

Switch Engine: A railroad engine that is used to move rail cars short distances within a terminal and plant.

Switching Company: A railroad that moves rail cars short distances; switching companies connect two mainline railroads to facilitate through movement of shipments.

SWOT: *See SWOT Analysis*

SWOT Analysis: An analysis of the strengths, weaknesses, opportunities, and threats of and to an organization. SWOT analysis is useful in developing strategy.

Synchronization: The concept that all supply chain functions are integrated and interact in real time; when changes are made to one area, the effect is automatically reflected throughout the supply chain.

Syntax: The grammar or rules which define the structure of the EDI standard.

Surcharges - Additional charges above ocean freight (See [Add Ons](#)).

Surveyor - One who is hired to verify damages.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

System: A set of interacting elements, variables, parts, or objects that are functionally related to each other and form a coherent group.

Systems concept: A decision-making strategy that emphasizes overall system efficiency rather than the efficiency of the individual part of the system.



T & E - Transfer and Export. A Customs Document.

Tactical Planning: The process of developing a set of tactical plans (e.g., production plan, sales plan, marketing plan, and so on). Two approaches to tactical planning exist for linking tactical plans to strategic plans—production planning and sales and operations planning. *See: Sales and operational planning, strategic planning.*

Taguchi Method: A concept of off-line quality control methods conducted at the product and process design stages in the product development cycle. This concept, expressed by Genichi Taguchi, encompasses three phases of product design: system design, parameter design, and tolerance design. The goal is to reduce quality loss by reducing the variability of the product's characteristics during the parameter phase of product development.

Takt Time: Sets the pace of production to match the rate of customer demand and becomes the heartbeat of any lean production system. It is computed as the available production time divided by the rate of customer demand. For example, assume demand is 10,000 units per month, or 500 units per day, and planned available capacity is 420 minutes per day. The takt time = 420 minutes per day/ 500 units per day = 0.84 minutes per unit. This takt time means that a unit should be planned to exit the production system on average every 0.84 minutes.

Tally Sheet: A printed form on which companies record, by making an appropriate mark, the number of items they receive or ship. In many operations, tally sheets become a part of the permanent inventory records.

Tandem: A truck that has two drive axles or a trailer that has two axles.

Tank Cars: Rail cars that are designed to haul bulk liquids or gas commodities.

Tanker - Carries liquid commodities (oil, etc.).

Tanker Tainer - Container used to transport liquid commodities.

Tapering Rate: A rate that increases with distance but not in direct proportion to the distance the commodity is shipped.

Tare Weight - Weight of an empty container. Gross weight = net weight + tare weight.



Target Costing: A target cost is calculated by subtracting a desired profit margin from an estimated

or a market-based price to arrive at a desired production, engineering, or marketing cost. This may not be the initial production cost, but one expected to be achieved during the mature production stage. Target costing is a method used in the analysis of product design that involves estimating a target cost and then designing the product/service to meet that costs

Tariff - List of rules, regulations and rates applicable to specific trade lanes. Document with regulations and rates applicable to specific trade lanes. A schedule of charges to move commodities between two areas.

Tasks: The breakdown of the work in an activity into smaller elements.

Task Interleaving: A method of combining warehouse picking and putaway. Warehouse Management Systems (WMS) use logic to direct (typically with an RF terminal) a lift truck operator to put away a pallet en route to the next pick. The idea is to reduce "deadheading" or driving empty material handling equipment around the warehouse.

Technical Components: Component (part) of a product for which there is a limited number of suppliers. These parts are hard to make, and require much more lead time and expertise on the part of the supplier to produce than standard components do.

Temporary authority: The ICC may grant a temporary operating authority as a common carrier for up to 270 days.

Ten Principles: A principle is a general rule, fundamental, or other statement of an observed truth. Over time certain fundamental truths of material handling have been found to exist. The "principles" of material handling are often useful in analyzing, planning and managing material handling activities and systems. At the very least they form a basic foundation upon which one can begin building expertise in material handling. These principles, serve as a starting point to identifying potential problems and assessing need, are:

1. Planning
2. Standardization
3. Work
4. Ergonomic
5. Unit Load
6. Space Utilization
7. System
8. Automation
9. Environment
10. Life Cycle Cost

Tender: The document which describes a business transaction to be performed.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Terminal Delivery Allowance: A reduced rate offered in return for the shipper of consignee tendering or picking up the freight at the carrier's terminal.

Terminal - Building closely aligned to dock used to collect, store and dispatch cargo.

Terms and conditions (T's & C's): All the provisions and agreements of a contract.

TEU - Twenty Foot Unit. Twenty Foot Equivalent container.

Theoretical Cycle Time: The back-to-back process time required for a single unit to complete all stages of a process without waiting, stoppage, or time lost due to error.

Theory of Constraints (TOC): A production management theory which dictates that volume is controlled by a series of constraints related to work center capacity, component availability, finance, etc. Total throughput cannot exceed the capacity of the smallest constraint, and any inventory buffers or excess capacity at non-related work centers is waste.

THC - Terminal Handling Charge. Charge assessed by the terminal for the positioning of cargo within the terminal/yard.

Tiers - A horizontal division of a vessel from bottom to top. The numbers run from bottom to deck and from deck upwards and are used as a part of the indication of a stowage place for containers.

Third-Party Logistics (3PL): Outsourcing all or much of a company's logistics operations to a specialized company. The term "3PL" was first used in the early 1970s to identify intermodal marketing companies (IMCs) in transportation contracts. Up to that point, contracts for transportation had featured only two parties, the shipper and the carrier. When IMCs entered the picture—as intermediaries that accepted shipments from the shippers and tendered them to the rail carriers—they became the third party to the contract, the 3PL. But over the years, that definition has broadened to the point where these days, every company that offers some kind of logistics service for hire calls itself a 3PL

Third Party Logistics Provider: A firm which provides multiple logistics services for use by customers. Preferably, these services are integrated, or "bundled" together by the provider. These firms facilitate the movement of parts and materials from suppliers to manufacturers, and finished products from manufacturers to distributors and retailers. Among the services which they provide are transportation, warehousing, cross-docking, inventory management, packaging, and freight forwarding.

Third-Party Warehousing: The outsourcing of the warehousing function by the seller of the goods.



Three-layer Framework: A basic structure and operational activity of a company; the three layers include operational systems, control and administrative management, and master planning.

Throughput: A measure of volume through a process such as warehousing output volume (weight, number of units). Also, the total amount of units received plus the total amount of units shipped, divided by two.

Time Based Order System: *See Fixed Reorder Cycle Inventory Model*

Time Bucket: A number of days of data summarized into a columnar display. A weekly time bucket would contain all of the relevant data for an entire week. Weekly time buckets are considered to be the largest possible (at least in the near and medium term) to permit effective MRP.

Time Fence: A policy or guideline established to note where various restrictions or changes in operating procedures take place. For example, changes to the master production schedule can be accomplished easily beyond the cumulative lead time, while changes inside the cumulative lead time become increasingly more difficult to a point where changes should be resisted. Time fences can be used to define these points.

Time-Definite Services: Delivery is guaranteed on a specific day or at a certain time of the day.

Time/Service Rate: A rail rate that is based upon transit time.

Time-to-Product: The total time required to receive, fill, and deliver an order for an existing product to a customer, timed from the moment that the customer places the order until the customer receives the product.

Time Utility: A value created in a product by having the product available at the time desired. Transportation and warehousing create time utility.

Timetables: Time schedules of departures and arrivals by origin and destination; typically used for passenger transportation by air, bus, and rail.

To Order of - Shipper is owner of goods until endorsed B/L is presented to carrier by Shipper/receiver.

TOFC - Trailer on a Flat Car.

Ton-Mile: A measure of output for freight transportation; it reflects the weight of the shipment and the distance it is hauled; a multiplication of tons hauled and distance traveled.

Total Annual Material Receipts: The dollar amount associated with all direct materials received from Jan 1 to Dec 31.



Total Annual Sales: Total Annual Sales are Total Product Revenue plus post-delivery revenues (e.g., maintenance and repair of equipment, system integration) royalties, sales of other services, spare parts revenue, and rental/lease revenues.

Total Average Inventory: Average normal use stock, plus average lead stock, plus safety stock.

Total Cost Analysis: A decision-making approach that considers minimization of total costs and recognizes the interrelationship among system variables such as transportation, warehousing, inventory, and customer service.

Total Cost Curve: 1) In cost-volume-profit (breakeven) analysis, the total cost curve is composed of total fixed and variable costs per unit multiplied by the number of units provided. Breakeven quantity occurs where the total cost curve and total sales revenue curve intersect. *See: Break-even chart, Break-even point.* 2) In inventory theory, the total cost curve for an inventory item is the sum of the costs of acquiring and carrying the item. *Also see: Economic Order Quantity*

Total Cost of Ownership (TCO): Total cost of a computer asset throughout its lifecycle, from acquisition to disposal. TCO is the combined hard and soft costs of owning networked information assets. 'Hard' costs include items such as the purchase price of the asset, implementation fees, upgrades, maintenance contracts, support contracts, and disposal costs, license fees that may or may not be upfront or charged annually. These costs are considered 'hard costs' because they are tangible and easily accounted for.

Total Cumulative Manufacture Cycle Time: The average time between commencement of upstream processing and completion of final packaging for shipment operations as well as release approval for shipment. Do not include WIP storage time.

Calculation:

$[Average \# \text{ of units in WIP}] / [Average \text{ daily output in units}] - WIP \text{ days of supply}$

Total Inventory Days of Supply: Total gross value of inventory at standard cost before reserves for excess and obsolescence. Includes only inventory that is on the books and currently owned by the business entity. Future liabilities such as consignments from suppliers are not included.

Calculation:

$[5 \text{ Point Annual Average Gross Inventory}] / [Cost \text{ of Good Sold}/365]$

Top Handlers - Equipment that unloads/loads containers at container yard.

Total Make Cycle Time: The average total processing time between commencement of upstream processing and completion of all manufacturing process steps up to, but NOT including, packaging and labeling operations (i.e. from start of manufacturing to final formulated product ready for primary packaging). Do not include hold or test and release times.

Calculation:

$[Average \# \text{ of units in active manufacturing}] / [Average \text{ daily output in units}]$



Total Package and Label Cycle Time: The average total processing time between the commencement of the primary packaging and labeling steps to completion of the final packaging steps for shipment.

Calculation:

[Average # of units in packaging and labeling WIP] / [Average daily output in units]

Total Product Revenue: The total value of sales made to external customers plus the transfer price valuation of intra-company shipments, net of all discounts, coupons, allowances, and rebates. Includes only the intra-company revenue for product transferring out of an entity, installation services if these services are sold bundled with end products, and recognized leases to customers initiated during the same period as revenue shipments, with revenue credited at the average selling price. Note: Total Product Revenue excludes post-delivery revenues (maintenance and repair of equipment, system integration), royalties, sales of other services, spare parts revenue, and rental/lease revenues.

Total Productive Maintenance (TPM): Team based maintenance process designed to maximize machine availability and performance and product quality.

Total quality management (TQM): A management approach in which managers constantly communicate with organizational stakeholders to emphasize the importance of continuous quality improvement.

Total Sourcing Lead Time (95% of Raw Material Dollar Value): Cumulative lead time (total average combined inside-plant planning, supplier lead time [external or internal], receiving, handling, etc., from demand identification at the factory until the materials are available in the production facility) required to source 95% of the dollar value (per unit) of raw materials from internal and external suppliers.

Total Supply-Chain Management Cost (5 elements): Total cost to manage order processing, acquire materials, manage inventory, and manage supply-chain finance, planning, and IT costs, as represented as a percent of revenue. Accurate assignment of IT-related cost is challenging. It can be done using Activity-Based-Costing methods, or based on more traditional approaches. Allocation based on user counts, transaction counts, or departmental headcounts are reasonable approaches. The emphasis should be on capturing all costs, whether incurred in the entity completing the survey or incurred in a supporting organization on behalf of the entity. Reasonable estimates founded in data were accepted as a means to assess overall performance. All estimates reflected fully burdened actual inclusive of salary, benefits, space and facilities, and general and administrative allocations.

Calculation:

[Order Management Costs + Material Acquisition Costs + Inventory Carrying Costs + Supply-Chain-Related Finance and Planning Costs + Total Supply-Chain-Related IT Costs] / [Total Product Revenue] (Please see individual component categories for component detail and calculations)



Total Supply Chain Response Time: The time it takes to rebalance the entire supply chain after determining a change in market demand. Also, a measure of a supply chain's ability to change rapidly in response to marketplace changes.

Calculation:

[Forecast Cycle Time] + [Re-plan Cycle Time] + [Intra-Manufacturing Re-plan Cycle Time] + [Cumulative Source/Make Cycle Time] + [Order Fulfillment Lead Time]

Total Test and Release Cycle Time: The average total test and release time for all tests, documentation reviews, and batch approval processes performed from start of manufacturing to release of final packaged product for shipment.

Calculation:

[Average # of units in test and release] / [Average daily output in units]

Toto Authority: A private motor carrier receiving operating authority as a common carrier to haul freight for the public over the private carrier's backhaul; this type of authority was granted to the Toto Company in 1978.

Touch Labor: The labor that adds value to the product - assemblers, welders etc. This does not include indirect resources such as material handlers (mover and stage product, mechanical and electrical technicians responsible for maintaining equipment.

Touches: The number of times a labor action is taken during a manufacturing or assembly process. Touches are typically used to measure efficiency or for costing and pricing purposes.

TIR - Transport International des Merchandises par la Route; Trailer Interchange Receipt; Terminal Interchange Receipt; Transport International Route; Interchange receipt between trucker and ocean carrier; certificate of container/equipment condition at time of interchange. Document used for the interchange of containers showing condition of container when picked up at the terminal.

TOS - Terms of Sale (i.e., FOB/CIF/FAS).

Tracing: Determining where a shipment is during the course of a move.

Traceability: 1) The attribute allowing the ongoing location of a shipment to be determined. 2) The registering and tracking of parts, processes, and materials used in production, by lot or serial number.

Trading House - Consortium of buyers/sellers of various commodities at high volume.

Tracing: The practice of relating resources, activities and cost objects using the drivers underlying their cost causal relationships. The purpose of tracing is to observe and understand how costs are arising in the normal course of business operations. *Synonym: Assignment*



Tracking and Tracing: Monitoring and recording shipment movements from origin to destination.

Tracking Signal: The ratio of the cumulative algebraic sum of the deviations between the forecasts and the actual values to the mean absolute deviation. Used to signal when the validity of the forecasting model might be in doubt.

Tractor: The tractor is the driver compartment and engine of the truck. It has two or three axles.

Trading Partner: Companies that do business with each other via EDI (e.g., send and receive business documents, such as purchase orders).

Trading Partner Agreement: The written contract that spells out agreed upon terms between EDI trading partners.

Traffic: A department or function charged with the responsibility for arranging the most economic classification and method of shipment for both incoming and outgoing materials and products.

Traffic Management: The management and controlling of transportation modes, carriers and services.

Trailer - Container and chassis as one unit.

Trailer Drops: When a driver drops off a full truck at a warehouse and picks up an empty one.

Trailer on a Flatcar (TOFC): A specialized form of containerization in which motor and rail transport coordinate. *Synonym: Piggyback*

Tramp: An international water carrier that has no fixed route or published schedule; a tramp ship is chartered for a particular voyage or a given time period.

Transaction: A single completed transmission, e.g., transmission of an invoice over an EDI network. Analogous to usage of the term in data processing, in which a transaction can be an inquiry or a range of updates and trading transactions. The definition is important for EDI service operators, who must interpret invoices and other documents.

Transaction Set: Commonly used business transactions (e.g. purchase order, invoice, etc.) organized in a formal, structured manner, consisting of a Transaction Set header control segment, one or more Data Segments, and a Transaction Set trailer Control Data Segment.

Transaction Set ID: A three digit numerical representation that identifies a transaction set.



Transactional Acknowledgement: Specific Transaction Sets, such as the Purchase Order Acknowledgement (855), that both acknowledges receipt of an order and provides special status information such as reschedules, price changes, back order situation, etc.

Transfer Pricing: The pricing of goods or services transferred from one segment of a business to another. Transfer pricing generally includes the costs associated with performing the transfer and therefore item costs will be incrementally higher than when received through normal channels.

Transit Inventory: Inventory in transit between manufacturing and stocking locations, or between warehouses in a distributed warehousing model. *Also see: In-transit Inventory*

Transit Privilege: A carrier service that permits the shipper to stop the shipment in transit to perform a function that changes the commodity's physical characteristics but to pay the through rate.

Transit Time: The total time that elapses between a shipment's pickup and delivery.

Translation Software: Software that converts or "translates" business application data into EDI standard formats, and vice versa.

Transmission Acknowledgment: Acknowledgment that a total transmission was received with no errors detected

Transparency: The ability to gain access to information without regard to the systems landscape or architecture. An example would be where an online customer could access a vendor's web site to place an order and receive availability information supplied by a third party outsourced manufacturer or shipment information from a third party logistics provider. *See also: Visibility*

Tramp Vessel - Non-liner service where owner sends vessel wherever he can arrange business.

Transportation Association of America: An association that represents the entire U.S. Transportation system, carriers, users, and the public; now defunct.

Transportation Management System (TMS): A computer system designed to provide optimized transportation management in various modes along with associated activities, including managing shipping units, labor planning and building, shipment scheduling through inbound, outbound, intra company shipments, documentation management (especially when international shipping is involved), and third party logistics management.

Transportation Mode: The method of transportation: land, sea, or air shipment.



Transportation Planning: The process of defining an integrated supply chain transportation plan and maintaining the information which characterizes total supply chain transportation requirements, and the management of transporters both inter and intra company.

Transportation Planning Systems: The systems used in optimizing of assignments from plants to distribution centers, and from distribution centers to stores. The systems combine "moves" to ensure the most economical means are employed.

Transportation Requirements Planning (TRP): Utilizing computer technology and information already available in MRP and DRP databases to plan transportation needs based on field demand.

Transportation Research Board: A division of the National Academy of Sciences which pertains to transportation research.

Transportation Security Administration (TSA): TSA was created in response to the attacks of September 11th and signed into law in November 2001. TSA was originally in the Department of Transportation but was moved to the Department of Homeland Security in March 2003. TSA's mission is to protect the nation's transportation systems by ensuring the freedom of movement for people and commerce.

Transit Privilege: A carrier service that permits the shipper to stop the shipment in transit to perform a function that changes the commodity's physical characteristics, but to pay the through rate.

Transit Time: The total time that elapses from pickup to delivery of a shipment.

Transportation Association of America: An association that represents the entire U.S. transportation system—carriers, users, and the public; now defunct.

Transportation Method: A linear programming technique that determines the least-cost allocation of shipping goods from plants to warehouses or from warehouses to customers.

Transportation Research Forum: A professional association that provides a forum for the discussion of transportation ideas and research techniques.

Transshipment Problem: A variation of the transportation method of linear programming that considers consolidating shipments to one destination and reshipping from that destination.

Travel Agent: A firm that provides passenger travel information; air, rail, and steamship ticketing; and hotel reservations. The travel agent is paid a commission by the carrier and hotel.

Transloading - Taking cargo loaded on one vessel and delivered on another vessel by another line. One carrier utilizing another carrier's vessel to transport cargo to final destination.



TRC - Terminal Receiving Charge. Charge assessed by the terminal for cargo being delivered for export.

Trend: General upward or downward movement of a variable over time such as demand for a product. Trends are used in forecasting to help anticipate changes in consumption over time.

Trend Forecasting Models: Methods for forecasting sales data when a definite upward or downward pattern exists. Models include double exponential smoothing, regression, and triple smoothing.

Tri-Axle - A third axle used for supporting additional weight.

Truckload Carriers (TL): Trucking companies, which move full truckloads of freight directly from the point of origin to destination.

Truckload Lot: A truck shipment that qualifies for a lower freight rate because it meets a minimum weight and/or volume.

Trunk Lines: Oil pipelines that are used for the long-distance movement of crude oil, refined oil, or other liquid products.

Trucker's Depot - Where trucks load/unload cargo.

Tug Boats - Boats used to guide vessels in/out port.

Turnover: 1) Typically refers to Inventory Turnover. 2) In the United Kingdom and certain other countries, turnover refers to annual sales volume. *Also see: Inventory Turns*

Twenty-foot Equivalent Unit (TEU): Standard unit for counting containers of various capacities and for describing the capacities of container ships or terminals. One 20 Foot ISO container equals 1 TEU. One 40 Foot ISO container equals two TEU.

Two-Level Master Schedule: A master scheduling approach in which a planning bill of material is used to master schedule an end product or family, along with selected key features (options and accessories). *Also see: Production Forecast*

Two-Bin System: An inventory ordering system in which the time to place an order for an item is indicated when the first bin is empty. The second bin contains sufficient supply until the order is received.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



Ubiquity: Existence or apparent existence everywhere at the same time. A raw material that is found at all locations.

UCC: *GSI*

Umbrella Rate: An ICC rate-making practice that held rates to a particular level to protect the traffic of another mode.

Unbundled Payment/Remittance: The process where payment is delivered separately from its associated detail.

Uniform Code Council (UCC): *See GSI*

Uniform Communication Standard (UCS): A set of standard transaction sets for the grocery industry that allows computer-to-computer, paperless exchange of documents between trading partners. Using Electronic Data Interchange, UCS is a rapid, accurate and economical method of business communication; it can be used by companies of all sizes and with varying levels of technical sophistication.

Uniform Product Code (UPC): A standard product numbering and bar coding system used by the retail industry. UPC codes are administered by the Uniform Code Council; they identify the manufacturer as well as the item, and are included on virtually all retail packaging. *Also see: Uniform Code Council*

Uniform Resource Locator (URL): A string that supplies the Internet address of a website or resource on the World Wide Web, along with the protocol by which the site or resource is accessed. The most common URL type is http://, which gives the Internet address of a web page. Some other URL types are gopher://, which gives the Internet address of a Gopher directory, and ftp://, which gives the network location of an FTP resource.

Uniform Warehouse Receipts Act: The act that sets forth the regulations governing public warehousing. The regulations define the legal responsibility of a warehouse manager and define the types of receipts issued.

Underdeck Stowage - Cargo/container that is stowed below main deck. Stowed under deck.



Unit Cost: The cost associated with a single unit of product. The total cost of producing a product or service divided by the total number of units. The cost associated with a single unit of measure underlying a resource, activity, product or service. It is calculated by dividing the total cost by the measured volume. Unit cost measurement must be used with caution as it may not always be practical or relevant in all aspects of cost management.

Unit of Driver Measure: The common denominator between groupings of similar activities. Example: 20 hours of process time is performed in an activity center. This time equates to a number of common activities varying in process time duration. The unit of measure is a standard measure of time such as a minute or an hour.

Unit Load Device (ULD): Refers to airfreight containers and pallets.

Unit of Measure (UOM): The unit in which the quantity of an item is managed, e.g., pounds, each, box of 12, package of 20, or case of 144. Various UOMs may exist for a single item. For example, a product may be purchased in cases, stocked in boxes and issued in single units.

Unit-of-Measure Conversion: A conversion ratio used whenever multiple units-of-measure are used with the same item. For example, if you purchased an item in cases (meaning that your purchase order stated a number of cases rather than a number of pieces) and then stocked the item in each, you would require a conversion to allow your system to calculate how many eaches are represented by a quantity of cases. This way, when you received the cases, your system would automatically convert the case quantity into an each quantity.

Unit Train - Train comprised of containers from one container company.

United Nations Standard Product and Service Code (UN/SPSC): - developed jointly between the UN and Dun & Bradstreet (D&B). Has a five level coding structure (segment, family, class, commodity, business function) for nearly 9000 products.

United States Railway Association: The planning and funding agency for Conrail; created by the 3- R Act of 1973.

Unitize: To consolidate a number of packages into one unit; the several packages are strapped, banded, or otherwise attached together.

Unitization: In warehousing, the consolidation of several units into larger units for fewer handlings.

Unplanned Order: Orders which are received that do not fit into the volumes prescribed by the plans developed from forecasts.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Upcharges: Charges added to a bill, particularly a freight bill, to cover additional costs that were not envisioned when a contract was written. These might include costs related to rapidly increasing fuel charges or costs related to government mandates.

Upsell: The practice of attempting to sell a higher-value product to the customer.

Upside Production Flexibility: The number of days required to complete manufacture and delivery of an unplanned sustainable 20% increase in end product supply of the predominant product line. The one constraint that is estimated to be the principal obstacle to a 20% increase in end product supply, as represented in days, is Upside Flexibility: Principal Constraint. Upside Flexibility could affect three possible areas: direct labor availability, internal manufacturing capacity, and key components or material availability.

Upstream: Refers to the supply side of the supply chain. Upstream partners are the suppliers who provide goods and services to the organization needed to satisfy demands which originate at point of demand or use, as well as other flows such as return product movements, payments for purchases, etc. Opposite of downstream.

Urban Mass Transportation Administration: An agency of the U.S. Department of Transportation responsible for developing comprehensive mass transport systems for urban areas and for providing financial aid to transit systems.

USDA - United States Department of Agriculture.

Usage Rate: Measure of demand for product per unit of time (e.g., units per month, etc.).



Validation: To check whether a document is the correct type for a particular EDI system, as agreed upon by the trading partners, in order to determine whether the document is going to or coming from an authorized EDI user.

Value Added: Increased or improved value, worth, functionality or usefulness.

Value-Added Network (VAN): A company that acts as a clearing-house for electronic transactions between trading partners. A third-party supplier that receives EDI transmissions from sending trading partners and holds them in a "mailbox" until retrieved by the receiving partners.

Value-Added Productivity Per Employee: Contribution made by employees to total product revenue minus the material purchases divided by total employment. Total employment is total employment for the entity being surveyed. This is the average full-time equivalent employee in all functions, including sales and marketing, distribution, manufacturing, engineering, customer service, finance, general and administrative, and other. Total employment should include contract and temporary employees on a full-time equivalent (FTE) basis.

Calculation:

Total Product Revenue-External Direct Material / [FTE's]

Value-Adding/Nonvalue-Adding: Assessing the relative value of activities according to how they contribute to customer value or to meeting an organization's needs. The degree of contribution reflects the influence of an activity's cost driver(s).

Value Analysis: A method to determine how features of a product or service relate to cost, functionality, appeal and utility to a customer (i.e., engineering value analysis).

Value Based Return (VBR): A measure of the creation of value. It is the difference between economic profit and capital charge.

Value Chain: A series of activities, which combined, define a business process; the series of activities from manufacturers to the retail stores that define the industry supply chain.

Value Chain Analysis: A method to identify all the elements in the linkage of activities a firm relies on to secure the necessary materials and services, starting from their point of origin, to manufacture, and to distribute their products and services to an end user.



Value-of-Service Pricing: Pricing according to the value of the product being transported; third degree price discrimination; demand-oriented pricing; charging what the traffic will bear.

Value of Transfers: The total dollar value (for the calendar year) associated with movement of inventory from one "bucket" into another, such as raw material to work-in-process, work-in-process to finished goods, plant finished goods to field finished goods or customers, and field finished goods to customers. Value of Transfers is based on the value of inventory withdrawn from a certain category and is often approached from a costing perspective, using cost accounts. For example, Raw Materials Value of Transfers is the value of transfers out of the raw material cost accounts (you may have cost centers associated with inventory locations, but all "raw ingredients" usually share common cost accounts or can be rolled up into one financial view). The same goes for WIP. Take the manufacturing cost centers and look at the total value of withdrawals from those cost centers. While Average Gross Inventory represents the value of the inventory in the cost center at any given time, the Value of Transfers is the total value of inventory leaving the cost center during the year. The value of transfers for Finished Goods is, in theory, equivalent to COGS.

Value Proposition: What the supply chain member offers to other members. To be truly effective, the value proposition has to be two-sided; a benefit to both buyers and sellers.

Value stream: All activities, both value added and nonvalue added, required to bring a product from raw material state into the hands of the customer, bring a customer requirement from order to delivery and bring a design from concept to launch.

Value Stream Mapping: A pencil and paper tool used in two stages: 1. Follow a product's production path from beginning to end and draw a visual representation of every process in the material and information flows. 2. Then draw a future state map of how value should flow. The most important map is the future state map.

Variable Cost: A cost that fluctuates with the volume or activity level of business.

Velocity: Rate of product movement through a warehouse

Vendor: The manufacturer or distributor of an item or product line. *Also see: Supplier*

Vendor Code: A unique identifier, usually a number and sometimes the company's DUNS number, assigned by a Customer for the Vendor it buys from. Example; a Grocery Store Chain buys Oreo's from Nabisco. The Grocery Store Chain, for accounting purposes, identifies Nabisco as Vendor #76091. One company can have multiple vendor codes. Example; Welch's Foods sells many different products. Frozen grape juice concentrate, chilled grape juice, bottled grape juice, and grape jelly. Because each of these items is a different type of product, frozen food, chilled food, beverages, dry food, they may have a different buyer at the Grocery Store Chain, requiring a different vendor code for each product line.



Vendor-Managed Inventory (VMI): The practice of retailers making suppliers responsible for determining order size and timing, usually based on receipt of retail POS and inventory data. Its goal is to increase retail inventory turns and reduce stock outs. It may or may not involve consignment of inventory (supplier ownership of the inventory located at the customer).

Ventilated Container - Container used for cargo needing ventilation.

Vertical Hub/Vertical Portal: Serving one specific industry. Vertical portal websites that cater to consumers within a particular industry. Similar to the term "vertical industry", these websites are industry specific, and like a portal, they make use of Internet technology by using the same kind of personalization technology. In addition to industry specific vertical portals that cater to consumers, another definition of a vertical portal is one that caters solely to other businesses.

Vertical Integration: The degree to which a firm has decided to directly produce multiple value adding stages from raw material to the sale of the product to the ultimate consumer. The more steps in the sequence, the greater the vertical integration. A manufacturer that decides to begin producing parts, components, and materials that it normally purchases is said to be backward integrated. Likewise, a manufacturer that decides to take over distribution and perhaps sale to the ultimate consumer is said to be forward integrated.

Vessel: A floating structure designed for transport.

Vessel Ton - 100 cubic feet.

VICS: Voluntary Interindustry Commerce Standards. The retail industry standards body responsible for the CPFR standard, among other things.

Viral Marketing: The concept of embedding advertising into web portals, pop-ups and as e-mail attachments to spread the word about products or services that the target audience may not otherwise have been interested in.

Virtual Corporation: The logical extension of outpartnering. With the virtual corporation, the capabilities and systems of the firm are merged with those of the suppliers, resulting in a new type of corporation where the boundaries between the suppliers' systems and those of the firm seem to disappear. The virtual corporation is dynamic in that the relationships and structures formed change according to the changing needs of the customer.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Virtual Factory: A changed transformation process most frequently found under the virtual corporation. It is a transformation process that involves merging the capabilities and capacities of the firm with those of its suppliers. Typically, the components provided by the suppliers are those that are not related to a core competency of the firm, while the components managed by the firm are related to core competencies. One advantage found in the virtual factory is that it can be restructured quickly in response to changing customer demands and needs.

Visibility: The ability to access or view pertinent data or information as it relates to logistics and the supply chain, regardless of the point in the chain where the data exists.

Vision: The shared perception of the organization's future—what the organization will achieve and a supporting philosophy. This shared vision must be supported by strategic objectives, strategies, and action plans to move it in the desired direction. *Syn: vision statement*

VIAP - Vessel Insurance Additional Premium.

VOCC - Vessel Operating Common Carrier.

Voice Activated or Voice Directed: Systems which guide users such as warehouse personnel via voice commands

Voice of the Customer: The expressed requirements and expectations of customers relative to products or services, as documented and disseminated to the members of the providing organization.

Voyage - Movement of vessel from one point to destination.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



W/M (WORM) - Weight or Measurement.

Wagner-Whitin Algorithm: A mathematically complex, dynamic lot-sizing technique that evaluates all possible ways of ordering to cover net requirements in each period of the planning horizon to arrive at the theoretically optimum ordering strategy for the entire net requirements schedule. *Also see: Discrete Order Quantity, Dynamic Lot Sizing*

Wall-to-Wall Inventory: An inventory management technique in which material enters a plant and is processed through the plant into finished goods without ever having entered a formal stock area.

Waiver - Document used to allow cargo carriage by different flag vessels than original destination country vessels. Also on government cargoes where cargo flag cannot carry the shipments.

War Risk - Surcharge covering additional insurance premium incurred by a vessel entering a war zone.

Warehouse - Building usually located in back up areas or inland where cargo is stored.

Warehouse Management System (WMS): The systems used in effectively managing warehouse business processes and direct warehouse activities, including receiving, putaway, picking, shipping, and inventory cycle counts. Also includes support of radio-frequency communications, allowing realtime data transfer between the system and warehouse personnel. They also maximize space and minimize material handling by automating putaway processes.

Warranty Costs: Includes materials, labor, and problem diagnosis for products returned for repair or refurbishment.

Waste: 1) In Lean and Just-in-Time, any activity that does not add value to the good or service in the eyes of the consumer. 2) A by-product of a process or task with unique characteristics requiring special management control. Waste production can usually be planned and controlled. Scrap is typically not planned and may result from the same production run as waste.

Waterway Use Tax: A per-gallon tax assessed barge carriers for use of the waterways.

Water Feeder - Transports cargo to non-direct ports of call.



Wave Picking: A method of selecting and sequencing picking lists to improve the efficiency of picking and minimize the waiting time of the delivered material. Shipping orders may be picked in waves combined by a common product, common carrier or destination, and manufacturing orders in waves related to work centers. Picked materials would then be consolidated by ship location during the packaging / shipping process.

Waybill: Document containing description of goods that are part of common carrier freight shipment. Show origin, destination, consignee/consignor, and amount charged. Copies travel with goods and are retained by originating/delivering agents. Used by carrier for internal record and control, especially during transit. Not a transportation contract.

Web: A computer term used to describe the global Internet. *Synonym: World Wide Web*

Web Browser: A client application that fetches and displays web pages and other World Wide Web resources to the user.

Web Services: A computer term for information processing services that are delivered by third parties using internet portals. Standardized technology communications protocols; network services as collections of communication formats or endpoints capable of exchanging messages.

Web Site: A location on the Internet.

Weight Break: The shipment volume at which the LTL charges equal the TL charges at the minimum weight.

Weight Confirmation: The practice of confirming or validating receipts or shipments based on the weight.

Weight-losing raw material: A raw material that loses weight in processing

Weighted-Point Plan: A supplier selection and rating approach that uses the input gathered in the categorical plan approach and assigns weights to each evaluation category. A weighted sum for each supplier is obtained and a comparison made. The weights used should sum to 100% for all categories. *Also see: Categorical Plan*

What You See Is What You Get (WYSIWYG): An editing interface in which a file created is displayed as it will appear to an end-user.

Weight - Gross / Long Ton: 1,016 kg (2,240 lbs). **Net / Short Ton:** 907.19 kg (2,000 lbs). **Metric / Kilo Ton:** 1,000 kg (2,204.6 lbs).

Wide Area Network (WAN): A public or private data communications system for linking computers distributed over a large geographic area.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"

Will Call: The practice of taking orders that will be picked up at the selling facility by the buyer. An area where buyers can pick up an order at the selling facility. This practice is widely used in the service parts business.

Windows Meta File (WMF): A vector graphics format for Windows-compatible computers used mostly for word processing clip art.

Wharfage - A port surcharge assessed when vessel comes alongside.

Wire Transfer - Electronic transfer of funds.

Work-in-Process (WIP): Parts and subassemblies in the process of becoming completed finished goods. Work in process generally includes all of the material, labor and overhead charged against a production order which has not been absorbed back into inventory through receipt of completed products.

World Trade Organization (WTO): An organization established on January 1, 1995 replacing the previous General Agreement on Tariffs and Trade GATT that forms the cornerstone of the world trading system.

World Wide Web (WWW): A "multimedia hyper linked database that spans the globe" and lets you browse through lots of interesting information. Unlike earlier Internet services, the 'Web' combines text, pictures, sounds, and even animations, and it lets you move around with a click of your computer mouse.



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



X12: The ANSI standard for interindustry electronic interchange of business transactions.

XML: *See Extensible Markup Language*



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



YTD - Year To Date.

Yard Management System (YMS): A system which is designed to facilitate and organize the coming, going and staging of trucks and trucks with trailers in the parking "yard" that serves a warehouse, distribution or manufacturing facility.

Yield: The ratio of usable output from a process to its input..



A-LOGIXTICS
GROUP, LLC
"We Expedite with Pride"



Zone of Rate Flexibility: Railroads are permitted to raise rates by a percentage increase in the railroad cost index determined by the ICC; rates may be raised by 6% per year through 1984 and 4% thereafter.

Zone of Rate Freedom: Motor carriers are permitted to raise or lower rates by 10% in one year without ICC interference; if the rate change is within the zone of freedom, the rate is presumed to be reasonable.

Zone of Reasonableness: A zone or limit within which air carriers are permitted to change rates without regulatory scrutiny; if the rate change is within the zone, the new rate is presumed to be reasonable.

Zone Picking: A method of subdividing a picking list by areas within a storeroom for more efficient and rapid order picking. A zone-picked order must be grouped to a single location and the separate pieces combined before delivery or must be delivered to different locations, such as work centers. *Also see: Batch Picking*

Zone Price: The constant price of a product at all geographic locations within the zone.

Zone Skipping: For shipments via the US Postal Service, depositing mail at a facility one or more zones closer to the destination. This option would benefit customers operating in close proximity to a zone border or shipping sufficient volumes to offset additional transportation costs.